TC-44B

PARTS CATALOG

FARMALL®

SUPER C

TRACTOR

The black tabs shown on the right-hand side of this page line up with the corresponding tabs in the catalog. Tabs are quickly located by bending the catalog.

INTERNATIONAL HARVESTER COMPANY
180 NORTH MICHIGAN AVE. CHICAGO 1, ILLINOIS, U.S.A.

PRINTED IN UNITED STATES OF AMERICA

INTRODUCTION

This catalog contains a complete list of parts for the Farmall Super C tractor; with a 4-cylinder, $3\frac{1}{8}$ x 4-inch (Gasoline, Distillate or Kerosene) engine.

The parts in this catalog are grouped according to their location in the tractor. Each group is preceded by an "exploded view" which clearly illustrates each part in its correct relation to the other parts in the illustration.

Following is a brief summary of the simplified system used in compiling this catalog. It is to your benefit to study this summary carefully.

(1) **Part Numbers.** Where part number suffix letters have been advanced, the new part will replace the old unless otherwise marked. For example: Valve lever bracket 45 036 DB will work for 45 036 D or DA.

(2) **Illustrations.** The "exploded views" of each unit show the individual parts clearly and in their normal relationship to one another. This illustration method makes it easy to locate parts, whether they are ordered by description or part number. Reference numbers only are shown in each illustration. Parts in the illustrations without reference numbers are the same as corresponding parts with reference numbers. These numbers correspond to those in the reference number column in the numerical list of parts which follows each "exploded view."

(3) **Method of Listing.** The parts list is divided into groups corresponding to units in the tractor. Large groups are subdivided into units. Parts are listed in reference number order with full descriptions, based upon the "noun first" method—i.e., the noun name of the part is listed first, then the modifying descriptive information which serves to specifically identify the item.

A serial number is also given when needed for further identification. The right-hand column shows the quantity required per tractor. All parts for which no engine serial number is shown are used in the first engine of each type having serial No. 100 001 and are still current. Likewise, all parts for which no tractor serial number is shown are used in the first tractor having serial No. 100 001 and are still current.

(4) **Partial Assemblies and Complete Assemblies.** You will find that certain numbers are followed by the letters "X" or "Y". The suffix letter "X" is a symbol indicating an assembly of parts which may be either a partial or a complete assembly.

You will also find some numbers are followed by the suffix R11 (one, one) through R89 (eight, nine) and R91 (nine, one) through R99 (nine, nine). The suffix R11 indicates an assembly of parts which may be either a partial or a complete assembly. (Comparable to the above system using "X.") The suffix R91, in nearly all cases, indicates a complete assembly. (Comparable to the above system using "Y.") For example: 261 295 R21 cylinder head with studs and valve guides is a partial assembly. However, it is necessary to issue a new part number, 351 641 R94, which represents the foregoing with valves and springs added, and is a complete assembly.

Component parts of assemblies are listed immediately following the assembly itself, excepting those made up of less than four parts, which are fully covered by description.

Items consisting of two or more components not serviced separately are so supplied because disassembly of the components is considered impractical.

In some cases the individual parts of an assembly are not available for service. Such parts are usually marked with the symbol §. In some instances, such individual parts are shown in the "List Unit" with a notation giving the part number which is to be used when ordering. For example: 356 302 R1 bearing (order 356 300 R91).

(5) **Abbreviations.** The abbreviations used in this catalog are explained in the list of abbreviations on page 6.

(6) **Index.** On pages 4 and 5 you will find an alphabetical index which is divided into five classifications: Engine, Electrical System, Chassis, Hydraulic System and Attachments. This index should be used to locate unit lists and illustrations. A numerical index at the back of the catalog contains a complete list of parts, showing the page numbers where each part is listed and described.

(7) **Standard Parts.** The so-called "hardware" items such as bolts, screws, nuts, etc., are in most cases indented and listed under the individual parts with which they are used. They should be ordered by number, description and size, as they are not component parts of the piece they attach.

Hardware parts having special part numbers are especially made for their location and should never be substituted with regular standard parts.

(8) **Serial Numbers.** Engine serial numbers start with FCM 100 001 for the Super C. These are stamped on a pad on the right side of the engine crankcase above the crankcase breather. Chassis or tractor serial numbers start with FC-100 001 and are stamped on the name plate on the left side of the clutch housing. No attempt is made at the factory to have the engine and chassis serial numbers correspond.

Customers should be urged to supply you with engine and tractor chassis serial numbers—including prefix and suffix letters—when ordering parts. A suffix letter code has been assigned to identify parts which replace standard parts or units when tractors have special features which differ from standard equipment. Full details concerning the suffix letter code may be found on page 219.

(9) **Prices.** Parts prices will be found in the CH-219 tractor and engine price list, which is issued separately and includes both current and obsolete parts.

INSTRUCTIONS FOR ORDERING PARTS

(a) All parts orders should be sent to the control district office or parts depot when so instructed. Give complete address, state the county and railroad station (when shipping point is different than post office), also whether shipment is to go by parcel post, express, truck, or freight.

(b) When ordering parts, give the IH part number, including suffix or prefix letters. To facilitate identification of these parts, "Serial Numbers" assigned to machines, if any, should be furnished.


(c) Parts should be ordered on the standard parts order blank. The parts should be arranged in sequence by part numbers to facilitate service on orders at the control district office or parts depot.

(d) Claims for shortage or error in the handling of an order for parts must be made upon receipt of goods.

It is the policy of International Harvester Company to improve its products whenever it is possible and practical to do so.


We reserve the right to make changes or add improvements in the design or construction of parts at any time without incurring the obligation to install such changes on Tractors previously delivered.

PRINTED IN UNITED STATES OF AMERICA



A-26784

Right front view of the Farmall Super-C tractor.



A-26785

Left side view of the Farmall Super-C tractor.

(Rev. No. 3 11-'59)

INDEX TO UNITS — Continued


LIST OF ABBREVIATIONS

Always use period after abbreviations except after w/, w/o, f/, NC, NF and SAE

Abbreviation	Meaning
al.	aluminum
alloy-Stl.	alloy steel
amps.	amperes
anld.	annealed
approx.	approximately
bd-hd.	binding head
b-hd.	button head
brs.	brass
brz.	bronze
cd-pltd.	cadmium plated
cd-pltd-Stl.	cadmium plated steel
chr-pltd.	chromium plated
chr-pltd-Stl.	chromium plated steel
C.I.	cast iron
csk.	countersunk
csk-hd.	countersunk head
cl-rec-hd.	clutch recess head
cone-pt.	cone point
contd.	continued
cop.	copper
cop-pltd.	copper plated
c-pin	cotter pin
corr-res-Stl.	corrosion-resistant-steel (stainless)
cr-rec-hd.	cross recess head
C. R.	corrosion resisting
cup-pt.	cup point
cyls.	cylinders
dia.	diameter
dld.	drilled
dld-f/c-pin	drilled for cotter pin
dld-f/lkg-wire	drilled for locking wire
dog-pt.	dog point
f/	for
fil-hd.	fillister head
fin-nk.	fin neck
fl-csk-hd.	flat countersunk head
fl-fil-hd.	flat fillister head
fl-hd.	flat head
fl-pt.	flat-point
flex.	flexible
ft.	foot (or feet)
ga.	gauge
hd.	head
hdls.	headless
hex.	hexagon
hex-hd.	hexagonal-head
hex-socket-hd.	hexagon socket head
hp.	horsepower
hv.	heavy
I.D.	inside diameter
in.	inch or inches
lbs.	pounds
lentil-hd.	lentil head
L.H.	left hand
lkg.	locking
mach.	machine
M.I.	malleable iron
NC	National Coarse Thread
NF	National Fine Thread
ni.	nickel
ni-pltd-Stl.	nickel plated steel
No.	number
NPT	National pipe thread
O.C.	outside circumference
O.D.	outside diameter
oval-hd.	oval head
oz.	ounce
parkerized-Stl.	parkerized steel
pltd.	plated
pt.	point
rd-end	round end
rd-hd.	round head
rd-pt.	round point
reg.	regular
R. H.	right hand
SAE	Society of Automotive Engineers
s-fin.	semi-finished
slotted-hd.	slotted head
slotted-bd-hd.	slotted binding head
slotted-fil-hd.	slotted fillister head
slotted-fl-hd.	slotted flat head
slotted-pan-hd.	slotted pan head
slotted-rd-hd.	slotted round head
sq.	square
sq-hd.	square head
sq-nk.	square neck
std.	standard
std-hd.	standard head
Stl.	steel
T.	teeth
thd.	thread
unfin.	unfinished
wagon-box-hd.	wagon box head
w/	with
w/brz.	with bronze
w/hex.	with hexagon
w/o	without
zn.	zinc
zn-ctd.	zinc coated
zn-pltd.	zinc plated

ENGINE

CYLINDER HEAD, VALVE COVER, VALVES AND VALVE LEVERS



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	43 378 DB	GASKET, VALVE COVER		1
2	356 352 R92	COVER, VALVE		1
3	49 049 DX	BREATHER, CYLINDER HEAD (OPTIONAL WITH 364 901 R91)		1
3	364 901 R91	BREATHER, CYLINDER HEAD (OPTIONAL WITH 49 049 DX)		1
4	62 866 D	WASHER, VALVE STUD NUT (OPTIONAL WITH 357 374 R11)		2
4	357 374 R1	WASHER, VALVE STUD NUT (OPTIONAL WITH 62 886 D)		2
5	172 528	PLUG, EXPANSION, 9/16"		2
6	43 375 D	RING, SNAP, VALVE LEVER SHAFT		2
7	43 374 D	WASHER, SPRING, VALVE LEVER SHAFT		2
8	24 564 DA	BUSHING, VALVE LEVER (USED ONLY WITH FORGED TYPE VALVE LEVERS)		2
9	357 289 R91	LEVER, INTAKE OR EXHAUST VALVE (WELDED TYPE) (WILL WORK FOR 63 197 DAX AND 43 365 DBX)		2
9	357 291 R92	LEVER, INTAKE OR EXHAUST VALVE, LH, 357 289 R91, W/SCREW, 16 067 DA AND NUT, 133 093 R1 (WILL WORK FOR 43 365 DBYA)		2
10	133 093 R1	NUT, VALVE LEVER ADJUSTING SCREW (WILL WORK FOR 38 763 H)		8
11	42 099 DA	BRACKET, VALVE LEVER SHAFT END		2
12	352 521 R11	SHAFT, VALVE LEVER, W/TWO PLUGS, 172 528		1
13	357 290 R91	LEVER, INTAKE OR EXHAUST VALVE (WELDED TYPE) (WILL WORK FOR 63 196 DAX AND 43 364 DBX)		2
13	357 292 R92	LEVER, INTAKE OR EXHAUST VALVE, RH, 357 290 R91, W/SCREW, 16 067 DA AND NUT, 133 093 R1 (WILL WORK FOR 43 364 DBYA)		2

CYLINDER HEAD, VALVE COVER, VALVES AND VALVE LEVERS—Continued


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
14	43 373 D	SPACER, VALVE LEVER (OPTIONAL WITH 356 776 R1)		2
14	356 776 R1	SPACER, VALVE LEVER (OPTIONAL WITH 43 373 D)		2
15	357 289 R91	LEVER, INTAKE OR EXHAUST VALVE (WELDED TYPE) (WILL WORK FOR 63 195 DAX AND 43 363 DBX)		2
15	357 291 R92	LEVER, INTAKE OR EXHAUST VALVE LH, 357 289 R91, W/SCREW, 16 067 DA AND NUT, 133 093 R1 (WILL WORK FOR 43 363 DBYA)		2
16	24 541 D	SPRING, VALVE LEVER		2
17	357 290 R91	LEVER, INTAKE OR EXHAUST VALVE (WELDED TYPE) (WILL WORK FOR 63 198 DAX AND 43 366 DBX)		2
17	357 292 R92	LEVER, INTAKE OR EXHAUST VALVE RH, 357 290 R91, W/SCREW, 16 067 DA AND NUT, 133 093 R1 (WILL WORK FOR 43 366 DBYA)		2
18	6 089 DA	BRACKET, VALVE LEVER SHAFT, CENTER		1
19	16 067 DA	SCREW, ADJUSTING, VALVE LEVER		8
20	366 300 R1	GASKET, CYLINDER HEAD		1
21	251 174 R1	STUD, CYLINDER HEAD TO MANIFOLD		6
22	355 373 R1	STUD, VALVE LEVER SHAFT OILER		1
	103 026	NUT, HEX., 3/8-24NF		1
23	45 574 D	STUD, VALVE COVER		2
	103 026	NUT, HEX., 3/8-24NF		4
	103 321	WASHER, LOCK, 3/8"		2
24	42 026 D	KEY, VALVE SPRING COLLAR		16
25	42 040 D	SEAT, VALVE SPRING, UPPER (WILL WORK FOR 47 278 D) (4 USED WITH ROTO CAP)		8
25A	356 841 R91	ROTO CAP, EXHAUST VALVE (GASOLINE)		4
26	24 544 DA	SPRING, VALVE (4 USED WITH ROTO CAP)		8
26	366 304 R1	SPRING, VALVE (4 USED WITH ROTO CAP) (USED WITH CYLINDER HEAD, 251 173 R95)		8
26	356 842 R1	SPRING, VALVE (USED WITH ROTO CAP)		4
27	42 098 D	RETAINER, VALVE STEM		8
28	356 583 R11	GUIDE, VALVE, 356 583 R1, W/SEAT, 356 588 R1 (WILL WORK FOR 6 088 DR)		8
29	356 588 R1	SEAT, VALVE SPRING LOWER		8
30	356 583 R1	GUIDE, VALVE (USED WITH VALVE SPRING LOWER SEAT, 356 588 R1)		8
31	57 797 D	VALVE, INTAKE (GASOLINE)		4
31	366 302 R1	VALVE, INTAKE (GASOLINE) (USED WITH CYLINDER HEAD, 251 173 R95)		4
31	57 798 D	VALVE, EXHAUST (GASOLINE)		4
31	366 303 R1	VALVE, EXHAUST (GASOLINE) (USED WITH CYLINDER HEAD, 251 173 R95)		4
31	351 647 R1	VALVE, EXHAUST (DISTILLATE OR KEROSENE)		4
31	351 648 R1	VALVE, INTAKE (DISTILLATE OR KEROSENE)		4

ENGINE

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		CYLINDER HEAD, VALVE COVER, VALVES AND VALVE LEVERS — Continued		
32	261 295 R21	HEAD, CYLINDER, W/STUDS AND VALVE GUIDES, ASSEMBLY (DISTILLATE OR KEROSENE)		1
		(COMPOSED OF -		
		8 GUIDE §356 587 R1 — 2 STUD 45 574 D		
		1 HEAD §261 295 R2 — 6 STUD 251 174 R1		
		1 PLUG 103 868 — 1 STUD 355 373 R1)		
		8 SEAT 356 588 R1		
32	355 046 R21	HEAD, CYLINDER, W/STUDS AND VALVE GUIDES, ASSEMBLY (GASOLINE)		
		(ORDER 251 173 R95)		1
		(COMPOSED OF -		
		8 GUIDE §356 587 R1 — 2 STUD 45 574 D		
		1 HEAD §355 046 R2 — 6 STUD 251 174 R1		
		1 PLUG 103 868 — 1 STUD 355 373 R1)		
		8 SEAT 356 588 R1		
32	251 173 R95	HEAD, CYLINDER, W/VALVES AND SPRINGS, ASSEMBLY (GASOLINE)		1
		(COMPOSED OF -		
		1 HEAD 366 299 R11 — 8 SEAT 356 588 R1		
		16 KEY 42 026 D — 8 SPRING 366 304 R1		
		8 RETAINER 42 098 D — 4 VALVE 366 302 R1		
		8 SEAT 42 040 D — 4 VALVE 366 303 R1)		
32	366 299 R11	HEAD, CYLINDER, ASSEMBLY (GASOLINE) (PART OF CYLINDER HEAD ASSEMBLY, 251 173 R95)		1
		(COMPOSED OF -		
		8 GUIDE §356 587 R1 — 2 STUD 45 574 D		
		1 HEAD §366 299 R1 — 6 STUD 251 174 R1		
		1 PLUG 103 868 — 1 STUD 355 373 R1)		
32	351 641 R94	HEAD, CYLINDER, 261 295 R21, W/VALVES AND SPRINGS, ASSEMBLY (DISTILLATE OR KEROSENE)		1
		(COMPOSED OF -		
		1 HEAD 261 295 R21 — 8 SPRING 24 544 DA		
		16 KEY 42 026 D — 4 VALVE 351 647 R1		
		8 RETAINER 42 098 D — 4 VALVE 351 648 R1)		
		8 SEAT 42 040 D		
	364 789 R1	BOLT, CYLINDER HEAD (PART OF 251 173 R95)		9
	4 097 DA	NUT, CYLINDER HEAD STUD		9
	103 868	PLUG, PIPE, 1/2"		1
	24 433 D	STUD, CYLINDER HEAD		9
	58 516 H	WASHER, CYLINDER HEAD BOLT (PART OF 251 173 R95)		9
	356 840 R91	ATTACHMENT, VALVE ROTATOR		1
		(COMPOSED OF -		
		4 ROTO CAP 356 841 R91		
		4 SPRING 356 842 R1)		
	356 314 R96	GASKET SET, ENGINE		1
	357 476 R92	GASKET SET, VALVE GRINDING		1
		§ - NOT SERVICED SEPARATELY		

ENGINE

CRANKCASE, FRONT COVER, CAMSHAFT AND RELATED PARTS



B-9040 A

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	6 102 D	RETAINER, CRANKSHAFT REAR OIL SEAL, LOWER		1
	179 817	SCREW, CAP, HEX-HD., 5/16-18NC x 7/8"		5
	179 796	SCREW, CAP, HEX-HD., 1/4-20NC x 7/8"		2
	103 320	WASHER, LOCK, 5/16"		5
	103 319	WASHER, LOCK, 1/4"		2
2	43 447 D	GASKET, CRANKSHAFT REAR OIL SEAL RETAINER, CENTER		2
3	6 101 D	RETAINER, CRANKSHAFT REAR OIL SEAL, UPPER		1
	179 817	SCREW, CAP, HEX-HD., 5/16-18NC x 7/8"		3
	103 320	WASHER, LOCK, 5/16"		3
4	24 425 D	OIL SEAL, FELT, CRANKSHAFT, REAR		2
5	43 448 D	GASKET, CRANKSHAFT REAR OIL SEAL RETAINER		1
6	6 100 D	PLATE, CRANKSHAFT OIL SEAL RETAINER, FRONT AND REAR		2
7	43 446 D	GASKET, CRANKSHAFT OIL SEAL RETAINER PLATE		4
8	43 445 D	PLUG, FELT, CRANKSHAFT OIL SEAL RETAINER PLATE		4

ENGINE

CRANKCASE, FRONT COVER, CAMSHAFT AND RELATED PARTS—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
9	172 576	PLUG, expansion, 1-5/8"		1
10	172 592	PLUG, expansion, 2"		1
11	364 665 R91	GAUGE, oil pressure		1
	106 649	ELBOW, street, 45°, M.I., 1/8"		1
12	361 555 R1	SLEEVE, oil level gage (for tractors equipped with Oil Level Gage)		1
13	34 259 H	WASHER, felt, oil level gage (for tractors equipped with Oil Level Gage)		1
14	362 611 R11	GAGE, bayonet type, engine oil level, w/SHIELD and WASHER, 34 259 H (for tractors equipped with Oil Level Gage)		1
16	373 102 R1	BUSHING, camshaft, front (used only with crankcase §366 204 R3)		1
17	47 386 D	ROD, push, valve (optional with 357 548 R1 and 360 213 R91)		8
17	357 548 R1	ROD, push, valve (optional with 47 386 D and 360 213 R91)		8
17	360 213 R91	ROD, push, valve (optional with 47 386 D and 357 548 R1)		8
18	47 384 D	TAPPET, valve (optional with 356 979 R1)		8
18	356 979 R1	TAPPET, valve (optional with 47 384 D)		8
19	43 439 DBR	BUSHING, ignition unit and governor pinion		1
20	46 179 DB	GASKET, crankcase front cover		1
21	46 122 DAX	COVER, crankcase, front, w/OIL SEAL, 49 177 D		1
	114 493	NUT, hex., 5/16-24NF		1
	179 814	SCREW, cap, hex-hd., 5/16-18NC x 5/8"		11
	103 320	WASHER, lock, medium, 5/16"		12
	103 340	WASHER, plain, 11/32" I.D. x 11/16" O.D. x No. 16 ga.		12
22	49 177 D	OIL SEAL, crankshaft, front		1
23	6 779 DB	GEAR, camshaft (66 teeth)		1
24	43 249 D	PLATE, thrust, camshaft (optional with 374 704 R1)		1
24	374 704 R1	PLATE, thrust, camshaft (optional with 43 249 D)		1
	179 837	SCREW, cap, hex.-hd., 3/8-16NC x 3/4"		2
	103 321	WASHER, lock, 3/8"		2
25	353 609 R2	CAMSHAFT		1
26	127 559	KEY, Woodruff, No. 91		1
		§ - Not Service Separately		


CRANKCASE, FRONT COVER, CAMSHAFT AND RELATED PARTS—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
27	251 067 R1	COVER, HYDRAULIC PUMP PAD (FOR TRACTORS NOT EQUIPPED WITH TOUCH-CONTROL)		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		2
	103 321	WASHER, LOCK, 3/8"		2
28	350 708 R1	GASKET, HYDRAULIC PUMP PAD COVER (FOR TRACTORS NOT EQUIPPED WITH TOUCH-CONTROL)		1
29	251 066 R1	STUD, CRANKCASE FRONT COVER		1
30	366 294 R93	CRANKCASE, ASSEMBLY		1
		(COMPOSED OF -		
		6 BOLT 17 091 R1 — 1 GASKET 350 708 R1		
		9 BOLT 364 789 R1 — 1 PLUG 103 866		
		1 BUSHING 43 439 DBR — 2 PLUG 143 997		
		1 BUSHING 373 102 R1 — 1 PLUG 172 576		
		§ 2 CAP 8 073 DA — 1 PLUG 172 592		
		§ 1 CAP 8 074 DA — 3 PLUG 365 101 R1		
		1 COVER 251 067 R1 — 2 SCREW 179 837		
		§ 1 CRANKCASE 366 204 R3 — 1 SLEEVE 365 936 R1		
		2 DOWEL 15 945 D — 15 WASHER 58 516 H		
		1 ELBOW 106 649 — 2 WASHER 103 321)		
		1 GAGE 362 611 R11		
	143 997	PLUG, PIPE, SQ-SOC., STL., 1/4"		2
	103 866	PLUG, PIPE, SQ-HD., CI, 1/4" (OPTIONAL WITH 103 878)		1
	103 878	PLUG, PIPE, SQ-HD., STL., 1/4" (OPTIONAL WITH 103 866)		1
31	50 410 DA	PLUG, CRANKCASE OIL HEADER, 1/8"		3
32	360 077 R91	BOLT, 17 091 R1, CRANKSHAFT BEARING CAP, W/WASHER, 58 516 H (WILL WORK FOR 357 937 R1)	165621 TO 202427	6
32	17 091 R1	BOLT, HEX-HD., SELF-LOCKING, 1/2-13NC x 3" (CRANKSHAFT BEARING CAP)	202428 UP	6
33	30 638 D	LOCK, CRANKSHAFT BEARING CAP BOLT	100001 TO 202427	6
34	58 516 H	WASHER, CRANKSHAFT BEARING CAP BOLT	202428 UP	6
35	15 945 D	DOWEL, CLUTCH HOUSING		2

§ - NOT SERVICED SEPARATELY

ENGINE

CRANKSHAFT AND RELATED PARTS, AND STARTING CRANK




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	29 951 D	BOLT, FLYWHEEL		4
2	46 349 D	LOCK, FLYWHEEL BOLT		2
3	55 755 DB	GEAR, RING, FLYWHEEL (90 TEETH)		1
4	351 217 R12	FLYWHEEL, W/RING GEAR, 55 755 DB		1
5	24 550 D	PIN, DOWEL, FLYWHEEL		1
6	46 870 DA	PINION, CRANKSHAFT (33 TEETH)		1
7	127 559	KEY, WOODRUFF, No. 91		2
8	43 291 D	BUSHING, CLUTCH PILOT (OPTIONAL WITH 364 527 R91)		1
8	364 527 R91	BUSHING, CLUTCH PILOT (OPTIONAL WITH 43 291 D)		1
9	360 221 R11	BEARING, CRANKSHAFT, REAR (2 HALVES) (STANDARD) (TRI-METAL TYPE)		1
9	360 223 R11	BEARING, CRANKSHAFT, REAR (2 HALVES) (.002" UNDERSIZE) (TRI-METAL TYPE)		1
9	360 224 R11	BEARING, CRANKSHAFT, REAR (2 HALVES) (.003" UNDERSIZE) (TRI-METAL TYPE)		1
9	360 222 R11	BEARING, CRANKSHAFT, REAR (2 HALVES) (.030" UNDERSIZE) (TRI-METAL TYPE)		1
9	360 225 R11	BEARING, CRANKSHAFT, REAR (2 HALVES) (.032" UNDERSIZE) (TRI-METAL TYPE)		1
10	360 216 R11	BEARING, CRANKSHAFT, FRONT AND CENTER (2 HALVES) (STANDARD) (TRI-METAL TYPE)		2
10	360 218 R11	BEARING, CRANKSHAFT, FRONT AND CENTER (2 HALVES) (.002" UNDERSIZE) (TRI-METAL TYPE)		2
10	360 219 R11	BEARING, CRANKSHAFT, FRONT AND CENTER (2 HALVES) (.003" UNDERSIZE) (TRI-METAL TYPE)		2
10	360 217 R11	BEARING, CRANKSHAFT, FRONT AND CENTER (2 HALVES) (.030" UNDERSIZE) (TRI-METAL TYPE)		2
10	360 220 R11	BEARING, CRANKSHAFT, FRONT AND CENTER (2 HALVES) (.032" UNDERSIZE) (TRI-METAL TYPE)		2

ENGINE

CRANKSHAFT AND RELATED PARTS, AND STARTING CRANK — Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
11	360 296 R91	CRANKSHAFT, W/BEARINGS, ASSEMBLY (STANDARD)		1
		(COMPOSED OF -		
		4 BEARING 356 304 R11		
		1 BEARING 360 221 R11		
		2 BEARING 360 216 R11		
		1 BUSHING 43 291 D		
		1 CRANKSHAFT § 356 308 R11		
		1 PIN 24 550 D)		
11	360 297 R91	CRANKSHAFT, W/BEARINGS, ASSEMBLY (.030" UNDERSIZE)		1
		(COMPOSED OF -		
		4 BEARING 356 305 R11		
		1 BEARING 360 222 R11		
		2 BEARING 360 217 R11		
		1 BUSHING 43 291 D		
		1 CRANKSHAFT § 356 309 R11		
		1 PIN 24 550 D)		
12	6 502 DB	PULLEY, FAN DRIVE		1
13	15 204 D	PIN, STARTING CRANK (USED WITH STARTING CRANK)		1
14	53 385 DBX	CRANK, STARTING W/PIN, 15 204 D (SEE NOTE)		1
14	357 750 R11	CRANK, STARTING W/PIN, 15 204 D (SEE NOTE)		1
14	352 496 R93	CRANK, STARTING W/PIN, 15 204 D (FOR TRACTORS EQUIPPED WITH ADJUSTABLE FRONT AXLE) (SEE NOTE)		1
	367 878 R91	BEARING SET, CRANKSHAFT (STANDARD) (TRI-METAL TYPE) (CONSISTS OF TWO BEARINGS, 360 216 R11 AND ONE BEARING, 360 221 R11)		1
	372 116 R91	BEARING SET, CRANKSHAFT (.030" UNDERSIZE) (TRI-METAL TYPE) (CONSISTS OF TWO BEARINGS, 360 217 R11 AND ONE BEARING, 360 221 R11)		1
		NOTE - FOR TRACTORS EQUIPPED WITH MAGNETO IGNITION WITHOUT STARTING AND LIGHTING SYSTEM - SPECIAL FOR ALL OTHERS		
		§ - NOT SERVICED SEPARATELY		

CONNECTING RODS, PISTONS, CYLINDER SLEEVES, AND RING SETS



A-47400

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	366 291 R1	RING, COMPRESSION, PISTON (TOP OR FIRST GROOVE) (CHROME) (GASOLINE OR DISTILLATE) (NOTE A)		4
1	366 642 R1	RING, COMPRESSION, PISTON (TOP OR FIRST GROOVE) (CHROME) (DISTILLATE OR KEROSENE) (NOTE B)		4
1	370 154 R1	RING, COMPRESSION, PISTON (TOP OR FIRST GROOVE) (CHROME) (GASOLINE OR DISTILLATE) (NOTE C)		4
2	366 292 R1	RING, COMPRESSION, PISTON (SECOND GROOVE) (GASOLINE, DISTILLATE AND KEROSENE) (NOTE A AND B)		4
2	370 155 R1	RING, COMPRESSION, PISTON (SECOND GROOVE) (GASOLINE OR DISTILLATE) (NOTE C)		4
3	366 292 R1	RING, COMPRESSION, PISTON (THIRD GROOVE) (DISTILLATE OR KEROSENE) (NOTE B)		4
4	366 636 R91	RING. OIL PISTON (THIRD OR BOTTOM GROOVE) (CHROME) (GASOLINE OR DISTILLATE) (NOTE A)		4
4	370 156 R91	RING, OIL PISTON (THIRD OR BOTTOM GROOVE) (CHROME) (GASOLINE OR DISTILLATE) (NOTE C)		4
4	366 636 R91	RING. OIL PISTON (FOURTH OR BOTTOM GROOVE) (CHROME) (DISTILLATE) (NOTE B)		4
4	366 293 R91	RING. OIL PISTON (FOURTH OR BOTTOM GROOVE) (CHROME) (KEROSENE) (NOTE B)		4
		NOTE A - USED WITH THREE RING 3-1/8" DIA. ALUMINUM PISTONS, 362 867 R1, 363 375 R1 AND 363 377 R1		
		NOTE B - USED WITH FOUR RING 3-1/8" DIA. GRAY IRON PISTONS, 356 302 R2, 356 618 R2. 356 619 R2, 356 899 R2, 356 916 R2, 356 917 R2		
		NOTE C - USED WITH THREE RING (3-3/16" DIA.) ALUMINUM PISTONS 370 147 R1, 370 149 R1, 374 294 R1 AND 374 451 R1		

ENGINE

CONNECTING RODS, PISTONS, CYLINDER SLEEVES, AND RING SETS — Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
5	364 788 R91	RING SET, PISTON (PERFECT CIRCLE 2 IN 1 CHROME)		
		(COMPOSED OF EIGHT COMPRESSION RINGS AND FOUR OIL REGULATING RINGS)		
		(GASOLINE OR DISTILLATE) (NOTE A)		1
5	354 893 R92	RING SET, PISTON (PERFECT CIRCLE) (DISTILLATE) (COMPOSED OF		
		TWELVE COMPRESSION RINGS AND FOUR REGULATING RINGS)		
		(OPTIONAL WITH 354 894 R92 AND 357 679 R91) (NOTE B)		1
5	354 894 R92	RING SET, PISTON (WILKENING) (DISTILLATE) (COMPOSED OF		
		TWELVE COMPRESSION RINGS AND FOUR OIL REGULATING RINGS)		
		(OPTIONAL WITH 354 893 R92 AND 357 679 R91) (NOTE B)		1
5	357 679 R91	RING SET, PISTON (PERFECT CIRCLE 2 IN 1 CHROME) (DISTILLATE)		
		(COMPOSED OF TWELVE COMPRESSION RINGS AND FOUR OIL REGULATING		
		RINGS) (OPTIONAL WITH 354 893 R92 AND 354 894 R92) (NOTE B)		1
5	357 076 R91	RING SET, PISTON (PERFECT CIRCLE) (KEROSENE) (COMPOSED OF		
		TWELVE COMPRESSION RINGS AND FOUR OIL REGULATING RINGS)		
		(OPTIONAL WITH 357 080 R91) (NOTE B)		1
5	357 080 R91	RING SET, PISTON (WILKENING) (KEROSENE) (COMPOSED OF		
		TWELVE COMPRESSION RINGS AND FOUR OIL REGULATING RINGS)		
		(OPTIONAL WITH 357 076 R91) (NOTE B)		1
5	370 422 R91	RING SET, PISTON (PERFECT CIRCLE 2-IN-1 CHROME) (3-3/16" DIA. PISTONS)		
		(COMPOSED OF TWELVE COMPRESSION RINGS AND FOUR OIL REGULATING RINGS)		
		(GASOLINE OR DISTILLATE) (NOTE C)		1
6		SLEEVE, CYLINDER (ORDER SLEEVE, W/PISTON AND RINGS, ASSEMBLY		
		FOR PROPER FUEL AND ALTITUDE)		4
7	354 881 R1	RING PACKING, CYLINDER SLEEVE		4
8	359 321 R1	SPRING, PISTON PIN RETAINER		8
9	24 414 DB	PIN, PISTON (STANDARD) (WILL WORK FOR 365 043 R1)		4
9	53 159 D	PIN PISTON (.005" OVERSIZE) (WILL WORK FOR 365 061 R1)		4
10		PISTON (ORDER SLEEVE, PISTON, RINGS, ASSEMBLY FOR PROPER FUEL AND ALTITUDE)		4
11	64 508 D	BUSHING PISTON PIN		4
12	30 926 DFXA	ROD, CONNECTING. W/TWO BOLTS, 363 465 R11 BUSHING, 64 508 D AND CAP		4
13	363 465 R11	BOLT, CONNECTING ROD, W/NUT, 363 466 R1 (WILL WORK FOR 24 412 DX)		8
14	24 413 D	NUT, CONNECTING ROD BOLT (WITHOUT IDENTIFYING NOTCHES)		8
	103 373	PIN, COTTER, 3/32 x 3/4"		8
14	363 466 R1	NUT, CONNECTING ROD BOLT (WITH IDENTIFYING NOTCHES)		8
15	356 304 R11	BEARING, CONNECTING ROD (2 HALVES)		4
15	356 305 R11	BEARING, CONNECTING ROD (2 HALVES) (.030" UNDERSIZE)		4
15	356 306 R11	BEARING, CONNECTING ROD (2 HALVES) (.002" UNDERSIZE)		4
15	360 196 R11	BEARING, CONNECTING ROD (2 HALVES) (.003" UNDERSIZE)		4
15	356 307 R11	BEARING, CONNECTING ROD (2 HALVES) (.032" UNDERSIZE)		4
15	367 876 R91	BEARING SET, CONNECTING ROD (STANDARD) (CONSISTS OF FOUR BEARINGS, 356 304 R11)		1
15	372 115 R91	BEARING SET, CONNECTING ROD (.030" UNDERSIZE) (CONSISTS OF FOUR BEARINGS, 356 305 R11)		1
16	30 926 DFYA	ROD, CONNECTING, 30 926 DFXA, W/BEARING, 356 304 R11		4
		NOTE A - USED WITH THREE RING 3-1/8" DIA. ALUMINUM PISTONS,		
		362 867 R1, 363 375 R1 AND 363 377 R1		
		NOTE B - USED WITH FOUR RING 3-1/8" DIA. GRAY IRON PISTONS,		
		356 302 R2, 356 618 R2, 356 619 R2, 356 899 R2, 356 916 R2, 356 917 R2		
		NOTE C - USED WITH THREE RING (3-3/16" DIA. ALUMINUM PISTONS,		
		370 147 R1, 370 149 R1, 374 294 R1 AND 374 451 R1		

CONNECTING RODS, PISTONS, CYLINDER SLEEVES, AND RING SETS — Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
17	370 157 R91	SLEEVE SET, CRANKCASE (THINWALL) (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 370 159 R91) (GASOLINE-STANDARD ALTITUDE) (ORDER 374 259 R91) (NOTE A)		1
17	370 159 R91	SLEEVE, CYLINDER, W/PISTONS AND RINGS ASSEMBLY (THINWALL) (GASOLINE-STANDARD ALTITUDE) (NOTE B) (ORDER 374 259 R91)		4
		(COMPOSED OF -		
		1 PIN 24 414 DB — 1 RING 370 155 R1		
		1 PISTON § 370 147 R1 — 1 RING 370 156 R91		
		1 RING 354 881 R1 — 1 SLEEVE § 370 152 R1		
		1 RING 370 154 R1 — 2 SPRING 359 321 R1)		
17	374 259 R91	SLEEVE SET, CRANKCASE (FIRE CRATER INCREASED POWER) (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 374 293 R91) (GASOLINE STANDARD ALTITUDE) (NOTE A)		1
17	374 293 R91	SLEEVE, CYLINDER W/PISTONS AND RINGS, ASSEMBLY (FIRE CRATER INCREASED POWER) (GASOLINE-STANDARD ALTITUDE) (NOTE B)		4
		(COMPOSED OF -		
		1 PIN 24 414 DB — 1 RING 370 155 R1		
		1 PISTON § 374 294 R1 — 1 RING 370 156 R91		
		1 RING 354 881 R1 — 1 SLEEVE § 370 152 R1		
		1 RING 370 154 R1 — 2 SPRING 359 321 R1)		
17	374 449 R91	SLEEVE SET, CRANKCASE (FIRE CRATER INCREASED POWER) (CONSISTS OF FOUR SLEEVES W/PISTONS AND RINGS 374 450 R91) (GASOLINE-HIGH ALTITUDE) (NOTE A)		1
17	374 450 R91	SLEEVE CYLINDER, W/PISTONS AND RINGS, ASSEMBLY (FIRE CRATER INCREASED POWER) (GASOLINE HIGH ALTITUDE) (NOTE B)		4
		(COMPOSED OF -		
		1 PIN 24 414 DB — 1 RING 370 155 R1		
		1 PISTON § 374 451 R1 — 1 RING 370 156 R91		
		1 RING 354 881 R1 — 1 SLEEVE § 370 152 R1		
		1 RING 370 154 R1 — 2 SPRING 359 321 R1)		
17	370 158 R91	SLEEVE SET, CRANKCASE (THINWALL) (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 370 160 R91) (DISTILLATE-STANDARD ALTITUDE) (NOTE A)		1
17	370 160 R91	SLEEVE, CYLINDER, W/PISTON AND RINGS ASSEMBLY (THINWALL) (DISTILLATE-STANDARD ALTITUDE) (NOTE B)		4
		(COMPOSED OF -		
		1 PIN 24 414 DB — 1 RING 370 155 R1		
		1 PISTON § 370 149 R1 — 1 RING 370 156 R91		
		1 RING 354 881 R1 — 1 SLEEVE § 370 152 R1		
		1 RING 370 154 R1 — 2 SPRING 359 321 R1)		
17	363 368 R92	SLEEVE SET, CRANKCASE (THINWALL) (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 363 371 R92) (DISTILLATE HIGH ALTITUDE)		1
17	363 371 R92	SLEEVE, CYLINDER, W/PISTON AND RINGS, ASSEMBLY (THINWALL) (DISTILLATE HIGH ALTITUDE) (NOTE B)		4
		(COMPOSED OF -		
		1 PIN 24 414 DB — 1 RING 366 636 R91		
		§ 1 PISTON 363 375 R1 — 1 RING 366 291 R1		
		1 RING 354 881 R1 — § 1 SLEEVE 356 301 R1		
		1 RING 366 292 R1 — 2 SPRING 359 321 R1)		
		NOTE A - IT IS RECOMMENDED THAT TRI-METAL MAIN BEARINGS BE USED IN CONJUNCTION W/FOREGOING PISTON AND SLEEVE SETS.		
		NOTE B - FOR SERVICE REPLACEMENT, OF "THICKWALL" CYLINDER SLEEVE WITH PISTON ASSEMBLY, ORDER SLEEVE SET FOR PROPER FUEL AND ALTITUDE		
		§ - NOT SERVICED SEPARATELY		


CONNECTING RODS, PISTONS, CYLINDER SLEEVES, AND RING SETS — Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
17	356 904 R93	SLEEVE SET, CRANKCASE (THINWALL) (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 356 903 R93 (KEROSENE-STANDARD ALTITUDE)		1
17	356 903 R93	SLEEVE, CYLINDER, W/PISTON AND RINGS, ASSEMBLY (THINWALL) (KEROSENE-STANDARD ALTITUDE) (NOTE B)		4
		(COMPOSED OF -		
		1 PIN 24 414 DB — 2 RING 366 292 R1		
		§ 1 PISTON 356 899 R2 — 1 RING 366 293 R91		
		1 RING 354 881 R1 — § 1 SLEEVE 356 301 R1		
		1 RING 366 642 R1 — 2 SPRING 359 321 R1)		
17	356 907 R93	SLEEVE SET, CRANKCASE (THINWALL) (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 356 914 R93 (KEROSENE - HIGH ALTITUDE) (NO LONGER AVAILABLE FOR SERVICE)		1
17	356 914 R93	SLEEVE, CYLINDER, W/PISTON AND RINGS, ASSEMBLY (THINWALL) (KEROSENE - HIGH ALTITUDE) (NOTE B)		4
		(COMPOSED OF -		
		1 PIN 24 414 DB — 2 RING 366 292 R1		
		§ 1 PISTON 356 916 R2 — 1 RING 366 293 R91		
		1 RING 354 881 R1 — § 1 SLEEVE 356 301 R1		
		1 RING 366 642 R1 — 2 SPRING 359 321 R1)		

NOTE B - FOR SERVICE REPLACEMENT, OF "THICKWALL" CYLINDER SLEEVE WITH PISTON ASSEMBLY, ORDER SLEEVE SET FOR PROPER FUEL AND ALTITUDE.

ENGINE


WATER PUMP



A-26847 A

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	355 760 R93	PUMP, WATER, ASSEMBLY		1
	179 849	SCREW, CAP, HEX-HD., 3/8-16NC x 2-1/2"		1
	103 321	WASHER, LOCK, 3/8"		1
2	9 102 D	PULLEY (WILL WORK FOR 355 765 R1)		1
3	355 768 R1	RETAINER, BEARING		1
4	362 101 R91	SHAFT, W/BEARINGS AND FLINGER, 362 038 R1	FCM 203383 UP	1
4	355 767 R91	SHAFT, W/BEARINGS	FCM 501 TO 203382	1
5	362 038 R1	FLINGER		1
6	355 763 R92	BODY, FRONT, W/SEAL, 355 762 R91		1
	179 818	SCREW, CAP, HEX-HD., 5/16-18NC x 1"		3
	179 849	SCREW, CAP, HEX-HD., 3/8-16NC x 2-1/2"		1
	103 320	WASHER, LOCK, 5/16"		3
	103 321	WASHER, LOCK, 3/8"		1
	126 054	PLUG, PIPE, SQ-SOCKET, STL., 3/8"		1
7	355 762 R91	SEAL		1
8	355 766 R1	IMPELLER		1
9	355 769 R1	GASKET, BODY		1
10	355 764 R1	BODY, REAR		1
11	46 871 D	GASKET		1
12	191 296	NIPPLE, PIPE, 3/8 x 4-1/2"		1
13	13 047 DA	CAP, RADIATOR DRAIN PIPE		1
	366 146 R91	PACKAGE, SERVICE, WATER PUMP		1
		(CONSISTS OF -		
		1 GASKET 46 871 D	1 RETAINER 355 768 R1	
		1 GASKET 355 769 R1	1 SEAL 355 762 R91	
		1 IMPELLER 355 766 R1	1 SHAFT 362 101 R91)	

FAN (Schwitzer-Cummins)



A-26846

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	43 294 D	GASKET, FAN BRACKET		1
2	257 353 R2	BRACKET, FAN AND WATER OUTLET		1
	103 868	PLUG, PIPE, SQ-HD., C.I., 1/2" (NOT USED ON TRACTORS EQUIPPED WITH HEAT INDICATOR)		1
	179 840	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/8"		2
	179 848	SCREW, CAP, HEX-HD., 3/8-16NC x 2-1/4"		1
	103 321	WASHER, LOCK, 3/8"		3
3	257 440 R91	THERMOSTAT (165° TO 195°)		
3	361 818 R91	THERMOSTAT (130° TO 150°) (FOR USE WITH LOW BOILING POINT ANTI-FREEZE. IT IS RECOMMENDED THAT THE 165° TO 195° THERMOSTAT AND 170° TO 220° HEAT INDICATOR, IF USED, BE REINSTALLED WHEN ANTI-FREEZE SOLUTIONS ARE NOT REQUIRED. WHEN THIS THERMOSTAT IS USED ON DISTILLATE OR KEROSENE BURNING ENGINES IT IS RECOMMENDED THAT GASOLINE BE USED AS THE FUEL.)		1
4	257 441 R2	RING, THERMOSTAT RETAINER		1
5	43 293 D	WASHER, FAN SHAFT		1
6		SPINDLE, FAN (ORDER 251 647 R91)		1
	114 498	NUT, HEX. JAM, 5/8-18NF		1
7		HUB, FAN (ORDER 251 645 R91)	100001 TO 114645	1
7		HUB, FAN (ORDER 357004 R91)	114646 UP	1
8	70 206 D	SCREW, OIL RETAINING		1
9	70 208 D	GASKET, OIL RETAINING SCREW		1
10	70 207 D	GASKET, FAN HUB		1
11		BEARING, FAN (ORDER 251 647 R91)		1
12		IMPELLER, OIL (ORDER 251 647 R91)		1
13	70 209 D	NUT, LOCK		1
14	70 200 D	GASKET, FAN BEARING		1
15	70 204 D	CAP, FAN BEARING		1
16	70 214 D	FAN		1
17	70 202 D	SCREW, CAP		8
	106 498	WASHER, LOCK, No. 12		8
18	70 203 D	NUT, DOUBLE		4

PRINTED IN UNITED STATES OF AMERICA

ENGINE


FAN (Schwitzer-Cummins)—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
19	70 134 D	FAN AND HUB, ASSEMBLY	100001 TO 114645	1
		(COMPOSED OF -		
		1 FAN 70 214 D		
		1 HUB, ASSEMBLY 251 645 R91		
		4 NUT 70 203 D		
		8 SCREW 70 202 D		
		1 SPINDLE AND BEARING 251 647 R91		
		8 WASHER 106 498)		
19	356 844 R91	FAN AND HUB, ASSEMBLY (WILL WORK FOR 358 168 R91)	114646 UP	1
		(COMPOSED OF -		
		1 FAN 70 214 D		
		1 HUB, ASSEMBLY 357 004 R91		
		4 NUT 70 203 D		
		8 SCREW 70 202 D		
		1 SPINDLE AND BEARING 251 647 R91		
		8 WASHER 106 498)		
20	60 712 D	BELT, FAN (REGULAR DUTY) (OPTIONAL WITH 368 084 R1)		1
20	368 084 R1	BELT, FAN (COG TYPE) (HEAVY DUTY) (OPTIONAL WITH 60 712 D)		1
	251 645 R91	HUB, ASSEMBLY	100001 TO 114645	1
		(COMPOSED OF -		
		1 GASKET 70 200 D		
		1 GASKET 70 207 D		
		1 GASKET 70 208 D		
		1 HUB (NOT SERVICED SEPARATELY ORDER 251 645 R91)		
		1 SCREW 70 206 D)		
	357 004 R91	HUB, ASSEMBLY	114646 UP	1
		(COMPOSED OF -		
		1 GASKET 70 200 D		
		1 GASKET 70 207 D		
		1 GASKET 70 208 D		
		1 HUB (NOT SERVICED SEPARATELY ORDER 357 004 R91)		
		1 SCREW 70 206 D)		
	251 647 R91	SPINDLE AND BEARING, ASSEMBLY		1
		(COMPOSED OF -		
		1 BEARING (NOT SERVICED SEPARATELY ORDER 251 647 R91)		
		1 CAP 70 204 D		
		1 GASKET 70 200 D		
		1 GASKET 70 207 D		
		1 IMPELLER (NOT SERVICED SEPARATELY ORDER 251 647 R91)		
		1 NUT 70 209 D		
		1 SPINDLE (NOT SERVICED SEPARATELY ORDER 251 647 R91)		

MEMORANDA

ENGINE

FAN (Service Products)
(See Note)




A-39442

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	360 706 R1	SPINDLE, FAN		1
2	360 704 R91	HUB, FAN		1
	359 683 R91	SCREW, OIL PLUG		1
3	360 703 R1	GASKET, FAN HUB		1
4	360 705 R91	NUT, THRUST, W/OIL TUBE		1
5	360 702 R91	FAN		1
	103 101	NUT, SQUARE, No. 10-32		8
	12 922 R1	SCREW, SLOTTED-FIL-HD., No. 10-32 x 9/16		8
	106 497	WASHER, LOCK, No. 10		8
6	358 168 R91	FAN AND HUB, ASSEMBLY (ORDER 362 603 R91)		1
	362 603 R91	PACKAGE, SERVICE FAN HUB		1
		(CONSISTS OF -		
		1 GASKET 360 703 R1		
		1 HUB 360 704 R91		
		1 NUT 360 705 R91		
		1 SPINDLE 360 706 R1)		
		NOTE - THESE FANS WERE INSTALLED INTERMITTENTLY WITH SCHWITZER-CUMMINS FANS IN PRODUCTION, ON TRACTORS WITH SERIAL NUMBERS FC-170825 TO FC-176309.		

ENGINE

CRANKCASE OIL PAN AND LUBRICATING OIL PUMP



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	56 108 D	SCREEN, LUBRICATING OIL PUMP (HAS SHORT TUBE - USED WITH PUMP, 352 085 R91 THRU R93)		1
1	368 979 R91	SCREEN, LUBRICATING OIL PUMP (NOT ILLUSTRATED) (HAS LONG TUBE - USED WITH PUMP, 352 085 R94)		1
	103 386	PIN, COTTER, 1/8 x 1-1/4"		1
2	6 098 DA	COVER, LUBRICATING OIL PUMP		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		4
	103 320	WASHER, LOCK, 5/16"		4
3	43 415 D	GASKET, LUBRICATING OIL PUMP BODY COVER		X
4	43 414 DA	SPRING, PRESSURE, LUBRICATING OIL PUMP		1

X - AS REQUIRED

CRANKCASE OIL PAN AND LUBRICATING OIL PUMP — Continued


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
5	357 648 R1	VALVE, PRESSURE, LUBRICATING OIL PUMP (WILL WORK FOR 61 261 V)		1
6	35 631 H	GEAR, IDLER, LUBRICATING OIL PUMP		1
7	103 905	KEY, WOODRUFF No. 5 (USED WITH GEAR REF. 14)		1
8	6 096 DX	BODY, LUBRICATING OIL PUMP W/IDLER SHAFT AND PLUG, 103 865		1
	103 865	PLUG, PIPE, SQ-HD., CI, 1/8" (OPTIONAL WITH 103 877)		1
	103 877	PLUG, PIPE, SQ-HD., STL., 1/8" (OPTIONAL WITH 103 865)		1
	179 845	SCREW, CAP, HEX-HD., 3/8-16NC x 1-3/4"		2
8	352 036 R92	BODY, LUBRICATING OIL PUMP, ASSEMBLY		1
		(COMPOSED OF -		
		1 BODY 6 096 DX 1 KEY 103 905		
		1 GEAR AND SHAFT 365 377 R91 1 PIN 112 011)		
		1 GEAR 352 057 R1		
9	103 905	KEY, WOODRUFF, No. 5		1
10	352 057 R1	GEAR, SPIRAL, LUBRICATING OIL PUMP		1
11	112 011	PIN, LUBRICATING OIL PUMP SPIRAL GEAR (WILL WORK FOR G 1 123)		1
12	43 412 DR	SHAFT, LUBRICATING OIL PUMP DRIVE (NO LONGER SERVICED SEPARATELY, ORDER GEAR AND SHAFT REF. 22)		1
13	46 629 D	LOCK, LUBRICATING OIL PUMP SCREW		1
14	358 615 R1	GEAR, LUBRICATING OIL PUMP BODY (NO LONGER SERVICED SEPARATELY, ORDER GEAR AND SHAFT REF. 22)		1
15	27 999 H	RETAINER, LUBRICATING OIL PUMP BODY GEAR		1
16	352 085 R94	PUMP, LUBRICATING OIL, ASSEMBLY		1
		(COMPOSED OF -		
		1 BODY 352 036 R92 1 SCREEN 368 979 R91		
		1 COVER 6 098 DA 4 SCREW 179 816		
		X GASKET 43 415 D 1 SPRING 43 414 DA		
		1 GEAR 35 631 H 1 VALVE 357 648 R1		
		1 PIN 103 386 4 WASHER 103 320)		
17	43 458 DA	GASKET, OIL PAN		1
18	1 998 TA	VALVE, OIL INDICATOR, W/HANDLE AND STEM (GASOLINE) (NOT USED ON TRACTORS EQUIPPED WITH OIL LEVEL GAGE)		2
		(DISTILLATE OR KEROSENE) (ONE USED ON TRACTORS EQUIPPED WITH OIL LEVEL GAGE)		2
19	355 735 R92	PAN, CRANKCASE, OIL, ASSEMBLY (WILL WORK FOR 43 457 DCX)		1
		(COMPOSED OF -		
		1 GASKET 3 405 H 1 PLUG 359 875 R1		
		1 PAN § 43 457 DCX 2 PLUG 103 867)		
	103 867	PLUG, PIPE, SQ-HD., CI, 3/8" (GASOLINE) (NOTE A)		2
		(DISTILLATE OR KEROSENE) (NOTE A)		1
	368 486 R91	SCREW, MACHINE, HEX-HD., 5/16-18NC x 3/4" W/INTERNAL-TOOTH LOCKWASHER		14
	368 487 R91	SCREW, MACHINE, HEX-HD., 5/16-18NC x 1-1/2" W/INTERNAL-TOOTH LOCKWASHER		4
20	3 405 H	GASKET, CRANKCASE OIL PAN DRAIN PLUG		1
21	359 875 R1	PLUG, DRAIN, CRANKCASE OIL PAN (WILL WORK FOR 41 300 HA)		1
21	41 300 HA	PLUG, DRAIN, CRANKCASE OIL PAN (OPTIONAL WITH 359 875 R1)		1
22	365 377 R91	GEAR AND SHAFT, OIL PUMP BODY (WILL WORK FOR GEAR, 358 615 R1 AND SHAFT, 43 412 DR)		1

NOTE A - USED TO PLUG OIL GAGE VALVE HOLE ON TRACTORS EQUIPPED WITH OIL LEVEL GAGE


§ - NOT SERVICED SEPARATELY X - AS REQUIRED

ENGINE

MANIFOLD AND EXHAUST PIPE



(Gasoline)




(Distillate or kerosene) (special)

ENGINE

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		MANIFOLD AND EXHAUST PIPE		
1	356 354 R1	PIPE, EXHAUST (GASOLINE)		1
2	352 014 R2	GASKET, EXHAUST AND INTAKE MANIFOLD (GASOLINE)		2
3	251 175 R21	MANIFOLD, EXHAUST AND INTAKE, W/PLUG, 103 865 (GASOLINE)		1
	103 865	PLUG, PIPE, 1/8"		1
4	251 176 R1	NUT, MANIFOLD TO CYLINDER HEAD STUD		6
5	24 523 D	WASHER, MANIFOLD TO CYLINDER HEAD STUD NUT		4
6	48 892 DB	SHIELD, HEAT MANIFOLD (DISTILLATE OR KEROSENE)		1
7	356 369 R1	PIPE, EXHAUST (DISTILLATE OR KEROSENE)		1
8	352 014 R2	GASKET, EXHAUST AND INTAKE MANIFOLD (DISTILLATE OR KEROSENE)		2
9	142 494	PIN, GROOVE, 5/32 x 7/8" (DISTILLATE OR KEROSENE)		1
10	46 202 D	STUD, EXHAUST PIPE (DISTILLATE OR KEROSENE)		2
	220 067	NUT, HEX., 7/16-14NC		2
11	6 866 DA	VALVE, HEAT, MANIFOLD (DISTILLATE OR KEROSENE)		1
12	52 521 DA	SHAFT, MANIFOLD HEAT VALVE (DISTILLATE OR KEROSENE)		1
	102 953	SCREW, SET, SQ-HD., CONE-PT., 3/8-16NC x 1-1/2"		1
	218 438	NUT, HEX., JAM, 3/8-16NC		1
13	93 082 H	NUT, MANIFOLD HEAT SHIELD STUD (DISTILLATE OR KEROSENE)		3
	103 341	WASHER, PLAIN, 3/8"		3
14	46 102 D	STUD, MANIFOLD HEAT SHIELD (DISTILLATE OR KEROSENE)		3
15	172 540	PLUG, EXPANSION, 7/8" (DISTILLATE OR KEROSENE)		2
16	G 8 603	STUD, CARBURETOR (DISTILLATE OR KEROSENE)		2
17	351 655 R21	MANIFOLD, EXHAUST AND INTAKE, ASSEMBLY (DISTILLATE OR KEROSENE)		1
		(COMPOSED OF -		
		1 MANIFOLD — § 351 655 R2		
		2 PIN (USED WITH MUFFLER ATTACH) — 107 317		
		1 PLUG — 103 865		
		2 PLUG — 172 540		
		2 STUD — G 8 603		
		3 STUD — 46 102 D		
		2 STUD — 46 202 D)		
17	354 137 R92	MANIFOLD, EXHAUST AND INTAKE, 351 655 R21, W/HEAT VALVE, ASSEMBLY (DISTILLATE OR KEROSENE)		1
		(COMPOSED OF -		
		1 MANIFOLD — 351 655 R21		
		1 NUT — 218 438		
		1 PIN — 142 494		
		1 SCREW — 102 953		
		1 SHAFT — 52 521 DA		
		1 VALVE — 6 866 DA)		
		§ - NOT SERVICED SEPARATELY		

ENGINE

CARBURETOR (Carter)



PRINTED IN UNITED STATES OF AMERICA

ENGINE

CARBURETOR (Carter)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	354 892 R93	CARBURETOR, ASSEMBLY (GASOLINE) (ORDER 373 958 R91)		1
	179 817	SCREW, CAP, HEX-HD., 5/16-18NC x 7/8"		2
	103 320	WASHER, LOCK, 5/16"		2
	356 902 R92	CARBURETOR, ASSEMBLY (DISTILLATE OR KEROSENE) (ORDER 373 961 R91)		1
	220 065	NUT, HEX., 5/16-18NC		2
	103 320	WASHER, LOCK, 5/16"		2
1	24 520 D	GASKET, CARBURETOR		1
2	88 962 R1	SCREW, THROTTLE VALVE PLATE		2
3	354 804 R1	PLATE, THROTTLE VALVE		1
4	354 817 R1	PLUG, EXPANSION		1
5	354 827 R91	ELBOW, w/STRAINER		1
6	354 819 R1	VENTURI (NO. 23) (GASOLINE)		1
6	354 820 R1	VENTURI (NO. 21) (DISTILLATE OR KEROSENE)		1
7	354 826 R1	PIN, CHOKE LEVER LOCK		1
8	354 821 R1	SPRING, CHOKE LEVER LOCK PIN		1
9	354 825 R1	WASHER, CHOKE LEVER SHAFT DUST SEAL RETAINER		1
10	354 829 R1	SEAL, DUST, CHOKE LEVER SHAFT		1
11	356 701 R91	NOZZLE, w/GASKET, 88 976 R1		1
12	88 976 R1	GASKET, NOZZLE		1
13	88 962 R1	SCREW, CHOKE VALVE PLATE		2
14	354 806 R91	PLATE, CHOKE VALVE		1
15	354 817 R1	PLUG, EXPANSION (ALUMINUM)		1
16	354 830 R1	SEAL, FELT, AIR HORN		1
17	354 824 R1	WASHER, RETAINER AIR HORN DUST SEAL		1
18	354 808 R1	PLUG, DRAIN (GASOLINE)		1
19	354 818 R91	COCK, DRAIN (DISTILLATE OR KEROSENE)		1
20	354 815 R1	GASKET, MAIN JET ADJUSTING NEEDLE VALVE (DISTILLATE OR KEROSENE)		1
21	357 125 R91	VALVE, NEEDLE, MAIN JET ADJUSTMENT, w/SEAL, 354 831 R1 (DISTILLATEOR KEROSENE)		1
22	68 456 R1	RIVET, MAIN GAS PASSAGE PLUG (GASOLINE)		1
23	88 963 R91	SCREW, ATTACHING, w/WASHER		4
24		BOWL, FUEL (NOT SERVICED SEPARATELY) (ORDER CARBURETOR, ASSEMBLY)		1
25	68 462 R1	GASKET, MAIN METERING JET (GASOLINE)		1
26	356 699 R91	JET, MAIN METERING, w/GASKET, 68 462 R1 (GASOLINE)		1


CARBURETOR (Carter)—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
27	356 700 R1	PLUG, SCREW (NOZZLE BLEED) (GASOLINE)		1
27	354 809 R1	PLUG, SCREW (NOZZLE BLEED) (DISTILLATE OR KEROSENE)		1
28	355 719 R91	JET, LOW SPEED		1
29	354 812 R91	SHAFT, CHOKE, W/LEVER		1
30	354 813 R91	FLOAT		1
31	354 814 R1	PIN, FLOAT LEVER		1
32	354 823 R1	GASKET, BODY		1
33	88 977 R91	VALVE, NEEDLE, W/SEAT AND GASKET, 88 976 R1		1
34	88 976 R1	GASKET, NEEDLE VALVE SEAT		1
35	354 833 R91	BODY, THROTTLE, ASSEMBLY		1
		(COMPOSED OF -		
		1 BODY (NOT SERVICED SEPARATELY ORDER 354 833 R91)		
		1 PLUG 354 817 R1		
		1 RIVET 68 459 R1		
		2 RIVET 354 807 R1		
		1 SEAL 354 829 R1		
		2 SCREW 88 962 R1		
		1 SHAFT 354 805 R91		
		1 VALVE 354 804 R1		
		1 WASHER 354 825 R1)		
36	68 472 R1	SPRING, IDLE ADJUSTING NEEDLE VALVE		1
37	68 469 R1	VALVE, NEEDLE, IDLE ADJUSTING		1
38	68 459 R1	RIVET, IDLE PASSAGE PLUG		1
39	354 829 R1	SEAL, DUST, THROTTLE SHAFT		1
40	354 825 R1	WASHER, THROTTLE SHAFT DUST SEAL RETAINER		1
41	354 822 R1	SCREW, THROTTLE ADJUSTING		1
42	354 805 R92	SHAFT, THROTTLE, W/LEVER AND SCREW, 354 822 R1		1
	350 633 R3	CLIP, CHOKE ROD, FRONT (TRACTORS EQUIPPED WITH TOUCH-CONTROL)		1
	179 792	SCREW, CAP, HEX-HD., 1/4-20NC x 9/16"		1
	103 319	WASHER, LOCK, 1/4"		1
	352 147 R1	CLIP, CHOKE ROD, FRONT (TRACTORS NOT EQUIPPED WITH TOUCH-CONTROL)		1
	103 024	NUT, HEX., 1/4-28NF		1
	181 311	SCREW, CAP, HEX-HD., 1/4-28NF x 5/8"		1
	103 319	WASHER, LOCK, 1/4"		1
	354 379 R1	CLIP, CHOKE ROD, REAR		2
	181 307	SCREW, CAP, HEX-HD., 1/4-28NF x 3/8"		2
	103 319	WASHER, LOCK, 1/4"		2
	354 807 R1	RIVET, BALANCE PASSAGE PLUG		2
	68 457 R1	RIVET, IDLE GAS PASSAGE PLUG		1
	351 444 R1	ROD, CHOKE		1
	112 526	PIN, COTTER, 1/16 x 3/8"		1
	354 831 R1	SEAL, ADJUSTMENT NEEDLE VALVE (DISTILLATE OR KEROSENE)		1

PRINTED IN UNITED STATES OF AMERICA

ENGINE


CARBURETOR (Carter)



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		CARBURETOR (Carter) — Continued		
	373 958 R91	CARBURETOR, ASSEMBLY (GASOLINE) (OPTIONAL WITH ZENITH CARBURETOR, 355 485 R91)		1
	179 817	SCREW, CAP, HEX-HD., 5/16-18NC x 7/8"		2
	103 320	WASHER, LOCK, 5/16"		2
	373 961 R91	CARBURETOR, ASSEMBLY (DISTILLATE OR KEROSENE) (OPTIONAL WITH ZENITH CARBURETOR,		
		356 901 R91)		1
	220 065	NUT, HEX., 5/16-18NC		2
	103 320	WASHER, LOCK, 5/16"		2
1	24 520 D	GASKET, CARBURETOR		1
2	88 962 R1	SCREW, THROTTLE VALVE PLATE		1
3	354 804 R1	PLATE, THROTTLE VALVE		2
4	354 817 R1	PLUG, EXPANSION		1
5	354 827 R91	ELBOW, W/STRAINER		1
6	373 979 R1	GASKET, BODY		1
7	354 826 R1	PIN, CHOKE LEVER LOCK		1
8	354 821 R1	SPRING, CHOKE LEVER LOCK PIN		1
9	354 825 R1	WASHER, CHOKE LEVER SHAFT DUST SEAL RETAINER		1
10	354 829 R1	SEAL, DUST, CHOKE LEVER SHAFT		1
11	356 701 R91	NOZZLE, W/GASKET, 88 976 R1		1
12	88 976 R1	GASKET, NOZZLE		1
13	88 962 R1	SCREW, CHOKE VALVE PLATE		2
14	373 974 R91	PLATE, CHOKE VALVE		1
15	354 817 R1	PLUG, EXPANSION (ALUMINUM)		1
16	354 830 R1	SEAL, FELT, AIR HORN		1
17	354 824 R1	WASHER, RETAINER AIR HORN DUST SEAL		1
18	354 808 R1	PLUG, DRAIN (GASOLINE)		1
19	354 818 R91	COCK, DRAIN (DISTILLATE OR KEROSENE)		1
20	354 815 R1	GASKET, MAIN JET ADJUSTING NEEDLE VALVE (DISTILLATE OR KEROSENE)		1
21	357 125 R91	VALVE, NEEDLE, MAIN JET ADJUSTMENT, W/SEAL, 354 831 R1 (DISTILLATOR KEROSENE)		1
22	88 963 R91	SCREW, ATTACHING, W/WASHER		4
23	68 462 R1	GASKET, MAIN METERING JET (GASOLINE)		1
24	356 699 R91	JET, MAIN METERING, W/GASKET, 68 462 R1 (GASOLINE)		1
25	355 719 R91	JET, LOW SPEED		1
26	373 976 R91	SHAFT, CHOKE, W/LEVER		1
27	373 977 R91	FLOAT		1
28	354 814 R1	PIN, FLOAT LEVER		1
29	373 978 R91	VALVE, NEEDLE, W/SEAT AND GASKET, 373 980 R1		1
30	373 980 R1	GASKET, NEEDLE VALVE SEAT		1
31	68 472 R1	SPRING, IDLE ADJUSTING NEEDLE VALVE		1
32	68 469 R1	VALVE, NEEDLE, IDLE ADJUSTING		1
33	373 975 R1	RIVET, IDLE PASSAGE PLUG		1
34	354 829 R1	SEAL, DUST, THROTTLE SHAFT		1
35	354 825 R1	WASHER, THROTTLE SHAFT DUST SEAL RETAINER		1
36	354 822 R1	SCREW, THROTTLE ADJUSTING		1
37	373 982 R91	SHAFT, THROTTLE, W/LEVER AND SCREW, 354 822 R1		1
	68 457 R1	RIVET, IDLE GAS PASSAGE PLUG		1

ENGINE

CARBURETOR (Zenith Model 67 x 7)



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	355 485 R91	CARBURETOR, ASSEMBLY (GASOLINE) (OPTIONAL WITH CARTER CARBURETOR, 373 958 R91 (WILL WORK		
		FOR 356 299 R91)		1
	179 817	SCREW, CAP, HEX-HD., 5/16-18NC x 7/8"		2
	103 320	WASHER, LOCK, 5/16"		2
	356 901 R91	CARBURETOR, ASSEMBLY (DISTILLATE OR KEROSENE) (OPTIONAL WITH CARTER CARBURETOR,		
		373 961 R91)		1
	220 065	NUT, HEX., 5/16-18NC		2
	103 320	WASHER, LOCK, 5/16"		2
1	24 520 D	GASKET, CARBURETOR		1

ENGINE

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		CARBURETOR (Zenith Model 67 x 7)—Continued		
2	53 796 D	ELBOW, W/STRAINER		1
3	13 873 D	VALVE, NEEDLE, IDLE ADJUSTING		1
4	12 472 D	SPRING, IDLE ADJUSTING NEEDLE VALVE		1
5	357 142 R92	BODY, THROTTLE, ASSEMBLY		1
		(COMPOSED OF -		
		1 BODY (NOT SERVICED SEPARATELY ORDER 357 142 R92)		
		1 BRACKET 53 789 D		
		1 PIN 54 061 D		
		1 PLATE 357 144 R1		
		1 PLUG 53 797 D		
		1 RETAINER 42 191 D		
		2 SCREW 145 371		
		2 SCREW 357 155 R91		
		1 SHAFT 62 170 D		
		1 SPACER 54 062 D		
		1 WASHER 21 210 D)		
6	53 789 D	BRACKET, FLOAT		1
	145 371	SCREW, DRIVE, RD-HD., CD-PLTD., No. 2 x 1/4"		2
7	21 210 D	WASHER, PACKING, THROTTLE SHAFT		1
8	42 191 D	RETAINER, PACKING, THROTTLE SHAFT		1
9	62 170 D	SHAFT, THROTTLE, W/LEVER, SCREW, 12 455 D AND PIN, 135 645 H		1
10	54 062 D	SPACER, THROTTLE LEVER		1
11	135 645 H	PIN, TAPER		1
12	12 455 D	SCREW, THROTTLE STOP		1
13	53 792 D	WASHER, FUEL VALVE		1
14	353 241 R91	VALVE, FUEL		1
15	62 174 D	AXLE, FLOAT		1
16	53 786 D	VALVE, NEEDLE MAIN JET ADJUSTMENT W/BODY AND SLEEVE (DISTILLATE OR KEROSENE)		1
17	357 143 R91	BOWL, FUEL ASSEMBLY		1
		(COMPOSED OF -		
		1 BOWL (NOT SERVICED SEPARATELY ORDER 357 143 R91)		
		1 PLUG 53 797 D		
		1 RETAINER 40 535 D		
		1 RETAINER 42 191 D		
		1 WASHER 12 469 D		
		1 WASHER 21 210 D		
		1 WASHER 40 534 D)		
18	357 153 R1	WASHER, FIBRE, DISCHARGE JET		1
19	357 145 R91	JET, MAIN DISCHARGE (GASOLINE) (USED WITH 355 485 R91)		1
19	357 886 R91	JET, MAIN DISCHARGE (DISTILLATE OR KEROSENE)		1
19	364 554 R91	JET, MAIN DISCHARGE (GASOLINE) (USED WITH 356 299 R1)		1

ENGINE


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		CARBURETOR (Zenith Model 67 x 7)—Continued		
20	12 433 D	WASHER, FIBRE, MAIN PASSAGE		1
21	16 825 D	PLUG, LOWER (MAIN JET PASSAGE) (GASOLINE)		1
22	53 791 D	COCK, DRAIN (DISTILLATE OR KEROSENE)		1
23	54 063 D	PLUG, DRAIN (GASOLINE)		1
24	357 154 R91	SCREW, BOWL TO BODY		4
25	40 535 D	PLUG, DRIP		1
26	40 534 D	FELT, DRIP PLUG		1
27	12 469 D	WASHER, DRIP PLUG		1
28	357 148 R91	SHAFT, CHOKE VALVE, W/LEVER		1
29	42 191 D	RETAINER, PACKING, CHOKE SHAFT		1
30	21 210 D	WASHER, PACKING, CHOKE SHAFT		1
31	357 155 R91	SCREW, CHOKE VALVE PLATE, W/LOCK WASHER		2
32	357 147 R91	PLATE, CHOKE VALVE		1
33	357 150 R1	PIN, FRICTION, CHOKE LEVER		1
34	357 149 R1	SPRING, FRICTION, CHOKE LEVER		1
35	53 797 D	PLUG, CHOKE SHAFT HOLE		1
36	53 783 D	FLOAT		1
37	357 151 R1	GASKET, BOWL TO BODY		1
38	357 155 R91	SCREW, THROTTLE VALVE PLATE, W/LOCK WASHER		2
39	69 624 D	JET, WELL VENT (DISTILLATE OR KEROSENE)		1
39	94 092 H	JET, WELL VENT (GASOLINE) (USED WITH 355 485 R91)		1
39	69 624 D	JET, WELL VENT (GASOLINE) (USED WITH 356 299 R91)		1
40	357 144 R1	PLATE, THROTTLE VALVE		1
41	62 171 D	VENTURI (DISTILLATE OR KEROSENE)		1
41	352 890 R1	VENTURI (GASOLINE)		1
42	352 891 R1	JET, IDLING		1
42	360 004 R1	JET, IDLING (USED WITH 356 299 R91)		1
43	54 061 D	PIN, THROTTLE LEVER STOP		1
44	53 797 D	PLUG, THROTTLE SHAFT HOLE		1
	350 633 R3	CLIP, CHOKE ROD, FRONT (TRACTORS EQUIPPED WITH TOUCH-CONTROL)		1
	179 792	SCREW, CAP, HEX-HD., 1/4-20NC x 9/16"		1
	103 319	WASHER, LOCK, 1/4"		1

ENGINE

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		CARBURETOR (Zenith Model 67 x 7)—Continued		
	352 147 R1	CLIP, CHOKE ROD, FRONT (TRACTORS NOT EQUIPPED WITH TOUCH-CONTROL)		1
	103 024	NUT, HEX., 1/4-28NF		1
	181 311	SCREW, CAP, HEX-HD., 1/4-28NF x 5/8"		1
	103 319	WASHER, LOCK, 1/4"		1
	354 379 R1	CLIP, CHOKE ROD, REAR		2
	181 307	SCREW, CAP, HEX-HD., 1/4-28NF x 3/8"		2
	103 319	WASHER, LOCK, 1/4"		2
	357 152 R91	GASKET SET		1
		(CONSISTS OF -		
		1 GASKET 357 151 R1		
		1 WASHER 12 433 D		
		1 WASHER 53 792 D		
		1 WASHER 357 153 R1)		
	351 444 R1	ROD, CHOKE		1
	137 130	PIN, COTTER, 1/16 x 7/16"		1

ENGINE

GOVERNOR AND CONNECTIONS



A-12687 B

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	104 036	CLEVIS, ADJUSTABLE ROD END, 1/4"		1
	103 024	NUT, HEX., 1/4-28NF		1
2	43 617 DA	ROD, GOVERNOR CONNECTING		1
	137 130	PIN, COTTER, 1/16 x 7/16"		1
3	103 494	PIN, ROD END, 1/4 x 51/64"		1
	137 130	PIN, COTTER, 1/16 x 7/16"		1
4	46 947 DAXB	LEVER, GOVERNOR SPEED CHANGE, W/SHAFT		1
	114 494	NUT, HEX., JAM, 3/8-24NF		1
5	69 235 D	SPRING, GOVERNOR		1
6	46 950 D	RETAINER, GOVERNOR SPEED CHANGE LEVER SHAFT SEAL (ORDER 149 345 R91)		1
7	46 949 D	SEAL, GOVERNOR SPEED CHANGE LEVER SHAFT (ORDER 149 345 R91)		1
7	149 345 R91	OIL SEAL, GOVERNOR SPEED CHANGE LEVER SHAFT (WILL WORK FOR 46 949 D AND 46 950 D)		1
7A	355 476 R1	WASHER, GOVERNOR SPRING LEVER (ONE USED WITH OIL SEAL - REF. NO. 7)		2
8	51 491 DA	LEVER, GOVERNOR SPRING		1
8A	114 606	WASHER, LOCK, EXTERNAL-TOOTH, 3/8"		1

GOVERNOR AND CONNECTIONS—Continued


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
9	41 359 D	STOP, governor speed change lever	100001 to 138885	1
	220 064	NUT, hex., 1/4-20NC	100001 to 138885	1
9	357 432 R2	STOP, governor speed change lever	138886 up	1
	114 503	NUT, hex., jam, 3/8-16NC	138886 up	1
10	54 041 D	BOLT, governor housing		1
	103 320	WASHER, lock, 5/16"		1
11	357 433 R91	HOUSING, governor, 6 340 DAX, w/NUT, 114 503 and STOP, 357 432 R1		
		(will work for 6 340 DX)	100001 to 138885	1
11	6 340 DAX	HOUSING, governor, assembly	138886 up	1
		(Composed of -		
		2 BEARING 45 753 D		
		1 BUSHING* 46 939 D		
		1 HOUSING § 6 340 DA		
		1 PIN 46 942 D		
		1 PIN 49 220 D		
		1 PLUG 172 531)		
	179 821	SCREW, cap, hex-hd., 5/16-18NC x 1-3/8"		2
	179 829	SCREW, cap, hex-hd., 5/16-18NC x 2-3/4"		2
	103 320	WASHER, lock, 5/16"		4
12	45 753 D	BEARING, governor rockshaft		2
13	172 531	PLUG, expansion, 3/4"		1
14	6 507 DA	ARM, governor rockshaft		1
	179 796	SCREW, cap, hex-hd., 1/4-20NC x 7/8"		1
	103 319	WASHER, lock, 1/4"		1
15	106 958	KEY, woodruff No. 1		1
16	46 943 DA	ROCKSHAFT, governor		1
17	43 483 D	RETAINER, governor rockshaft seal		1
18	43 482 D	SEAL, governor rockshaft		1
19	46 939 D	BUSHING, governor rockshaft		1
20	352 522 R1	LEVER, governor rockshaft		1
21	142 485	PIN, groove, 1/8 x 5/8"		1
22	6 339 DAX	PINION, ignition unit and governor, w/PIN (33 teeth)		1
23	351 778 R1	WEIGHT, governor (optional with 374 710 R1)		2
23	374 710 R1	WEIGHT, governor (optional with 351 778 R1)		2
24	49 325 D	SLEEVE, thrust, governor (steel) (optional with 363 866 R1)		1
24	363 866 R1	SLEEVE, thrust, governor (nylon) (optional with 49 325 D		1
25	43 481 D	BEARING, ball, governor thrust		1
26	49 218 DA	SPRING, governor shaft bumper		1
27	28 078 D	SPRING, governor bumper		1
		§ - Not Serviced Separately		

ENGINE

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		GOVERNOR AND CONNECTIONS—Continued		
28	31 804 DA	BODY, GOVERNOR BUMPER SPRING		1
	272 121	NUT, HEX. JAM, 7/16-20NF		1
29	46 924 D	PIN, GOVERNOR WEIGHT		2
	108 628	PIN, COTTER, 1/16 x 7/8"		2
30	49 219 DA	PIN, GOVERNOR SHAFT BUMPER		1
31	49 220 D	PIN, GOVERNOR SHAFT STOP		1
32	131 487	NUT, LOW CROWN, 7/16-20 (WILL WORK FOR 50 046 D)		1
33	46 942 D	PIN, RETAINER, GOVERNOR ROCKSHAFT LEVER		1
34	45 875 D	GASKET, GOVERNOR HOUSING		1
	356 746 R91	PACKAGE, GOVERNOR, ASSEMBLY		1
		(CONSISTS OF -		
		1 ARM 6 507 DA — 1 PIN 142 485		
		1 BEARING 43 481 D — 1 PINION 6 339 DAX		
		1 BODY 31 804 DA — 1 RETAINER 43 483 D		
		1 BOLT 54 041 D — 1 ROCKSHAFT 46 943 DA		
		1 GASKET 45 875 D — 1 SCREW 179 796		
		1 HOUSING 6 340 DAX — 2 SCREW 179 821		
		1 KEY 106 958 — 2 SCREW 179 829		
		1 LEVER 46 947 DAXB — 1 SEAL 43 482 D		
		1 LEVER 51 491 DA — 1 SLEEVE 49 325 D		
		1 LEVER 352 522 R1 — 1 SPRING 28 078 D		
		1 NUT 114 494 — 1 SPRING 49 218 DA		
		1 NUT 272 121 — 1 SPRING 69 235 D		
		1 NUT 114 503 — 1 STOP 357 432 R2		
		1 NUT 131 487 — 1 WASHER 103 319		
		1 OIL SEAL 149 345 R91 — 5 WASHER 103 320		
		2 PIN 46 924 D — 1 WASHER 114 606		
		1 PIN 49 219 DA — 2 WASHER 355 476 R1		
		2 PIN 108 628 — 2 WEIGHT 351 778 R1)		

ENGINE

LUBRICATING OIL FILTER



A-5108A


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	13 727 D	GASKET, OIL FILTER CASE RETAINING BOLT		1
2	63 857 DA	BOLT, RETAINING, OIL FILTER CASE		1
3	63 856 D	CASE, OIL FILTER		1
4	360 430 R91	ELEMENT, OIL FILTER (NORMAL DUTY) (RADIAL FIN TYPE)		1
4	355 009 R91	ELEMENT, OIL FILTER (HEAVY DUTY) (RADIAL FIN TYPE)		1
5	13 728 D	GASKET, OIL FILTER CASE		1

ELECTRICAL SYSTEM

PRINTED IN UNITED STATES OF AMERICA

MEMORANDA


SPARK PLUGS, CABLES AND CONNECTIONS




A-23059A

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		SPARK PLUGS—Normal Service		
1	360 942 R91	PLUG, SPARK W/GASKET, 37 762 H (CHAMPION)		4
1	353 982 R91	PLUG, SPARK W/GASKET, 37 762 H (AC)		4
1	359 276 R91	PLUG, SPARK, W/GASKET, 37 762 H (AUTO-LITE)		4
		SPARK PLUGS—Light or Moderate Service		
1	360 943 R91	PLUG, SPARK W/GASKET, 37 762 H (CHAMPION)		4
1	353 985 R91	PLUG, SPARK W/GASKET, 37 762 H (AC)		4
1	359 277 R91	PLUG, SPARK W/GASKET, 37 762 H (AUTO-LITE)		4
		SPARK PLUGS—Servere Service		
1	361 688 R91	PLUG, SPARK W/GASKET, 37 762 H (CHAMPION)		4
1	353 983 R91	PLUG, SPARK W/GASKET, 37 762 H (AC)		4
1	359 275 R91	PLUG, SPARK W/GASKET, 37 762 H (AUTO-LITE)		4
		SPARK PLUGS—Extremely Severe Service		
1	361 686 R91	PLUG, SPARK W/GASKET, 37 762 H (CHAMPION)		4
1	353 986 R91	PLUG, SPARK W/GASKET, 37 762 H (AC)		4
1	359 274 R91	PLUG, SPARK W/GASKET, 37 762 H (AUTO-LITE)		4
2	37 762 H	GASKET, SPARK PLUG		4
3	356 695 R92	PACKAGE, SERVICE, IGNITION CABLE (CONSISTS OF FOUR SPARK PLUG CABLES, CABLE, 356 686 R92 AND FOUR NIPPLES, 251 553 R1)		1
4	356 686 R92	CABLE, SECONDARY, COIL TO DISTRIBUTOR, W/TWO NIPPLES, 251 553 R1		1
5	251 553 R1	NIPPLE, SPARK PLUG CABLE		6

MAGNETO, International Type H-4 (Special)





MAGNETO, International Type H-4 (Special)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	351 218 R92	MAGNETO, ASSEMBLY		1
	179 842	SCREW, CAP, HEX-HD., 3/8-16NC x 1-3/8" (*)		2
	103 321	WASHER, LOCK, 3/8" (*)		2
1	E4 216	FELT, OIL WELL		1
2	E4 295	OILER		1
3	51 666 D	SPRING, DISTRIBUTOR CAP		2
5	47 424 D	PIN, LOCATING, DISTRIBUTOR CAP		1
6	47 408 D	GASKET, DISTRIBUTOR BODY		1
7	49 424 D	RETAINER, DISTRIBUTOR BODY FELT SEAL		1
8	49 423 D	SEAL, FELT, DISTRIBUTOR BODY		1
9	51 667 D	PIN, DISTRIBUTOR CAP SPRING		2
10	356 686 R92	CABLE, COIL TO DISTRIBUTOR, W/TWO NIPPLES, 251 553 R1		1
11	251 553 R1	NIPPLE, COIL TO DISTRIBUTOR CABLE		2
13	38 609 DA	WASHER, MOUNTING, COIL COVER		4
14	47 413 DXC	CAP, DISTRIBUTOR		1
14	47 413 DYC	CAP, DISTRIBUTOR, 47 413 DXC, W/BRUSH, 21 350 DXA		1
15	21 350 DXA	BRUSH, DISTRIBUTOR, W/SPRING (OPTIONAL WITH 32 032 DXA OR 356 622 R11)		1
15	32 032 DXA	BRUSH, DISTRIBUTOR, W/SPRING (OPTIONAL WITH 21 350 DXA OR 356 622 R11)		1
15	356 622 R11	BRUSH, DISTRIBUTOR, W/SPRING (OPTIONAL WITH 21 350 DXA OR 32 032 DXA)		1
16	47 427 D	NUT, DISTRIBUTOR ROTOR		1
	131 181	WASHER, LOCK, CD-PLTD., NO. 6		1
17	47 428 DA	ARM, DISTRIBUTOR		1
18	47 425 DX	ROTOR, DISTRIBUTOR		1
19	49 417 D	RETAINER, DISTRIBUTOR GEAR COVER FELT SEAL		1
20	49 418 D	SEAL, FELT, DISTRIBUTOR GEAR COVER		1
21	49 419 D	GASKET, DISTRIBUTOR GEAR COVER		1
22	49 420 DX	GEAR, DISTRIBUTOR (24 TEETH)		1
23	47 417 DX	PINION, ROTOR		1
24	47 453 D	GASKET, COIL COVER		1
25	47 452 D	STRAP, SECONDARY LEADOUT		1
	436 652	SCREW, SLOTTED-PAN-HD., No. 4-48NF x 5/16"		1
	131 093	WASHER, LOCK, CD-PLTD., No. 4		1
26	55 015 D	COVER, CONDENSER HOLE		1
	121 832	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 8-32NC x 3/8"		2
	121 841	WASHER, LOCK, CD-PLTD., No. 8		2
27	359 966 R1	GASKET, CONDENSER HOLE COVER (WILL WORK FOR 48 472 DA)		1
		(*) - NOT PART OF MAGNETO ASSEMBLY		

Always give MAGNETO NUMBER when ordering Parts.

ELECTRICAL SYSTEM

MAGNETO, International Type H-4 (Special)—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
28	353 171 R91	POINT SET, MAGNETO		1
	436 692	SCREW, SLOTTED-PAN-HD., CD-PLTD., No. 8-32NC x 5/16"		1
30	47 442 D	TUBE, PRIMARY TO CONDENSER LEADOUT		1
31	49 593 D	INSULATOR, COIL END		2
32	21 394 D	WASHER, STATIONARY POINT SUPPORT		1
33	47 432 D	ANCHOR, SPRING		1
	120 622	NUT, HEX., CD-PLTD., No. 8-32NC		1
	133 482	SCREW, SLOTTED-FL-HD., CD-PLTD., No. 8-32NC x 3/8"		1
	121 841	WASHER, LOCK, CD-PLTD., No. 8		1
34	47 433 DX	CABLE, PRIMARY LEADOUT		1
35	48 339 D	CLIP, CONDENSER		1
	131 992	SCREW, SLOTTED-FIL-HD., CD-PLTD., No. 8-32NC x 1-1/4"		1
	121 841	WASHER, LOCK, CD-PLTD., No. 8		1
36	6 483 DAY	BODY, DISTRIBUTOR, ASSEMBLY		1
		(COMPOSED OF -		
		1 BODY § 6 483 DA — 2 PIN 51 667 D		
		1 FELT E4 216 — 1 RETAINER 49 424 D		
		1 GASKET 47 408 D — 1 SEAL 49 423 D		
		1 OILER E4 295 — 1 SHAFT § 47 486 D		
		1 PIN 47 424 D — 2 SPRING 51 666 D)		
37	47 449 DAY	COVER, COIL, W/STRAP, ASSEMBLY		1
		(COMPOSED OF -		
		1 COVER § 47 449 DA		
		1 INSERT § 47 451 D		
		1 SCREW 436 652		
		1 STRAP 47 452 D		
		1 WASHER 131 093		
	131 997	SCREW, SLOTTED-FIL-HD., CD-PLTD., No. 8-32NC x 1-1/2"		4
38	21 314 DX	CORE, COIL, W/TWO SCREWS, 133 495		1
38	47 439 DAX	COIL AND CORE, ASSEMBLY		1
		(COMPOSED OF -		
		1 COIL 57 926 DX		
		1 CORE 21 314 D		
		2 SCREW 133 495)		
38	57 926 DX	COIL, W/INSULATORS, ASSEMBLY		1
		(COMPOSED OF -		
		1 COIL § 57 926 D — 1 STRIP § 47 448 D		
		2 INSULATORS § 47 446 D — 1 TAPE § 51 466 D		
		2 INSULATORS 49 593 D — 1 TERMINAL § 47 445 D		
		1 PATCH § 47 447 D — 1 TERMINAL § 49 448 D		
		2 PATCH § 51 465 D — 1 TUBE § 25 977 D		
		2 SCREW 133 495 — 1 TUBE 47 442 D		
		1 STICKER § 27 534 D — 1 WINDING § 47 440 DA)		
		§ - NOT SERVICED SEPARATELY		

Always give MAGNETO NUMBER when ordering Parts.

PRINTED IN UNITED STATES OF AMERICA

ELECTRIC SYSTEM

MAGNETO, International Type H-4 (Special)—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
39	49 416 DX	COVER, DISTRIBUTOR GEAR, ASSEMBLY		1
		(COMPOSED OF -		
		1 COVER § 49 416 D		
		1 GASKET 49 419 D		
		1 RETAINER 49 417 D		
		1 SEAL 49 418 D)		
	132 760	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 8-32NC x 1/2"		2
	121 841	WASHER, LOCK, CD-PLTD., No. 8		2
40	47 425 DY	ROTOR, DISTRIBUTOR, ASSEMBLY		1
		(COMPOSED OF -		
		1 ARM 47 428 DA		
		1 NUT 47 427 D		
		1 ROTOR 47 425 DX		
		1 WASHER 131 181)		
41	56 066 DA	DISTRIBUTOR, ASSEMBLY		1
		(COMPOSED OF -		
		1 BODY 6 483 DAY		
		1 COVER 49 416 DX		
		1 GEAR 49 420 DX		
		1 PINION 47 417 DX		
		2 SCREW 132 760		
		2 WASHER 121 841)		
	132 124	SCREW, SLOTTED-FIL-HD., CD-PLTD., No. 10-32NF x 3/4"		3
	120 217	WASHER, LOCK, CD-PLTD., No. 10		3
42	6 482 DAY	FRAME, ASSEMBLY		1
		(COMPOSED OF -		
		1 COVER 55 015 D		
		1 FELT E4 226		
		1 FRAME § 6 482 DAX		
		2 GASKET 359 966 R1		
		1 POST § 47 485 D		
		1 RACE ST 601		
		1 RETAINER 47 454 D		
		2 SCREW 121 832		
		2 WASHER 121 841)		
43	E4 226	FELT, BEARING		1
44	47 454 D	RETAINER, BEARING FELT, INNER		1
45	ST 601	RACE, OUTER (ROTOR SHAFT BALL BEARING)		2
46	ST 602	RETAINER, w/BALLS (ROTOR SHAFT BALL BEARING)		2
47	ST 600	RACE, INNER (ROTOR SHAFT BALL BEARING)		2
48	E4A 324	FLINGER, OIL		2
49	60 094 D	CAM, BREAKER		1
50	21 409 DB	CONDENSER		1
51	47 438 DA	WASHER, SHORT CIRCUITING TERMINAL, INNER	MAGNETO 501 TO 1464978	1
51A	359 966 R1	GASKET, SHORT CIRCUITING TERMINAL INSULATOR	MAGNETO 1464979 UP	1
52	48 341 D	WASHER, SHORT CIRCUITING TERMINAL, OUTER	MAGNETO 501 TO 1464978	1

§ - NOT SERVICED SEPARATELY

Always give MAGNETO NUMBER when ordering Parts.

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		MAGNETO, International Type H-4 (Special) —Continued		
52A	359 704 R1	INSULATOR, SHORT CIRCUITING TERMINAL	MAGNETO 1464979 UP	1
	132 760	SCREW, MACHINE, SLOTTED-RD-HD., CD-PLTD.,		
		No. 8-32NC x 1/2"		2
	121 841	WASHER, LOCK, MEDIUM, CD-PLTD., No. 8		2
	38 609 DA	WASHER, TERMINAL INSULATOR SCREW		2
53	48 342 DA	WASHER, LOCK, SHORT CIRCUITING TERMINAL	MAGNETO 501 TO 1464978	1
53A	359 965 R1	WASHER, TERMINAL	MAGNETO 1464979 UP	1
54	48 340 DA	TERMINAL, SHORT CIRCUITING	MAGNETO 501 TO 1464978	1
54A	359 967 R1	TERMINAL, SHORT CIRCUITING	MAGNETO 1464979 UP	1
	121 637	WASHER, LOCK, LIGHT, 1/4"		1
55	ST 307	BEARING, BALL, (ROTOR SHAFT)		2
56	E4A 305	SHIM, ROTOR, LIGHT (.002")		X
57	E4 212	SHIM, ROTOR, MEDIUM (.004")		X
58	E4A 372	SHIM, ROTOR, HEAVY (.010")		X
59	27 311 D	OILER, IMPULSE COUPLING		1
60	46 868 D	CLIP, MOUNTING		1
61	47 474 D	WASHER, OIL RETAINER, INNER (ORDER 353 051 R91)		1
62	47 475 DA	OIL SEAL (ORDER 353 051 R91)		1
63	47 473 D	WASHER, OIL RETAINER, OUTER (ORDER 353 051 R91)		1
64	24 523 D	WASHER, MAGNETO BOLT (*)		1
65	47 468 DA	PIN, STOP, IMPULSE COUPLING		1
66	114 616	WASHER, LOCK, EXTERNAL-TOOTH-CSK., 1/4"		4
67	106 749	KEY, WOODRUFF, No. 3, 1/8 x 1/2"		1
68	47 461 D	WASHER, PAWL PIN	FCM 501 TO 183302	2
68	24 610 D	WASHER, PAWL PIN	FCM 183303 UP	2
69	47 462 D	RING, SNAP, PAWL PIN	FCM 501 TO 183302	2
69	30 114 D	RING, SNAP, PAWL PIN	FCM 183303 UP	2
70	51 303 D	SPRING, PAWL		2
71	51 304 D	PAWL	FCM 501 TO 183302	2
71	351 367 R91	PAWL, W/WEIGHT	FCM 183303 UP	2
72	47293 DX	MEMBER, MAGNETO	FCM 501 TO 183302	1
72	351 366 R91	MEMBER, MAGNETO	FCM 183303 UP	1
73	251 555 R1	BUTTON, SPRING END		2
74	47 822 D	SPRING, COUPLING, MAGNETO		1
75	47292 DX	MEMBER, DRIVE	FCM 501 TO 183302	1
75	251 558 R11	MEMBER, DRIVE	FCM 183303 UP	1
76	24 603 D	WASHER, LOCK, MAGNETO DRIVE MEMBER		1
77	251 591 R1	WASHER, LOCK, IMPULSE COUPLING		1
78	47 470 D	NUT, COUPLING, IMPULSE		1

(*) - NOT PART OF MAGNETO ASSEMBLY X - AS REQUIRED

Always give MAGNETO NUMBER when ordering Parts.


ELECTRICAL SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		MAGNETO, International Type H-4 (Special)—Continued		
79	46 168 DB	GASKET, MAGNETO FLANGE (*)		1
80	47 455 DAR	ROTOR, ASSEMBLY		1
		(COMPOSED OF -		
		1 CAM 60 094 D — 2 RETAINER ST 602		
		2 FLINGER E4A 324 — 1 ROTOR § 47 457 DAX		
		1 KEEPER 57 314 D — X SHIM E4 212		
		1 KEY 106 749 — X SHIM E4A 305		
		2 RACE ST 600 — X SHIM E4A 372)		
81	6 515 DAX	FLANGE, MOUNTING, ASSEMBLY		1
		(COMPOSED OF -		
		1 FLANGE § 6 515 DA		
		1 OILER 27 311 D		
		1 OIL SEAL § 353 050 R1		
		1 PIN 47 468 DA		
		1 RACE ST 601		
		1 WASHER § 353 052 R1		
		1 WASHER § 353 053 R1)		
	173 464	SCREW, SLOTTED-FL-HD., 1/4-20NC x 9/16"		4
82	47 293 DY	MEMBER, MAGNETO, W/PAWLS, ASSEMBLY	FCM 501 TO 183302	1
		1 MEMBER 47 293 DX — 2 SPRING 51 303 D		
		2 PAWL 51 304 D — 2 WASHER 47 461 D)		
		2 RING 47 462 D		
82	351 434 R91	MEMBER, MAGNETO, W/PAWLS, ASSEMBLY	FCM 183303 UP	1
		(COMPOSED OF -		
		1 MEMBER 351 366 R91		
		2 PAWL 351 367 R91		
		2 RING 30 114 D		
		2 SPRING 51 303 D		
		2 WASHER 24 610 D)		
83	351 365 R91	UNIT, ROTATING, ASSEMBLY (WILL WORK FOR 47 293 DZ)		1
		(COMPOSED OF -		
		2 BUTTON 251 555 R1		
		1 MEMBER 251 558 R11		
		1 MEMBER 351 434 R91		
		1 SPRING 47 822 D)		
	21 372 D	GREASE, MAGNETO, (1 OZ. TUBE) (*)		X
	359 766 R91	GREASE. MAGNETO BALL BEARING (1 OZ. TUBE) (*)		X
	57 314 D	KEEPER, MAGNETO		1
	353 051 R91	PACKAGE, SERVICE, OIL SEAL		1
		(CONSISTS OF -		
		1 SEAL § 353 050 R1 — 2 SHIM E4A 372		
		1 SHIM § 353 054 R1 — 1 WASHER § 353 052 R1		
		2 SHIM E4 212 — 1 WASHER § 353 053 R1)		
		2 SHIM E4A 305		
	133 495	SCREW, SLOTTED, FL-HD., CD-PLTD., No. 8-32NC x 5/8" (IN COIL AND CORE ASSEMBLY)		2
	69 398 D	VARNISH, INSULATING, ELECTRICAL (1 PINT) (SPECIAL) (*)		X
		(*) - NOT PART OF MAGNETO ASSEMBLY		
		§ NOT SERVICED SEPARATELY	X - AS REQUIRED	

Always give MAGNETO NUMBER when ordering Parts.

ELECTRICAL SYSTEM

BATTERY IGNITION UNIT
(For tractors equipped with Battery Ignition)



A-22699C

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	357 934 R92	UNIT, BATTERY IGNITION, ASSEMBLY (6 VOLT) (COMPOSED OF PARTS LISTED IN THIS UNIT EXCEPT AS NOTED)		
1	356 686 R92	CABLE, SECONDARY, COIL TO DISTRIBUTOR, W/TWO NIPPLES, 251 553 R1		1
2	251 553 R1	NIPPLE		2
3	353 937 R1	CLAMP, DISTRIBUTOR		2
	180 078	SCREW, CAP, HEX-HD., CD-PLTD., 5/16-18NC x 7/8"		2
	120 214	WASHER, LOCK, MEDIUM, CD-PLTD., 5/16"		2
4	353 936 R2	GASKET, DISTRIBUTOR		1
5	353 874 R91	COIL, IGNITION (6 VOLT)		1
	120 614	NUT, HEX., CD-PLTD., No. 10-32NF		2
	120 217	WASHER, LOCK, MEDIUM, CD-PLTD., No. 10		2
6	353 889 R1	CLAMP, COIL		1
	120 611	NUT, SQUARE, CD-PLTD., No. 10-32NF		1
	180 073	SCREW, CAP, HEX-HD., CD-PLTD., 5/16-18NC x 1/2"		2
	132 926	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 10-32NF x 1-1/4"		1
	120 214	WASHER, LOCK, MEDIUM, CD-PLTD., 5/16"		2
	120 217	WASHER, LOCK, MEDIUM, CD-PLTD., No. 10		1
	120 393	WASHER, PLAIN, CD-PLTD., 11/32" I.D. x 11/16" O.D. x No. 16 GA.		2


ELECTRICAL SYSTEM

BATTERY IGNITION UNIT - Continued
(For tractors equipped with Battery Ignition)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
7	357 929 R92	CABLE, PRIMARY, COIL TO DISTRIBUTOR W/TWO TERMINALS		1
8	353 933 R11	HOUSING, DISTRIBUTOR DRIVE W/BUSHING (LESS HOLE FOR TACHOMETER DRIVE)		
		(ORDER 363 749 R91)(*)		1
	103 883	PLUG, PIPE, SLOTTED-HDLS., 1/8"		1
	179 840	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/8" (LOWER)(*)		1
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8" (UPPER)(*)		1
9	353 934 R11	SHAFT, DISTRIBUTOR DRIVE W/INTEGRAL GEAR (16 T.)		1
10	46 168 DB	GASKET, DISTRIBUTOR DRIVE HOUSING(*)		1
11	46 868 D	CLIP, MOUNTING, DISTRIBUTOR(*)		1
12	363 763 R11	HOUSING, DISTRIBUTOR DRIVE, W/BUSHING (W/HOLE FOR TACHOMETER DRIVE)		1
	103 883	PLUG, PIPE SLOTTED-HDLS., 1/8"		1
	179 840	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/8" (LOWER)(*)		1
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8" (UPPER)(*)		1
13	363 765 R1	GASKET, DISTRIBUTOR DRIVE HOUSING HOLE COVER (USED WITH 363 763 R11)		1
14	363 764 R1	COVER, DISTRIBUTOR DRIVE HOUSING HOLE (USED WITH 363 711 R11 REF. 12)		1
	435 429	SCREW, MACH., SLOTTED-RD-HD., CD-PLTD., No. 10-32NF x 9/16"		2
	120 217	WASHER, LOCK, MEDIUM, CD-PLTD., No. 10		2
15	363 749 R91	HOUSING, DISTRIBUTOR DRIVE, ASSEMBLY (WILL WORK FOR 353 933 R11)		1
		(COMPOSED OF -		
		1 COVER 363 764 R1		
		1 GASKET 363 765 R1		
		1 HOUSING 363 763 R11		
		2 SCREW 435 429		
		2 WASHER 120 217)		
	103 883	PLUG, PIPE, SLOTTED-HDLS., 1/8"		1
	179 840	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/8" (LOWER)(*)		1
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8" (UPPER)(*)		1
16	357 935 R91	DISTRIBUTOR, ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "BATTERY IGNITION DISTRIBUTOR")		1
		(*) - THESE PARTS ARE NOT INCLUDED IN BATTERY IGNITION UNIT ASSEMBLY.		

ELECTRICAL SYSTEM

BATTERY IGNITION DISTRIBUTOR



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	357 935 R91	DISTRIBUTOR, ASSEMBLY (WILL WORK FOR 354 900 R91)		1
1	351 693 R92	CAP, DISTRIBUTOR		1
2	353 896 R91	ROTOR, DISTRIBUTOR		1
3	353 901 R2	SEAL, FELT, BREAKER COVER		1
4	352 284 R2	GASKET, BREAKER COVER		1
5	353 900 R11	COVER, BREAKER, W/SEAL, 353 901 R2 AND GASKET, 352 284 R2		1
6	353 903 R92	CONDENSER		1
7	353 905 R1	CLAMP, CONDENSER		1
	131 949	SCREW, SLOTTED-FIL-HD., CD-PLTD., No. 8-32NC x 3/16"		1
	121 841	WASHER, LOCK, CD-PLTD., No. 8		1
8	353 172 R91	POINT SET, DISTRIBUTOR		1
	120 622	NUT, HEX., CD-PLTD. No. 8-32NC (BREAKER ARM SPRING)		1
	436 690	SCREW, SLOTTED-PAN-HD., CD-PLTD., No. 8-32NC x 3/16" (STATIONARY POINT)		1
	213 94 D	WASHER, STATIONARY POINT OR BREAKER ARM SPRING		2
	121 841	WASHER, LOCK, MEDIUM, CD-PLTD., No. 8 (BREAKER ARM SPRING)		1
9	353 907 R1	SCREW, TERMINAL		1
	120 622	NUT, HEX., CD-PLTD., No. 8-32NC		2
	121 841	WASHER, LOCK, CD-PLTD., No. 8		2
	213 94 D	WASHER, TERMINAL		1
10	353 906 R1	INSULATOR, SPRING ANCHOR, TERMINAL		1
11	251 538 R1	WASHER, INSULATING, TERMINAL		1
12	352 277 R11	PLATE, BREAKER		1
	121 832	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 8-32NC x 3/8"		1
	121 841	WASHER, LOCK, CD-PLTD., No. 8		1

ELECTRICAL SYSTEM


BATTERY IGNITION DISTRIBUTOR—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
13	352 301 R1	GUARD, GOVERNOR WEIGHT		1
	131 949	SCREW, SLOTTED-FIL-HD., CD-PLTD., No. 8-32NC x 3/16"		2
	121 841	WASHER, LOCK, CD-PLTD., No. 8		2
14	353 915 R91	ARM, W/WEIGHT		2
15	355 724 R91	CAM, W/FELT, 355 460 R1		1
16	358 108 R91	SET, GOVERNOR SPRINGS (CONSISTS OF TWO SPRINGS) (WILL WORK FOR 353 918 R1 AND 354 903 R1)		1
17	352 293 R1	SPACER, WEIGHT ARM		4
18	354 901 R1	SHAFT, DISTRIBUTOR		1
19	352 298 R1	WASHER, THRUST, DISTRIBUTOR		2
20	353 894 R1	SPRING, DISTRIBUTOR CAP		2
21	353 895 R1	SUPPORT, DISTRIBUTOR CAP SPRING		2
	121 832	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 8-32NC x 3/8"		2
	121 841	WASHER, LOCK, CD-PLTD., No. 8		2
22	353 898 R11	HOUSING, DISTRIBUTOR, W/OIL SEAL, 252 739 R1, RETAINER, 353 899 R1 AND PLUG, 125 947		1
	125 947	PLUG, PIPE, SLOTTED, CD-PLTD., 1/8"		1
23	353 899 R1	RETAINER, OIL SEAL, DISTRIBUTOR SHAFT		1
24	252 739 R1	OIL SEAL, DISTRIBUTOR SHAFT		1
25	353 902 R1	GEAR, DISTRIBUTOR (32 TEETH)		1
	354 552 R1	PIN, DISTRIBUTOR GEAR		1
	21372 D	GREASE, DISTRIBUTOR OR MAGNETO (1 OZ. TUBE) (NOT INCLUDED IN DISTRIBUTOR ASSEMBLY)		X
	355 460 R1	FELT, CAM OIL HOLE		1

X - AS REQUIRED

ELECTRICAL SYSTEM

BATTERY IGNITION SWITCH




A-22770 A

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	62 801 DC	SWITCH, BATTERY IGNITION, ASSEMBLY		1
	64 022 H	SCREW, SLOTTED SPECIAL-HD., CD-PLTD., No. 8-32NC x 5/16"		2
	121 841	WASHER, LOCK, CD-PLTD., No. 8		2
2	8 732 D	KNOB, SWITCH		1
	120 217	WASHER, LOCK, CD-PLTD., No. 10		1
3	56 517 DX	NUT, MOUNTING, SWITCH, W/SEAL		1
	138 553	WASHER, LOCK, INTERNAL-TOOTH, CD-PLTD., 9/16"		1
4		SWITCH, BATTERY IGNITION (ORDER 62 801 DC)		1
	59 109 D	SPACER, BATTERY IGNITION SWITCH		1

ELECTRICAL SYSTEM


MAGNETO IGNITION SWITCH AND CABLE



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	54 207 DB	SWITCH, MAGNETO IGNITION, ASSEMBLY		1
		(Composed of -		
		1 KNOB 8 732 D 1 WASHER 120 617		
		1 NUT 56 517 DX 1 WASHER 121 841		
		1 SCREW 64 022 H 1 WASHER 138 553)		
		SWITCH §		
2	8 732 D	KNOB, SWITCH		1
	120 217	WASHER, LOCK, CD-PLTD., No. 10		1
3	56 517 DX	NUT, MOUNTING, MAGNETO IGNITION SWITCH, W/SEAL		1
	138 553	WASHER, LOCK, INTERNAL-TOOTH, CD-PLTD., 9/16"		1
4	59 109 D	SPACER, MAGNETO IGNITION SWITCH		
		(FOR TRACTORS NOT EQUIPPED WITH STARTING AND LIGHTING)		1
5		SWITCH, MAGNETO IGNITION (NOT SERVICED SEPARATELY) (ORDER 54 207 DB)		
	64 022 H	SCREW, IGNITION SWITCH CABLE		1
	121 841	WASHER, LOCK, MEDIUM, CD-PLTD., No. 8		1
6	56 683 D	CABLE, MAGNETO IGNITION SWITCH		
		(NOT TRACTORS EQUIPPED WITH LIGHTING AND STARTING)		1
	132 100	SCREW, SLOTTED-FIL-HD., CD-PLTD., No. 10-32NF x 5/16"		1
	120 217	WASHER, LOCK, CD-PLTD., No. 10		1
7	61 813 D	CLIP, CABLE (FOR TRACTORS NOT EQUIPPED WITH STARTING AND LIGHTING)	100001 TO 176522	1
8	355 574 R1	CLIP, CABLE (FOR TRACTORS NOT EQUIPPED WITH STARTING AND LIGHTING)	176523 UP	1
9	351 699 R1	CLIP, MAGNETO IGNITION SWITCH CABLE (TRACTOR EQUIPPED WITH TOUCH CONTROL)		2
10	61 387 D	CLIP, MAGNETO IGNITION SWITCH CABLE (TRACTORS WITHOUT TOUCH CONTROL)		2
	179 879	SCREW, CAP, HEX-HD., 1/2-13NC x 3/4"		2
	103 323	WASHER, LOCK, 1/2"		2
11	351 871 R1	CLIP, MAGNETO IGNITION SWITCH CABLE (FOR TRACTORS NOT EQUIPPED WITH STARTING AND LIGHTING)		1
		§ - NOT SERVICED SEPARATELY		

ELECTRICAL SYSTEM

LIGHTING SWITCH (Delco-Remy)




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	363 130 R91	SWITCH, LIGHTING, ASSEMBLY (6 VOLT) (COMPOSED OF PARTS LISTED ON THIS PAGE EXCEPT AS NOTED) (WILL WORK FOR 362 111 R91)		1
1	814 545	COIL, RESISTANCE, LIGHTING SWITCH DIMMER (6 VOLT)		1
	1 882 994	SCREW, DIMMER COIL ATTACHING		2
	138 530	WASHER, LOCK, INTERNAL TOOTH, CD-PLTD., No. 8		2
2		SWITCH, LIGHTING, (NOT SERVICED SEPARATELY ORDER SWITCH ASSEMBLY)		1
	1 882 994	SCREW, TERMINAL		4
	1 873 844	WASHER, LOCK, TERMINAL SCREW		4
	141 706	WASHER, LOCK, INTERNAL-TOOTH, 11/16"		1
3	1 882 012	NUT, MOUNTING, LIGHTING SWITCH		1
4	1 882 013	KNOB, LIGHTING SWITCH (NOT PART OF LIGHTING SWITCH ASSEMBLY)		1
4	1 930 685	KNOB, LIGHTING SWITCH (NOT ILLUSTRATED) (THIS PART IS INCLUDED IN LIGHTING SWITCH ASSEMBLY THAT IS ALSO USED ON OTHER TRACTORS)		1
5	1 864 099	SCREW, MOUNTING, LIGHTING SWITCH KNOB		1
	121 841	WASHER, LOCK, MEDIUM, CD-PLTD., No. 8		1

Always give SWITCH NUMBER when ordering Parts.

ELECTRICAL SYSTEM

STARTING SWITCH (Delco-Remy)



A-27082


REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		1918405	SWITCH, STARTING, ASSEMBLY (LESS REFERENCE No. 6)		1
		134566	NUT, HEX., CD-PLTD., 3/8-16NC (SEE NOTE)		1
		132892	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 10-32NF x 1/4"		2
		106497	WASHER, LOCK, No. 10		2
		110730	WASHER, LOCK, LIGHT, 3/8" (SEE NOTE)		1
1		1918322	LEVER, STARTING SWITCH		1
2		1880254	PIN, SWITCH LEVER		1
		137130	PIN, COTTER, 1/16 x 7/16"		1
	142186 H	812622			
4			SWITCH (ORDER 1918405)		1
5		816911	INSULATION, SIDE STARTING SWITCH		2
6		1912376	GASKET, STARTING SWITCH. (SEE NOTE)		1
			NOTE - NOT PART OF STARTING SWITCH		

Always give SWITCH NUMBER when ordering Parts.

PRINTED IN UNITED STATES OF AMERICA

ELECTRICAL SYSTEM


BATTERY BOX



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	351 814 R2	RUBBER, BATTERY HOLD-DOWN,		2
2	51 714 D	RUBBER, BATTERY HOLD-DOWN, SHORT (USED ONLY W/FOUR RETAINER TYPE COVER)		2
3	350 637 R92	COVER, BATTERY BOX, W/TWO RETAINERS		1
4	50 939 DA	SCREW, BATTERY BOX COVER HOLD-DOWN		2
	103 127	NUT, WING, 1/4-20NC		2
	Q 391	WASHER, PLAIN, 9/32" I.D. x 5/8" O. D. x No. 18 GA.		2
5	350 634 R91	BOX, BATTERY, W/TWO SCREWS, 50 939 DA (ORDER 358 544 R91)	100001 TO 176522	1
	103 025	NUT, HEX., 5/16-24NF		4
	181 336	SCREW, CAP, HEX-HD., 5/16-24NF x 3/4"		4
	181 361	SCREW, CAP, HEX-HD., 3/8-24NF x 7/8"		2
	103 320	WASHER, LOCK, 5/16"		4
	103 321	WASHER, LOCK, 3/8"		2
	103 340	WASHER, PLAIN, 11/32" I.D. x 11/16" O.D. x No. 16 GA.		4
6	350 638 R1	SUPPORT, BATTERY BOX HOLD-DOWN	100001 TO 176522	4
	179 838	SCREW, CAP, HEX-HD., 3/8-16NC x 7/8"		4
	103 321	WASHER, LOCK, 3/8"		4
7	358 540 R11	SIDE, BATTERY BOX, L.H., W/CLIP	176523 UP	1
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		4
	181 360	SCREW, CAP, HEX-HD., 3/8-24NF x 3/4"		1
	103 341	WASHER, PLAIN, 13/32" I. D. x 13/16" O.D. x No. 16 GA.		3
8	358 542 R11	COVER, BATTERY BOX FRONT COVER (FOR TRACTORS WITHOUT TOUCH CONTROL)	176523 UP	1
9	358 541 R11	SIDE, BATTERY BOX, R.H., W/CLIP	176523 UP	1
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		2
	181 360	SCREW, CAP, HEX-HD., 3/8-24NF x 3/4"		1
	103 341	WASHER, PLAIN, 9/32" I.D. x 5/8" O.D. x No. 18 GA.		2
	358 544 R91	PACKAGE, BATTERY BOX (WILL WORK FOR 350 634 R91)	100001 TO 176522	1
		(COMPOSED OF -		
		1 COVER 358 542 R11		
		1 SIDE 358 540 R11		
		1 SIDE 358 541 R11		
		2 SCREW 50 939 DA)		

PRINTED IN UNITED STATES OF AMERICA

GENERATOR, PULLEY AND BRACKETS




A-26848B

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	49 291 D	BELT, GENERATOR	100001 TO 114645	1
1	52 318 DA	BELT, GENERATOR	114646 UP	1
2		NUT, ARMATURE SHAFT (DELCO - REMY NO. 1914308)		1
3	6 812 D	PULLEY, GENERATOR	100001 TO 114645	1
3	356 744 R1	PULLEY, GENERATOR	114646 UP	1
		WASHER, LOCK, ARMATURE SHAFT NUT (DELCO - REMY NO. 80400)		1
4	60 714 DA	BRACE, GENERATOR		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		1
	179 817	SCREW, CAP, HEX-HD., 5/16-18NC x 7/8"		1
	103 320	WASHER, LOCK, 5/16"		2
	103 340	WASHER, PLAIN, 11/32" I.D. x 11/16" O. D. x NO. 16 GA.		1
5	103 905	KEY, WOODRUFF 1/8 x 5/8"		1
		(FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "GENERATOR")		1
	220 065	NUT, HEX., 5/16-18NC		2
	179 819	SCREW, CAP, HEX-HD., 5/16-18NC x 1-1/8"		2
	103 320	WASHER, LOCK, 5/16"		2
6	354 237 R91	GENERATOR, ASSEMBLY, (6 VOLT "VOLTAGE REGULATOR") (WILL WORK FOR 354234 R91)		1
7	354 238 R94	BRACKET, GENERATOR		1
	179 838	SCREW, CAP, HEX-HD., 3/8-16NC x 7/8"		2
	103 321	WASHER, LOCK, 3/8"		2
8	360 898 R91	REGULATOR, VOLTAGE ASSEMBLY (6 VOLT) (FOR COMPONENTS SEE LEST OF PARTS UNDER DETAILS OF		
	179 788	SCREW, CAP, HEX-HD., 1/4-20NC x 5/16"		2
	103 319	WASHER, LOCK, 1/4"		2

ELECTRICAL SYSTEM

GENERATOR (Delco-Remy)



REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	354 237 R91	1100501	GENERATOR, ASSEMBLY (6 VOLT)		1
1		815018	BOLT, THRU		2
		120638	WASHER, LOCK, HEAVY, CD-PLTD., 5/16"		2
2		1886496	SCREW, COMMUTATOR END COVER PLATE		3
		121841	WASHER, LOCK, MEDIUM, CD-PLTD., No. 8		3
3		820524	PLATE, COMMUTATOR END COVER		1
4		817220	GASKET, COMMUTATOR END COVER PLATE		1
5		812823	BUSHING, COMMUTATOR END		1
6		804076	WICK, OIL, COMMUTATOR END		1
7		1880635	OILER, COMMUTATOR END W/CAP AND SPRING		1
8		1911097	PLUG, OIL WICK, COMMUTATOR END		1
9		1913564	FRAME, COMMUTATOR END, ASSEMBLY		1
			(COMPOSED OF -		
			1 BUSHING 812823		
			1 FRAME §		
			1 OILER 1880635		
			1 PIN 809062		
			1 PLUG 1911097		
			1 WICK 804076)		
			§ NOT SERVICED SEPARATELY		

Always give GENERATOR NUMBER when ordering Parts.

ELECTRICAL SYSTEM

REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
			GENERATOR (Delco-Remy) - Continued		
10		1850768	BRUSH, THIRD		1
		132688	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 6-32NC x 1/4"		1
		1904377	WASHER, LOCK, BRUSH LEAD ATTACHING SCREW		1
11		1906923	BRUSH, MAIN		2
		132688	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 6-32NC x 1/4"		2
		1904377	WASHER, LOCK, BRUSH LEAD ATTACHING SCREW		2
12		1913560	ARMATURE		1
13		124545	KEY, WOODRUFF, ALLOY-STL. 1/8 x 5/8" (DRIVE END)		
14		1914618	SHOE, POLE		2
15		1914491	INSULATOR, FIELD COIL		2
16		1913554	COIL SET, FIELD W/INSULATOR, 1914491, STUD, 1858751 AND TERMINAL		1
17		1858751	STUD, FIELD TERMINAL		1
		121743	NUT, HEX., CD-PLTD., No. 12-24NC		2
		1904661	WASHER, LOCK, FIELD TERMINAL STUD		2
18		1872638	BAND, COVER W/NUT, 120614 AND SCREW, 132926		1
		132926	SCREW, MACH. SLOTTED-RD-HD., CD-PLTD., No. 10-32NF x 1-1/4"		1
		120614	NUT, HEX., CD-PLTD., No. 10-32NF		1
19		1881409	WASHER, TERMINAL STUD		2
20		1858753	WASHER, INSULATING, TERMINAL STUD		2
21		1885090	BUSHING, INSULATING, TERMINAL STUD		2
22		1858754	POLE ARMATURE (INCLUDES CABLE TERMINAL STUD, 1858751 AND TERMINAL)		1
		1858751	STUD, ARMATURE TERMINAL		2
		121743	NUT, HEX., CD-PLTD., No. 12-24NC		2
		1904661	WASHER, LOCK, TERMINAL STUD		2
23			FRAME (NOT SERVICED SEPARATELY)		1
24		1843646	SCREW, POLE SHOE		2
25		1904370	SCREW, RETAINER PLATE		3
		1880781	WASHER, LOCK, RETAINER PLATE SCREW		3
26		1911263	PLATE, BALL BEARING RETAINER		1
27		1912008	GASKET, BALL BEARING RETAINER PLATE		1
28		809945	WASHER, SPACE, DRIVE END		1
29	S.T 262	954378	BEARING, BALL, (DRIVE END)		1
30		819104	RETAINER, DRIVE END FELT WASHER		1
31		809961	WASHER, FELT, DRIVE END		1

Always give GENERATOR NUMBER when ordering Parts.

ELECTRICAL SYSTEM


REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
			GENERATOR (Delco-Remy) - Continued		
32		1873830	FRAME, DRIVE END, W/OILER, 1880641		1
33		1880641	OILER, DRIVE END BEARING W/CAP AND SPRING		1
34		817224	SPACER, PULLEY		1
35		80400	WASHER, LOCK, ARMATURE SHAFT NUT		1
36		1914308	NUT, ARMATURE SHAFT		1
		x 1850759	HOLDER, BRUSH		3
		809062	PIN, DOWEL, COMMUTATOR END		1
		809593	PIN, DOWEL, DRIVE END		1
		x 1913737	PLATE, BRUSH		1
		1886496	SCREW, BRUSH PLATE ATTACHING		3
		121841	WASGER, LOCK, MEDIUM, CD-PLTD., No. 8		3
		1850767	SPRING, BRUSH THIRD		1
		1850760	SPRING, BRUSH, MAIN		2
		1857412	WASHER, SPACE, BRUSH ARM		3

Always give GENERATOR NUMBER when ordering Parts.

PRINTED IN UNITED STATES OF AMERICA

ELECTRICAL SYSTEM


VOLTAGE REGULATOR (Delco-Remy)



REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	354 234 R91	1118308	REGULATOR, VOLTAGE ASSEMBLY (6 VOLT) (ORDER 360 898 R91)		1
1		1909034	COVER		1
2		1909035	GASKET, COVER		1
3		1868137	CLAMP, TERMINAL		4
4		1864099	SCREW, TERMINAL		4
5		1878516	SCREW, REGULATOR CONTACT ATTACHING		2
6		1912159	SCREW, ADJUSTING RELAY ARMATURE		1
7		1878507	WASHER, INSULATING REGULATOR CONTACT ATTACHING SCREW		2
8		1878505	WASHER, LOCK, REGULATOR CONTACT ATTACHING SCREW		1
9		1878517	CONTACT AND SUPPORT, REGULATOR		1
10		1878780	ARMATURE, RELAY		1
		1904817	SCREW, RELAY ARMATURE		2
		1904377	WASHER, LOCK, RELAY ARMATURE ATTACHING SCREW		2
11		1912176	SPRING, REGULATOR ARMATURE		1
12		1912365	SCREW, REGULATOR ARMATURE ADJUSTING		1
13		1885467	LEAD, ASSEMBLY, GROUND		1
14		1885297	RESISTOR, "F" TERMINAL TO GROUND		1
		1878506	BUSHING, INSULATING REGULATOR CONTACT ATTACHING SCREW		2
		1913064	PACKAGE, SHOCK MOUNTING		1

Always give VOLTAGE REGULATOR NUMBER when ordering Parts.

VOLTAGE REGULATOR (Delco-Remy)




REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	360 898 R91	1118780	REGULATOR, VOLTAGE ASSEMBLY (6 VOLT) (WILL WORK FOR 354234 R91)		1
1		1927982	SCREW, COVER ATTACHING		2
2		1922996	WASHER, INSULATING COVER ATTACHING SCREW		2
3		1927980	COVER		1
4		1927981	GASKET, COVER		1
5		1868137	CLAMP, TERMINAL		4
6		1864099	SCREW, TERMINAL		4
7		1878516	SCREW, CURRENT VOLTAGE REGULATOR CONTACT ATTACHING		2
8		1912159	SCREW, CUT-OUT ADJUSTING RELAY ARMATURE		1
9		1878507	WASHER, INSULATING, CURRENT-VOLTAGE REGULATOR CONTACT ATTACHING SCREW		2
10		1878505	WASHER, LOCK, CURRENT-VOLTAGE REGULATOR CONTACT ATTACHING SCREW		1
11		1878517	CONTACT AND SUPPORT, CURRENT-VOLTAGE REGULATOR		1
12		1878780	ARMATURE, CUT-OUT RELAY		1
		454431	SCREW, CUT-OUT RELAY ARMATURE		2
		1904377	WASHER, LOCK, CUT-OUT RELAY ARMATURE ATTACHING SCREW		2
13		1912176	SPRING, CURRENT-VOLTAGE REGULATOR ARMATURE		1
14		1922408	SCREW, CURRENT-VOLTAGE REGULATOR ARMATURE ADJUSTING		1
15		1922599	INSULATOR, CURRENT-VOLTAGE REGULATOR CONTACT ATTACHING SCREW		1
16		1927975	LEAD, CURRENT-VOLTAGE GROUND		1
17		1910183	RESISTOR, "F" TERMINAL TO GROUND		1

Always give VOLTAGE REGULATOR NUMBER when ordering Parts.

PRINTED IN UNITED STATES OF AMERICA

ELECTRICAL SYSTEM

CRANKING MOTOR, LEVER AND PULL ROD




A-26849

REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	351 446 R2		ROD, PULL, STARTING SWITCH		1
	137 130		PIN, COTTER, 1/16 x 7/16"		1
2	354 379 R1		CLIP, STARTING SWITCH PULL ROD		1
	181 307		SCREW, CAP, HEX-HD., 1/4-28NF x 3/8"		1
	103 319		WASHER, LOCK, 1/4"		1
3		1918322	LEVER, STARTING SWITCH		1
4		1918405	SWITCH, CRANKING MOTOR, W/LEVER, 1918322, ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "STARTING SWITCH")		1
5	355 794 R91		MOTOR, CRANKING (6 VOLT) (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "CRANKING MOTOR")		1
	179 883		SCREW, CAP, HEX-HD., 1/2-13NC x 1-1/4"		2
	103 323		WASHER, LOCK, 1/2"		2
6		1880254	PIN, STARTING SWITCH LEVER		1
	137 130		PIN, COTTER, 1/16 x 7/16"		1

ELECTRICAL SYSTEM

CRANKING MOTOR (Delco-Remy)



ELECTRICAL SYSTEM

REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
			CRANKING MOTOR (Delco-Remy)		
	355 794 R91	1107093	MOTOR, CRANKING (6 VOLT)		1
1		810620	BUSHING, DRIVE HOUSING		1
2		1910093	HOUSING, DRIVE, W/BUSHING, 810620		1
3		833602	WASHER, SPACE, DRIVE END		1
4		1849774	WASHER, SPACE, DRIVE END		1
5		809815	WASHER, SPACE, DRIVE END		1
6		1868804	DRIVE, MOTOR		1
			(COMPOSED OF -		
			1 GEAR AND SHAFT 1855629		
			1 HEAD 1848530		
			1 SCREW 1850810		
			1 SCREW 1850811		
			1 SPRING 1860639		
			2 WASHERS 805057)		
7		1918405	SWITCH, STARTING, ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "STARTING SWITCH")		1
		1884121	SCREW, STARTER SWITCH ATTACHING		2
7A		1912376	GASKET, STARTING SWITCH		1
8		821524	STUD, TERMINAL, FIELD		1
9		1904669	WASHER, INSULATING, TERMINAL STUD		2
10		1861076	WASHER, INSULATING, TERMINAL STUD		2
11		812622	WASHER, TERMINAL STUD, PLAIN (1/32" THICK)		2
11		805790	WASHER, TERMINAL STUD, PLAIN (1/16" THICK)		1
12		805258	NUT, TERMINAL STUD		1
13		1886923	BAND, COVER		1
		132926	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 10-32NF x 1-1/4"		1
		103088	NUT, HEX., No. 10-32NF		1
14		812407	COIL, FIELD (L.H.)		1
15		819362	LEAD, CONNECTOR, BRUSH		1
		132892	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 10-32NF x 1/4"		2
		106497	WASHER, LOCK, No. 10		2
16		810601	SHOE, POLE		4
		1881869	SCREW, POLE SHOE		4
17		124546	KEY, WOODRUFF 5/32 x 5/8"		1
18		818002	ARMATURE		1
19		811553	BRUSH		4
		115903	SCREW, SLOTTED-RD-HD., No. 6-32NC x 1/2"		4
		106495	WASHER, LOCK, No. 6		4

Always give CRANKING MOTOR NUMBER when ordering Parts.

PRINTED IN UNITED STATES OF AMERICA


ELECTRICAL SYSTEM

REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
			CRANKING MOTOR (Delco-Remy) - Continued		
20		813554	LEAD, GROUND, BRUSH		2
		122159	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 8-32NC x 1/4"		2
		106496	WASHER, LOCK, No. 8		2
21		833602	WASHER, SPACE, COMMUTATOR END		1
22		1881625	FRAME, END, COMMUTATOR		1
23		1865182	PLUG, COMMUTATOR END FRAME		1
24		809053	BOLT, THRU		2
		103319	WASHER, LOCK, 1/4"		2
25		812406	COIL, FIELD (R.H.)		1
26		1881869	SCREW, POLE SHOE		4
27			FRAME (NOT SERVICED SEPARATELY)		
		1855629	GEAR AND SHAFT, MOTOR DRIVE		1
		1848530	HEAD, MOTOR DRIVE		1
		810226	HOLDER, BRUSH		4
		1880642	OILER, COMMUTATOR END FRAME		1
		817313	PIN, BRUSH HOLDER HINGE		2
		812016	PIN, BRUSH HOLDER, W/INSULATION		2
		817314	PIN, BRUSH HOLDER STOP		2
		812015	PIN, BRUSH HOLDER STOP, W/INSULATION		2
		809062	PIN, DOWEL, COMMUTATOR END		1
		809593	PIN, DOWEL, DRIVE END		1
		1850811	SCREW, MOTOR DRIVE SPRING (AT HEAD)		1
		1850810	SCREW, MOTOR DRIVE SPRING (SHAFT END)		1
		813521	SPRING, BRUSH HOLDER		4
		1860639	SPRING, MOTOR DRIVE		1
		805057	WASHER, LOCK, DRIVE SPRING SCREW		2
		802691	WICK, OIL, COMMUTATOR END FRAME OILER		1

Always give CRANKING MOTOR NUMBER when ordering Parts.

ELECTRICAL SYSTEM


HEADLIGHT AND REAR LIGHT SUPPORTS



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	351 443 R2	PIPE, HEADLIGHT SUPPORT		1
1	356 825 R1	PIPE, HEADLIGHT SUPPORT (TRACTORS EQUIPPED WITH HYDRAULIC REMOTE CONTROL)		1
	139 705	SCREW, SET, HEX-SOCKET-HD., DOG-PT., 1/4-20NC x 1/2"		2
2	45 640 DB	HEADLIGHT OR REAR LIGHT, CONVENTIONAL, ASSEMBLY (6 VOLT) (NOT ILLUSTRATED) (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "HEADLIGHTS OR REAR LIGHT UNIT")	100001 TO 159454	3
2	357 884 R93	HEADLIGHT OR REAR LIGHT, SEALED BEAM, ASSEMBLY (6 VOLT) (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "HEADLIGHTS OR REAR LIGHT")	159455 UP	3
	114 774	NUT, HEX., 1/2-13NC		3
	103 323	WASHER, LOCK, 1/2"		3
3	49 069 D	SPACER, HEADLIGHT OR REAR LIGHT		3
4	350 920 R1	CLAMP, HEADLIGHT OR REAR LIGHT		3
5	351 752 R11	SUPPORT, REAR LIGHT (NOT USED ON TRACTORS EQUIPPED WITH FAST-HITCH	100001 TO 189456	1
	103 025	NUT, HEX., 5/16-24NF		2
	181 336	SCREW, CAP, HEX-HD., 5/16-24NF x 3/4"		2
	103 320	WASHER, LOCK, 5/16"		2
6	353 642 R11	SUPPORT, REAR LIGHT (TRACTORS EQUIPPED WITH FAST-HITCH)	100001 TO 189456	1
	114 773	NUT, HEX., 7/16-14NC		1
	179 859	SCREW, CAP, HEX-HD., 3/8-16NC x 2-1/4"		1
	103 322	WASHER, LOCK, MEDIUM, 3/8"		1
7	360 478 R11	SUPPORT, REAR LIGHT (TRACTORS EQUIPPED WITH FAST-HITCH)	189457 UP	1
	103026	NUT, HEX; 3/8-24NF		1
	181370	SCREW, CAP, HEX-HD. 3/8-24NF x 1-1/4"		1
	103321	WASHER, LOCK, MEDIUM, 3/8"		1

ELECTRICAL SYSTEM

HEADLIGHT OR REAR LIGHT—Conventional
(100001 to 159454)




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	45 640 DB	HEADLIGHT OR REAR LIGHT, CONVENTIONAL (6 VOLT) ASSEMBLY		X
1	53 522 DA	BODY		1
2	53 523 D	REFLECTOR		1
3	142 309	LAMP No. 1133, 6 VOLT		1
4	53 527 D	GASKET		1
5	350 478 R1	LENS		1
6	53 525 DA	MOULDING		1
7	68 417 D	PLATE, TERMINAL ASSEMBLY		1
		(COMPOSED OF -		
		1 PLATE 79 407 H		
		2 SCREW 121 749		
		1 SPRING 79 408 H		
		2 WASHER 138 530)		
8	79 408 H	SPRING, TERMINAL PLATE		1
9	79 407 H	PLATE, TERMINAL		1
	121 749	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 8-32NC x 5/16"		2
	138 530	WASHER, LOCK, INTERNAL-TOOTH, CD-PLTD., No. 8		2
10	53 524 D	CABLE		1
11	53 526 D	SCREW, MOULDING		1

X - AS REQUIRED

ELECTRICAL SYSTEM

HEADLIGHTS OR REAR LIGHT—Sealed Beam
(159455 up)




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	357 884 R93	HEADLIGHT OR REAR LIGHT, SEALED BEAM, (6 VOLT) ASSEMBLY		X
1	455347	SCREW, MACHINE, SLOTTED-PAN-HD., BRS., NI-BRIGHT No. 8-32NC x 1/4"		2
2	138 530	WASHER, LOCK, INTERNAL-TOOTH, BRS. No. 8		2
3		BODY (ORDER 357884R93)		1
4	358 890 R92	LAMP SEALED-BEAM, W/SCREW, 455347 AND WASHER 138520 (6 VOLT)		1
5	358 892 R91	GASKET		1
6	358 891 R92	MOULDING		1
7	53 526 D	SCREW, MOULDING		1

X - As Required

ELECTRICAL SYSTEM

REAR LIGHT AND TAIL LIGHT ATTACHMENT




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	353 268 R92	ATTACHMENT, REAR LIGHT AND TAIL LIGHT (6 VOLT) (ORDER 355 914 R91)		1
1	354 305 R92	LIGHT, TAIL, ASSEMBLY (6 VOLT)		1
2	142 303	LAMP, No. 63, 6 VOLT		1
3	92 111 H	GASKET, TAIL LIGHT DOOR		1
4	354 308 R1	LENS, TAIL LIGHT (RUBY)		1
5	354 307 R92	DOOR, TAIL LIGHT		1
6	104 733 H	SCREW, TAIL LIGHT DOOR		1
7	104 734 H	GASKET, TAIL LIGHT MOUNTING		1
8	354 310 R1	STIFFENER, TAIL LIGHT MOUNTING		1
	121 917	NUT, HEX., CD-PLTD., 5/16-24NF		1
	120 214	WASHER, LOCK, CD-PLTD., 5/16"		1
9	354 309 R91	SWITCH, LIGHT, ASSEMBLY		1
		(COMPOSED OF -		
		1 BODY 355 424 R91		
		1 KNOB 355 423 R91		
		1 NUT 355 425 R1)		

ELECTRICAL SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		REAR LIGHT AND TAIL LIGHT ATTACHMENT—Continued		
10	354 303 R91	CABLE, SWITCH TO TERMINAL PLATE		1
11	354 304 R91	CABLE, SOCKET TO SWITCH, W/SPRING		1
12	79 407 H	PLATE, TERMINAL		1
	121 749	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 8-32NC x 5/16"		2
	138 530	WASHER, LOCK, INTERNAL-TOOTH, CD-PLTD., No. 8		2
13	79 408 H	SPRING, RETAINING, TERMINAL		1
14	354 302 R92	BODY, REAR LIGHT		1
15	53 523 D	REFLECTOR, REAR LIGHT		1
16	142 309	LAMP, No. 1133 6 VOLT		1
17	53 527 D	GASKET, REAR LIGHT		1
18	350 478 R1	LENS, REAR LIGHT		1
19	53 525 DA	MOULDING, REAR LIGHT		1
20	53 526 D	SCREW, REAR LIGHT DOOR		1
	68 417 D	PACKAGE, TERMINAL PLATE, ASSEMBLY		1
		(CONSISTS OF -		
		1 PLATE 79 407 H		
		2 SCREW 121 749		
		1 SPRING 79 408 H		
		2 WASHER 138 530)		
	355 424 R91	BODY, SWITCH		1
	355 423 R91	KNOB, SWITCH W/SCREW		1
	355 425 R1	NUT, RETAINING, SWITCH		1

ELECTRICAL SYSTEM

COMBINATION REAR LIGHT AND TAIL LIGHT ATTACHMENT



A-26850B


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	355 914 R92	ATTACHMENT, REAR LIGHT COMBINATION AND TAIL LIGHT (6 VOLT) (WILL WORK FOR 353 268 R92)		1
1	361 985 R92	LIGHT, REAR, COMBINATION AND TAIL LIGHT (6VOLT) WILL WORK FOR 355910R91)		1
2	355 423 R91	KNOB, SWITCH, W/SCREW (METAL) (USED WITH SWITCH BODY WITH 5/16" SHAFT)		1
3	359 773 R91	KNOB, SWITCH (PLASTIC) (USED WITH BODY WITH 15/32" SHAFT)		1
4	355 425 R1	NUT, RETAINING, SWITCH		1
5	359 682 R91	SWITCH, LIGHT, W/KNOB, 359 773 R91 AND NUT, 355 425 R1 AND TWO SCREWS (LESS CABLES) (WILL WORK FOR 354 309 R91 AND 355 424 R91)		1
6		BODY, REAR LIGHT (NOT SERVICED SEPARATELY - ORDER LIGHT ASSEMBLY)		1
7	356 590 R91	REFLECTOR, REAR LIGHT, W/SOCKET		1
8	142 309	LAMP, No. 1133 6 VOLT		1
9	53 527 D	GASKET, REAR LIGHT		1
10	350 478 R1	LENS, REAR LIGHT		1

ELECTRICAL SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		COMBINATION REAR LIGHT AND TAIL LIGHT ATTACHMENT—Continued		
11	53 525 DA	MOULDING, REAR LIGHT		1
12	53 526 D	SCREW, REAR LIGHT DOOR		1
13	356 592 R91	JEWEL, ASSEMBLY		1
14	115 273	LAMP, No. 51 6 VOLT		1
15	79 408 H	SPRING, RETAINING, TERMINAL		1
16	79 407 H	PLATE, TERMINAL		1
	121 749	SCREW, SLOTTED-RD-HD. CD-PLTD., No. 8-32NC x 5/16"		2
	138 530	WASHER, LOCK, INTERNAL-TOOTH, CD-PLTD., No. 8		2
17	356 591 R91	SOCKET, w/CABLE (SWITCH TO RED LIGHT)		1
18	354 304 R91	CABLE, SOCKET TO SWITCH, w/SPRING		1
19	354 303 R91	CABLE, SWITCH TO TERMINAL PLATE		1
	68 417 D	PACKAGE, TERMINAL PLATE, ASSEMBLY		1
		(CONSISTS OF -		
		1 PLATE 79 407 H		
		2 SCREW 121 749		
		1 SPRING 79 408 H		
		2 WASHER 138 530)		

ELECTRICAL SYSTEM

SAFETY LIGHT AND SUPPORTS (Special)




A-39595

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	363 914 R91	PACKAGE, SAFETY LIGHT (6 VOLT) (CONSISTS OF PARTS LISTED IN THIS UNIT EXCEPT AS NOTED)		
		(FOR TRACTORS EQUIPPED WITH ELECTRICAL BREAKAWAY CONNECTOR SOCKET)		1
1	364 291 R1	BOLT, "U" SAFETY LAMP SUPPORT (*)		1
	103 028	NUT, HEX., 1/2-20NC (*)		2
	103 323	WASHER, LOCK, MEDIUM, 1/2" (*)		2
2	364 290 R11	SUPPORT, SAFETY LAMP (*)		1
	15 070 R1	BOLT, CARRIAGE, SHORT SQ-NECK., 5/16-18NC x 2" (*)		2
	13 001 R1	NUT, HEX., 5/16-18NC (*)		2
	103 320	WASHER, LOCK, MEDIUM, 5/16" (*)		2
3	363 917 R91	LIGHT, SAFETY ASSEMBLY (6 VOLT)		1
4	363 919 R1	SOCKET, SAFETY LIGHT BRACKET		1
	14 990 R1	BOLT, CARRIAGE, SQ-NK., 5/16-18NC x 5/8"		2
	13 001 R1	NUT, HEX., 5/16-18NC		2
	103 320	WASHER, LOCK, MEDIUM, 5/16"		2
5	363 920 R1	BRACKET, SAFETY LIGHT		1
	13 001 R1	NUT, HEX., 5/16-18NC		2
	120 576	SCREW, MACH., SLOTTED-TRUSS-HD., 5/16-18NC x 1-1/4"		2
	103 320	WASHER, LOCK, MEDIUM, 5/16"		2
		(*) - THESE ADDITIONAL PARTS ARE NOT INCLUDED IN THE SAFETY LIGHT PACKAGE BUT ARE NECESSARY TO MOUNT THE SAFETY LIGHT ON TRACTORS NOT EQUIPPED WITH FENDERS.		

PRINTED IN UNITED STATES OF AMERICA

ELECTRICAL SYSTEM

ELECTRICAL BREAK-AWAY CONNECTOR SOCKET (Special)




A-39596


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	363 923 R91	PACKAGE, ELECTRICAL BREAKWAY CONNECTOR SOCKET (FOR TRACTORS EQUIPPED WITH LIGHTING AND STARTING) (CONSISTS OF PARTS LISTED IN THIS UNIT EXCEPT AS NOTED)		1
1	362 002 R92	SOCKET, ELECTRICAL BREAKAWAY CONNECTOR W/CAP, TWO SCREWS AND SPRING		1
	114 378	NUT, HEX., 1/4-20NC		2
	120 572	SCREW, MACH., SLOTTED-TRUSS-HD., 1/4-20NC x 3/4"		2
	103 319	WASHER, LOCK, MEDIUM, 1/4"		2
2	364 004 R1	BRACKET, BREAKAWAY CONNECTOR SOCKET MOUNTING		1
	103 026	NUT, HEX., 3/8-24NF		1
	181 374	SCREW, CAP, HEX-HD., 3/8-24NF x 1-1/2"		1
	103 321	WASHER, LOCK, MEDIUM, 3/8"		1
		CABLE, BREAKAWAY CONNECTOR SOCKET TO REAR LIGHT (ORDER CABLE, 358 572 R92, TERMINAL, (No. 10) AND SLEEVE, 364 003 R1)		1
	364 003 R1	SLEEVE, TERMINAL INSULATING		1
		TERMINAL, ELECTRICAL, TYPE B, BRS., No. 10		1
		CABLE, BREAKAWAY CONNECTOR SOCKET TO GROUND TERMINAL (ORDER CABLE, 358 572 R92, TERMINAL (7/16") AND SLEEVE, 364 003 R1)		1
	364 003 R1	SLEEVE, TERMINAL INSULATING		1
		TERMINAL, ELECTRICAL, TYPE B, BRS., 7/16"		1
	358 572 R92	CABLE, W/TWO SLEEVES AND TERMINALS (TO MAKE TWO BREAKAWAY CONNECTOR SOCKET CABLES FROM THIS CABLE, MEASURE AND CUT LENGTH NEEDED FOR EACH CABLE FROM EACH END TERMINAL, THEN ASSEMBLE ONE SLEEVE, 364 003 R1 AND ONE TERMINAL, No. 10 OR 7/16" TO COMPLETE EACH CABLE)		1
	13 001 R1	NUT, HEX., 5/16-18NC (*)		1
	179 823	SCREW, CAP, HEX-HD., 5/16-18NC x 1-5/8" (*)		1
	179 839	SCREW, CAP, HEX-HD., 3/8-16NC x 1" (*)		1
	179 873	SCREW, CAP, HEX-HD., 7/16-14NC x 3-3/4" (*)		1
	364 002 R1	SPACER, SOCKET MOUNTING BRACKET (1" LONG) (*)		1
	364 171 R1	SPACER, SOCKET MOUNTING BRACKET (9/16" LONG) (*)		1
		TERMINAL, ELECTRICAL, TYPE B., No. 10 (*)		1
	103 320	WASHER, LOCK, MEDIUM, 5/16" (*)		1
		(*) - THESE PARTS ARE NOT REQUIRED FOR USE ON FARMALL SUPER C TRACTORS BUT ARE SUPPLIED IN THE BREAKAWAY CONNECTOR SOCKET PACKAGE THAT IS ALSO AVAILABLE FOR OTHER TRACTORS.		

ELECTRICAL SYSTEM


LIGHTING AND STARTING SYSTEM (6 Volt)
(For tractors equipped with Battery Ignition)




Right side view showing cranking motor and battery ignition unit connections




View showing lighting switch, ignition switch, fuse housing, ammeter or charge indicator and headlight connections




Battery connections




100001 to 176522




Left side view showing generator, regulator and rear light connections



Generator and regulator connections
(190041 up)



Regulator connections
(100001 to 190040)



Rear light connections
(189457 up)

B-9061

ELECTRICAL SYSTEM

LIGHTING AND STARTING SYSTEM (6 Volt)
(For tractors equipped with Battery Ignition)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	60 938 D	CLIP, cable harness (on Battery Box Rear Hold-Down Bolt)	100001 to 176522	1
2	358 109 R92	CABLE, (Ignition and Lighting) (will work for 351 915 R91)		1
3	351 917 R92	HARNESS, headlight		1
4	45 640 DB	HEADLIGHT, conventional assembly (for components see list of parts under details of "Headlights or Rear Light")	100001 to 159454	2
4	357 884 R93	HEADLIGHT, sealed beam assembly (for components see list of parts under details of "Headlights or Rear Light")	159455 up	2
5	359 526 R1	CLIP, cable harness (on Battery Box Rear Mounting Bolt)	176523 up	1
6	350 741 R1	CLIP, cable harness (on Touch-Control Cylinder Block Mounting Bolt)		4
7	351 911 R1	SHIELD, cable harness		2
8	351 914 R1	CLIP, battery cable (on Fuel Tank Rear Mounting Bolt)		1
9	350 735 R91	CABLE, battery to cranking motor w/BOLT, 356 062 R91		1
	356 062 R91	BOLT, terminal w/NUT, SLEEVE and WASHER		1
10		CABLE, ammeter or charge indicator to cranking motor (order 358 109 R92)		1
11		CABLE, ignition switch to coil (order 358 109 R92)		1
12	351 871 R1	CLIP, battery ignition switch cable (on Clutch Housing Bolt)		1
13	355 794 R91	MOTOR, cranking assembly (for components see list of parts under details of "Cranking Motor")		1
-	179 883	SCREW, cap, hex-hd., 1/2-13NC x 1-1/4"		2
	103 323	WASHER, lock, medium, 1/2"		2
14	357 934 R91	UNIT, battery ignition assembly (will work for 354 899 R91) (for components see list of parts under details of "Battery Ignition Unit")		1
15	363 130 R91	SWITCH, lighting, assembly (for components see list of parts under details of "Lighting Switch")		1
16	63 323 D	GROMMET, instrument panel	188147 up	1
17		CABLE, fuse housing to lighting switch (order 354 232 R91)		1
18	62 801 D	SWITCH, battery ignition assembly (for components see list of parts under details of "Battery Ignition Switch")		1
19		CABLE, fuse housing to ignition switch (order 354 232 R91)		1
20	42 383 DC	AMMETER, w/CLAMP, six NUTS and six WASHERS (optional with 354 473 R91)		1
20	354 473 R91	AMMETER, w/CLAMP, six NUTS and six WASHERS (optional with 42 383 DC)		1
20	360 053 R91	INDICATOR, charge w/CLAMP, six NUTS and six WASHERS (used only on tractor equipped with voltage regulator)		1
21		CABLE, regulator "BAT" terminal to ammeter or charge indicator (Gray) (Order 354 243 R92)		1
22		CABLE, regulator "L" terminal to ignition switch (light green) (order 354 243 R91)		1
23	354 232 R91	HOUSING, fuse, w/two CABLES, KNOB, 356 445 R91, NUT and WASHER (will work for 354 233 R91)		1
24	354 243 R92	HARNESS, cable w/two CABLES		1

ELECTRICAL SYSTEM


LIGHTING AND STARTING SYSTEM (6 Volt)—Continued
(For tractors equipped with Battery Ignition)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
25	350 736 R91	CABLE, battery to ground w/BOLT, 356 062 R91		1
	356 062 R91	BOLT, terminal w/NUT, SLEEVE and WASHER		1
26	355 196 R93	BATTERY (see note)		1
26	354 210 R91	BATTERY (see note)		1
27	351 913 R1	CLIP, cable harness (on Generator Bracket Rear Bolt)		1
28	354 237 R91	GENERATOR, assembly (for components see list of parts under details of "Generator")		1
29	350 742 R1	CLIP, cable harness (on lower Air Cleaner Mounting Bolt)		1
30	355 847 R1	SUPPORT, cable harness (on Battery Box Hold-Down Bolt) (for tractors equipped with touch-control)	100001 to 176522	2
31	359 526 R1	CLIP, cable harness (on Battery Box Mounting Bolt) (for tractors equipped with touch-control)	176523 up	1
32	60 938 D	CLIP, rear light cable (on undersize of Rear Frame Cover)	100001 to 189456	2
	179 834	SCREW, cap, hex-hd., 3/8-16NC x 9/16"		2
	103 321	WASHER, lock, medium, 3/8"		2
33	358 118 R91	CABLE, (Switch to Rear Light) (will work for 30 710 DX or 30 693 DX)	100001 to 189456	1
34	45 640 DB	LIGHT, rear, conventional, assembly (for components see list of parts under details of "Headlight or Rear Light")	100001 to 159454	1
		"Headlight or Rear Light")	159455 up	1
34	357 884 R93	LIGHT, rear, sealed beam, assembly (for components see list of parts under details of		
35	61 813 D	CLIP, rear light cable (on undersize of Rear Frame Cover)	189457 up	2
	179 834	SCREW, cap, hex-hd., 3/8-16NC x 9/16"		2
	103 321	WASHER, lock, medium, 3/8"		2
36	358 111 R92	CABLE (Switch to Rear Light)	189457 up	1
37	61 813 D	CLIP, rear light cable (on Rear Frame Cover Rear L.H. Mounting Bolt)	189457 up	1
38	61 813 D	CLIP, rear light cable (on rear frame cover)	189457 up	1
	103 026	NUT, hex., 3/8-24NF		1
	181 364	SCREW, cap, hex-hd., 3/8-24NF x 1"		1
	103 321	WASHER, lock, medium, 3/8"		1
39	358 116 R92	CABLE, generator "F" terminal to regulator "F" terminal (will work for 354 230 R11)		1
40	358 112 R92	CABLE, generator "A" terminal to regulator "GEN" terminal (will work for 354 229 R11 or 358 115 R91)		1
41	360 898 R91	REGULATOR, voltage assembly (will work for 354 234 R91) (for components see list of parts under details of "Voltage Regulator")		1
	106 653	FUSE, type AGC, 20 amp.		1
		NOTE - Batteries are optional		

LIGHTING AND STARTING EQUIPMENT

(Magneto Ignition)

LIGHTING AND STARTING SYSTEM (6 Volt) (Special)
(For tractors equipped with Magneto Ignition)



ELECTRICAL SYSTEM

LIGHTING AND STARTING SYSTEM (6 Volt) (Special)
(For tractors equipped with Magneto Ignition)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	351 460 R96	ATTACHMENT, LIGHTING AND STARTING (CONSISTS OF PARTS LISTED IN THIS UNIT, EXCEPT AS NOTED)		
1	60 938 D	CLIP, CABLE HARNESS (ON BATTERY BOX REAR HOLD-DOWN BOLT)	100001 TO 176522	1
2	358 109 R92	CABLE, (IGNITION AND LIGHTING) (WILL WORK FOR 351 915 R91)		1
3	351 917 R92	HARNESS, HEADLIGHT		1
4	45 640 DB	HEADLIGHT, CONVENTIONAL ASSEMBLY (FOR COMPOSENTS SEE LIST OF PARTS UNDER DETAILS OF "HEADLIGHTS OR REAR LIGHT") (*)	100001 TO 159454	2
4	357 884 R93	HEADLIGHT, SEALED BEAM ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "HEADLIGHTS OR REAR LIGHT")	159455 UP	2
5	359 526 R1	CLIP, CABLE HARNESS (ON BATTERY BOX REAR MOUNTING BOLT)	176523 UP	1
6	350 741 R1	CLIP, CABLE HARNESS (ON TOUCH-CONTROL CYLINDER BLOCK MOUNTING BOLT)		4
7	351 911 R1	SHIELD, CABLE HARNESS		2
8	351 914 R1	CLIP, BATTERY CABLE (ON FUEL TANK REAR MOUNTING BOLT)		1
9	350 735 R91	CABLE, BATTERY TO CRANKING MOTOR W/BOLT, 356 062 R91		1
	356 062 R91	BOLT, TERMINAL W/NUT, SLEEVE AND WASHER		1
10		CABLE, AMMETER OR CHARGE INDICATOR TO CRANKING MOTOR (ORDER 358 109 R92)		1
11		CABLE, IGNITION SWITCH TO MAGNETO (ORDER 358 109 R92)		1
12	351 871 R1	CLIP, ON CLUTCH HOUSING BOLT (*)		1
13	355 794 R91	MOTOR, CRANKING ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "CRANKING MOTOR")		1
	179 883	SCREW, CAP, HEX-HD., 1/2-13NC x 1-1/4"		2
	103 323	WASHER, LOCK, MEDIUM, 1/2"		2
14	351 218 R92	MAGNETO, ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "MAGNETO") (*)		1
	179 842	SCREW, CAP, HEX-HD., 3/8-16NC x 1-3/8"		2
	103 321	WASHER, LOCK, MEDIUM, 3/8"		2
15	363 130 R91	SWITCH, LIGHTING ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "LIGHTING SWITCH")		1
16	63 323 D	GROMMET, INSTRUMENT PANEL (*)	188147 UP	1
17		CABLE, FUSE HOUSING TO LIGHTING SWITCH (ORDER 354 232 R91)		1
18	54 207 DB	SWITCH, MAGNETO IGNITION, ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "MAGNETO IGNITION SWITCH") (*)		1
19		CABLE, FUSE HOUSING TO JUNCTION BLOCK (ORDER 354 232 R91)		1
		(*) - THESE PARTS ARE NOT INCLUDED IN LIGHTING AND STARTING ATTACHMENT		

ELECTRICAL SYSTEM

LIGHTING AND STARTING SYSTEM (6 Volt) (Special) - Continued
(For tractors equipped with Magneto Ignition)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
20	42 383 DC	AMMETER, w/CLAMP, SIX NUTS AND SIX WASHERS (OPTIONAL WITH 354 473 R91) (*)		1
20	354 473 R91	AMMETER, w/CLAMP, SIX NUTS AND SIX WASHERS (OPTIONAL WITH 42 383 DC) (*)		1
20	360 053 R91	INDICATOR, CHARGE w/CLAMP, SIX NUTS AND SIX WASHERS (USED ONLY ON TRACTOR EQUIPPED WITH VOLTAGE REGULATOR)		1
21		CABLE, REGULATOR "BAT" TERMINAL TO AMMETER OR CHARGE INDICATOR (GRAY) (ORDER 354 243 R92)		1
22		CABLE, REGULATOR "L" TERMINAL TO JUNCTION BLOCK (LIGHT GREEN) (ORDER 354 243 R92)		1
23	354 232 R91	HOUSING, FUSE w/TWO CABLES, KNOB, 356 445 R91 NUT AND WASHER (WILL WORK FOR 354 233 R91)		1
24	354 243 R92	HARNESS, CABLE w/TWO CABLES		1
25	350 736 R91	CABLE, BATTERY TO GROUND w/BOLT, 356 062 R91		1
	356 062 R91	BOLT, TERMINAL, w/NUT, SLEEVE AND WASHER		1
26	355 196 R93	BATTERY, (OPTIONAL WITH 354 210 R91) (*)		1
26	354 210 R91	BATTERY, (OPTIONAL WITH 355 196 R92) (*)		1
27	351 913 R1	CLIP, CABLE HARNESS (ON GENERATOR BRACKET REAR BOLT)		1
28	354 237 R91	GENERATOR, ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "GENERATOR")		1
	220 065	NUT, HEX., 5/16-18NC		1
	179 819	SCREW, CAP, HEX-HD., 5/16-18NC x 1-1/8"		2
	103 320	WASHER, LOCK, MEDIUM, 5/16"		2
29	350 742 R1	CLIP, CABLE HARNESS (ON LOWER AIR CLEANER MOUNTING BOLT)		1
30	355 847 R1	SUPPORT, CABLE HARNESS (ON BATTERY BOX HOLD-DOWN BOLT) (FOR TRACTORS EQUIPPED WITH TOUCH-CONTROL)	100001 TO 176522	2
31	359 526 R1	CLIP, CABLE HARNESS (ON BATTERY BOX MOUNTING BOLT (FOR TRACTORS EQUIPPED WITH TOUCH-CONTROL)	176523 UP	1
32	60 938 D	CLIP, REAR LIGHT CABLE (ON UNDERSIZE OF REAR FRAME COVER) (*)	100001 TO 189456	2
	179 834	SCREW, CAP, HEX-HD., 3/8-16NC x 9/16" (*)		2
	103 321	WASHER, LOCK, MEDIUM, 3/8" (*)		2
33	358 118 R91	CABLE, SWITCH TO REAR LIGHT (WILL WORK FOR 30 710 DX OR 30 693 DX) (*)	100001 TO 189456	1
34	45 640 DB	LIGHT, REAR CONVENTIONAL ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "HEADLIGHTS OR REAR LIGHT") (*)	100001 TO 159454	1
34	357 884 R93	LIGHT, REAR, SEALED BEAM ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "HEADLIGHTS OR REAR LIGHT")	159455 UP	1
35	61 813 D	CLIP, REAR LIGHT CABLE (ON UNDERSIZE OF REAR FRAME COVER	189457 UP	2
	179 834	SCREW, CAP, HEX-HD., 3/8-16NC x 9/16"		2
	103 321	WASHER, LOCK, MEDIUM, 3/8"		2
		(*) - THESE PARTS ARE NOT INCLUDED IN LIGHTING AND STARTING ATTACHMENT		

ELECTRICAL SYSTEM

LIGHTING AND STARTING SYSTEM (6 Volt) (Special) - Continued
(For tractors equipped with Magneto Ignition)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
36	358 111 R92	CABLE, switch to rear light	189457 up	1
37	61 813 D	CLIP, rear light cable (on Rear Frame Cover Rear, L.H. Mounting Bolt)	189457 up	1
38	61 813 D	CLIP, rear light cable (on Rear Frame Cover)	189457 up	1
	103 026	NUT, hex., 3/8-24NF		1
	181 364	SCREW, cap, hex-hd., 3/8-24NF x 1"		1
	103 321	WASHER, lock, medium, 3/8"		1
39	358 116 R92	CABLE, generator "F" terminal to regulator "F" terminal (will work for 354 230 R11)		1
40	358 112 R92	CABLE, generator "A" terminal to regulator "GEN" terminal (will work for 354 229 R11 or 358 115 R91)		1
41	360 898 R91	REGULATOR, voltage assembly (will work for 354 234 R91) (for components see list of parts under details of "Voltage Regulator")		1
42	42 915 D	BLOCK, junction, instrument panel w/SCREW		1
	120 261	NUT, hex., cd-pltd., No. 10-24NC		1
	110 503	SCREW, slotted-rd-hd., No. 10-24NC x 7/8"		1
	120 217	WASHER, lock, cd-pltd., No. 10		1
	52 318 DA	BELT, generator		1
	60 714 DA	BRACE, generator		1
	49 288 DA	BRACE, generator (for tractor not equipped with water pump) (*)		1
	220 066	NUT, hex., 3/8-16NC (*)		1
	179 816	SCREW, cap, hex-hd., 5/16-18NC x 3/4"		2
	103 320	WASHER, lock, medium, 5/16"		2
	103 321	WASHER, lock, medium, 3/8"		2
	103 340	WASHER, plain, 11/32" I.D. x 11/16" O.D. x No. 16 ga.		1
	354 238 R94	BRACKET, generator		1
	179 838	SCREW, cap, hex-hd., 3/8-16NC x 7/8"		2
	103 321	WASHER, lock, medium, 3/8"		2
	350 920 R1	CLAMP, headlight or rear light		3
	350 633 R3	CLIP, choke rod, front (for tractors equipped with touch-control)		1
	179 792	SCREW, cap, hex-hd., 1/4-20NC x 9/16"		1
	103 319	WASHER, lock, med. 1/4"		1
	352 147 R1	CLIP, choke rod, front (for tractors not equipped with touch-control)		1
	103 024	NUT, hex., 1/4-28NF		1
	181 311	SCREW, cap, hex-hd., 1/4-28NF x 5/8"		1
	103 319	WASHER, lock, medium, 1/4"		1
	354 379 R1	CLIP, choke rod (will work for 352 148 R1)		1
	181 307	SCREW, cap, hex-hd., 1/4-28NF x 3/8"		1
	103 319	WASHER, lock, medium, 1/4"		1
		(*) - These parts are not required for use on Super C Tractors but are supplied in the field attachment that is also used on Farmall C Tractors.		

ELECTRICAL SYSTEM


LIGHTING AND STARTING SYSTEM (6 Volt) (Special) - Continued

(For tractors equipped with Magneto Ignition)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	354 379 R1	CLIP, STARTING SWITCH PULL ROD (WILL WORK FOR 352 146 R1)		1
	181 307	SCREW, CAP, HEX-HD., 1/4-28NF x 3/8"		1
	103 319	WASHER, LOCK, MEDIUM, 1/4"		1
	106 653	FUSE, TYPE AGC, 20 AMP.		1
	8 639 D	LEVER, CHOKE ROD		1
	100 661	SCREW, SLOTTED-FIL-HD., No. 10-32NF x 5/8"		1
	106 497	WASHER, LOCK, No. 10		1
	351 443 R2	PIPE, HEADLIGHT SUPPORT		1
	139 705	SCREW, SET, HEX-SOCKET-HD., DOG-PT., 1/4-20NC x 1/2"		2
	6 812 D	PULLEY, GENERATOR		1
	356 744 R1	PULLEY, GENERATOR		1
	351 444 R1	ROD, CHOKE		1
	137 130	PIN, COTTER, 1/16 x 7/16"		1
	351 446 R2	ROD, STARTING SWITCH PULL		1
	137 130	PIN, COTTER, 1/16 x 7/16"		1
	351 814 R2	RUBBER, BATTERY HOLD-DOWN, LONG		2
	51 714 D	RUBBER, BATTERY HOLD-DOWN, SHORT		2
	49 069 D	SPACER, HEAD OR REAR LIGHT		3
	354 260 R1	SPACER, INSTRUMENT PANEL JUNCTION BLOCK		1
	360 478 R11	SUPPORT, REAR LIGHT		1
	103 026	NUT, HEX., 3/8-24NF		1
	181 370	SCREW, CAP, HEX-HD., 3/8-24NF x 1-1/4"		1
	103 321	WASHER, LOCK, 3/8"		1

CHASSIS

RADIATOR SHUTTER, CONTROLS AND HEAT INDICATOR




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		ATTACHMENT, DISTILLATE OR KEROSENE (STANDARD EQUIPMENT)(GASOLINE - SPECIAL)		
	355 770 R91	ATTACHMENT, RADIATOR SHUTTER		1
	51 420 DA	SHUTTER, RADIATOR, ASSEMBLY		1
		(COMPOSED OF -		
		1 BELLCRANK 65 423 D 1 SPRING 37 730 D		
		1 LINK 65 430 D 1 SHUTTER 65 429 D)		
		1 PIN 65 431 D		
1	65 428 D	FRAME AND BEARING BAR		1
	131 395	NUT, HEX., 1/4" -20NC		4
	124 060	SCREW, SLOTTED-RD-HD., 1/4-20NC x 1/2"		4
	115 109	WASHER, LOCK 1/4"		4
2	65 421 D	SHUTTERS, W/OPERATING BAR		1
	112 526	PIN, COTTER, CD-PLTD., 1/16 x 3/8"		1
	16 559 R1	WASHER, CD-PLTD., 17/64" I.D. x 9/16" O. D. x No. 18 GAUGE		1
3	65 426 D	TIE BAR, BOTTOM, AND BEARING BAR		1
	137 159	PIN, COTTER, CD-PLTD., 3/32 x 5/8"		1
	352 627 R1	WASHER, CD-PLTD., 21/64" I.D. x 5/8" O.D. x No. 18 GAUGE		1

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		RADIATOR SHUTTER, CONTROLS AND HEAT INDICATOR—Continued		
4	65 429 D	UNIT, SHUTTER, ASSEMBLY		1
		(COMPOSED OF -		
		1 FRAME 65 428 D		
		1 SHUTTER 65 421 D		
		1 TIE BAR 65 426 D)		
5	351 461 R2	BRACKET, RADIATOR SHUTTER CONTROL ROD, REAR		1
	179 794	SCREW, CAP, HEX-HD., 1/4-20NC x 11/16"		2
6	69 589 D	SPRING, RADIATOR SHUTTER CONTROL LEVER		1
7	351 409 R11	LEVER, RADIATOR SHUTTER CONTROL		1
8	351 412 R11	SECTOR, RADIATOR SHUTTER CONTROL		1
	103 025	NUT, HEX., 5/16-24NF		2
	103 373	PIN, COTTER, 3/32 x 3/4"		1
	181 336	SCREW, CAP, HEX-HD., 5/16-24NF x 3/4"		2
	103 320	WASHER, LOCK, 5/16"		2
	103 340	WASHER, PLAIN, 5/16"		1
9	351 414 R2	ROD, RADIATOR SHUTTER CONTROL, REAR		1
	114 502	NUT, JAM HEX., 5/16-18NC		1
	103 373	PIN, COTTER, 3/32 x 3/4"		1
10	69 579 DA	COUPLING, RADIATOR SHUTTER CONTROL ROD		1
11	17 265 R1	NUT, HEX., LEFT HAND THREAD, 5/16-18NC (WILL WORK FOR 69 580 D)		1
12	355 667 R1	ROD, RADIATOR SHUTTER CONTROL, FRONT		1
13	355 666 R2	BRACKET, RADIATOR SHUTTER CONTROL ROD, FRONT		1
14	65 431 D	PIN, BELLCRANK AND OPERATING LINK		1
	112 526	PIN, COTTER, CD-PLTD., 1/16 x 3/8"		1
	16 559 R1	WASHER, CD-PLTD., 17/64 I.D. x 9/16" O.D. x No. 18 GAUGE		1
15	65 423 D	BELLCRANK, w/BUSHING AND STUD		1
	112 526	PIN, COTTER, CD-PLTD., 1/16 x 3/8"		1
	352 626 R1	WASHER, CD-PLTD., 19/64		1
16	65 430 D	LINK, OPERATING		1
17	37 730 D	SPING, BELLCRANK AND OPERATING LINK		1
	353 868 R91	INDICATOR, HEAT, ASSEMBLY (170° - 220°) (ILLUSTRATED WITH ENGINE CONTROLS AND INSTRUMENTS)		1

CHASSIS

RADIATOR AND CONNECTIONS, GRILLE AND HOOD




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	352 580 R1	PLATE, NAME (IH)		1
	352 581 R1	SCREW, SLOTTED-CSK-FL-HD., No. 6 x 1/2"		1
2	356 364 R92	GRILLE, RADIATOR		1
3	356 356 R94	RADIATOR (OPTIONAL WITH 358 421 R93)		1
3	358 421 R93	RADIATOR (OPTIONAL WITH 356 356 R94)		1
4	67 448 DD	CAP, RADIATOR FILLER (OPTIONAL WITH 356 710 R91)		1
4	356 710 R91	CAP, RADIATOR FILLER (OPTIONAL WITH 67 448 DD)		1
5	352 639 R91	GASKET, RADIATOR FILLER CAP (USED WITH 67 448 DC)		1
6	351 182 R2	HOUSING, FAN		1
	103 025	NUT, HEX., 5/16-24NF		4
	217 220	SCREW, CAP, HEX-HD., 5/16-24NF x 3-3/4"		2
	186 305	SCREW, CAP, HEX-HD., 5/16-24NF x 4"		2
	103 320	WASHER, LOCK, 5/16"		4
7	356 357 R12	BRACE, RADIATOR		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		1
	103 321	WASHER, LOCK, 3/8"		1

CHASSIS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		RADIATOR AND CONNECTIONS, GRILLE AND HOOD - Continued		
8	58 141 DA	SCREW, RADIATOR GRILLE FASTENER		3
9	355 688 R1	HOSE, RADIATOR INLET (2-3/8" I.D. x 2-3/4" LONG, 3 PLY)		1
10	357 870 R91	CLAMP, RADIATOR HOSE (WILL WORK FOR 91 406 HA)		4
11	352 632 R1	BOLTS, RADIATOR MOUNTING		2
	271 506	NUT, HEX., 7/16-20NF		2
	103 322	WASHER, LOCK, 7/16"		2
12	47 240 D	PAD, RADIATOR		2
13	351 964 R1	HOSE, RADIATOR OUTLET (2" I.D. x 3" LONG, 3 PLY)		1
14	48 707 DA	SPRING, HOOD CLAMP HOOK		4
15	351 090 R11	HOOD, w/BRACKETS (GASOLINE)		1
15	352 051 R11	HOOD, w/BRACKETS (KEROSENE OR DISTILLATE)		1
16	58 146 D	CLAMP, HOOD, L.H., FRONT		1
	103 373	PIN, COTTER, 3/32 x 3/4"		1
16	58 147 D	CLAMP, HOOD, R.H., FRONT		1
	103 373	PIN, COTTER, 3/32 x 3/4"		1
16	363 669 R91	CLAMP, HOOD, R.H., REAR (KEROSENE OR IDSTILLATE) (WILL WORK FOR 60 754 D)		1
17	351 091 R91	CLAMP, HOOD, L.H., REAR		1
	103 373	PIN, COTTER, 3/32 x 3/4"		1
17	351 092 R91	CLAMP, HOOD, R.H., REAR		1
	103 373	PIN, COTTER, 3/32 x 3/4"		1
18	656 830 R92	COVER, EXHAUST PIPE OPENING WITH TWO RIVETS, 135 234 (FOR TRACTORS EQUIPPED WITH COTTON PICKER MOUNTING ATTACHMENT)		

CHASSIS

FUEL TANKS, SUPPORTS AND PIPING




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	23 995 DC	CAP, FUEL TANK FILLER, W/GASKET, 23 977 DB		1
2	23 977 DB	GASKET, FUEL TANK FILLER CAP		1
3	356 580 R95	TANK, FUEL, W/EXTENSION, ASSEMBLY		1
		(COMPOSED OF -		
		2 EXTENSION 356 353 R1		
		1 CAP 23 995 DC		
		4 NUT 103 025		
		4 SCREW 181 335		
		1 TANK § 356 009 R94		
		4 WASHER 103 320)		
	103 026	NUT, HEX., 3/8-24NF		2
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 5/8"		2
	181 364	SCREW, CAP, HEX-HD., 3/8-24NF x 1" (FOR TRACTORS NOT EQUIPPED WITH TOUCH-CONTROL)		2
	103 321	WASHER, LOCK, MEDIUM, 3/8"		6
4	356 008 R21	BRACKET, FUEL TANK SUPPORT, FRONT (OPTIONAL WITH 356 495 R1)		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16 NC x 3/4"		2
	181 355	SCREW, CAP, HEX-HD., 3/8-24 NF x 9/16"		2
	103 321	WASHER, LOCK, 3/8"		2
4	356 495 R1	BRACKET, FUEL TANK SUPPORT, FRONT (OPTIONAL WITH 356 008 R21)		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16 NC x 3/4"		2
	179 839	SCREW, CAP, HEX-HD., 3/8-16 NC x 1"		2
	103 321	WASHER, LOCK, 3/8"		4
5	356 372 R94	TANK, GASOLINE, W/FILLER CAP, 23 995 DC		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16 NC x 3/4"		4
	103 321	WASHER, LOCK, 3/8"		4
	103 341	WASHER, STEEL, PLAIN, 3/8"		2
		§ - NOT SERVICED SEPARATELY		

CHASSIS

FUEL TANKS, SUPPORTS AND PIPING - Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
6	23 995 DC	CAP, GASOLINE TANK FILLER, w/GASKET, 23 977 DC		1
7	23 977 DB	GASKET, GASOLINE TANK FILLER CAP		1
8	29 910 D	VALVE, SHUT-OFF, GASOLINE TANK, w/NUT, 29 899 D (KEROSENE OR DISTILLATE)		1
9	29 899 D	NUT, COUPLING, GASOLINE TANK TO STRAINER PIPE		2
10	356 373 R11	PIPE, GASOLINE TANK TO STRAINER w/TWO NUTS, 29 899 D (KEROSENE OR DISTILLATE)		1
11	29 899 D	NUT, COUPLING, STRAINER TO CARBURETOR PIPE		2
12	356 355 R11	PIPE, STRAINER TO CARBURETOR, w/TWO NUTS, 29 899 D (GASOLINE)		1
12	356 374 R11	PIPE, STRAINER TO CARBURETOR, w/TWO NUTS, 29 899 D (KEROSENE OR DISTILLATE)		1
13	356 353 R1	EXTENSION, FUEL TANK SUPPORT BRACKET, REAR (FOR TRACTORS EQUIPPED WITH TOUCH-CONTROL)		2
	103 025	NUT, HEX., 5/16-24 NF		4
	181 335	SCREW, CAP, HEX-HD., 5/16-24 NF x 11/16"		4
	103 320	WASHER, LOCK, 5/16"		4
14	350 622 R1	BRACKET, FUEL TANK SUPPORT ANGLE ADAPTER (FOR TRACTORS NO EQUIPPED WITH TOUCH-CONTROL)		2
	181 360	SCREW, CAP, HEX-HD., 3/8-24 NF x 3/4"		4
	103 026	NUT, HEX., 3/8-24 NF		4
	103 321	WASHER, LOCK, 3/8"		4
15	49 601 D	BRACKET, FUEL TANK SUPPORT, REAR (FOR TRACTORS NOT EQUIPPED WITH TOUCH-CONTROL)		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16 NC x 3/4"		3
	103 321	WASHER, LOCK, 3/8"		3

FUEL STRAINERS




A-39444 Gasoline

Distillate or kerosene


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C
		KEY TO LETTERS IN CAPTION -				
		A - 355 142 R92 - STRAINER, FUEL, ASSEMBLY (GASOLINE) (FOR TRACTORS NOT EQUIPPED WITH COTTON PICKER MOUTING ATTACHMENT)		1		
		B - 357 749 R91 - STRAINER, FUEL, ASSEMBLY (GASOLINE) (FOR TRACTORS EQUIPPED WITH COTTON PICKER MOUNTING ATTACHMENT)			1	
		C - 51 495 DD - STRAINER, FUEL, ASSEMBLY (DISTILLATE OR KEROSENE) (FOR TRACTORS NOT EQUIPPED WITH COTTON PICKER MOUNTING ATTACHMENT)				1
1	259 403 R91	STEM, W/TWO NUTS AND PACKING		1	1	1
2	355 141 R91	BODY, STRAINER, W/BAFFLE, (GASOLINE)		1	1	
3	29 899 D	NUT, HI-DUTY TUBE FITTING, BRS., 5/16" O.D. TUBING		1	1	2
4	49 923 D	SCREEN, STRAINER		1	1	
5	360 679 R1	GASKET, STRAINER (WILL WORK FOR 49 924 D)		1	1	
6	357 958 R1	BOWL, STRAINER (GLASS) (WILL WORK FOR 49 922 D)		1		
6	357 778 R1	BOWL, STRAINER (METAL)			1	
7	50 061 D	NUT, STRAINER		1	1	
8	49 947 D	BAIL, STRAINER		1	1	
9	354 143 R91	BODY, STRAINER, W/BAFFLE, (DISTILLATE OR KEROSENE)				1
10	355 888 R2	GASKET, STRAINER				1
11	13 194 D	SCREEN, STRAINER				1
12	357 957 R1	BOWL, STRAINER (GLASS) (WILL WORK FOR 51 344 VA)				1
13	17 676 DA	NUT, STRAINER				1
14	17 564 D	BAIL, STRAINER				1

GOVERNOR CONTROLS



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	354 742 R11	SECTOR, GOVERNOR CONTROL, W/PIN		1
	108 630	PIN, COTTER, 1/8 x 7/8"		1
	179 835	SCREW, CAP, HEX-HD., 3/8-16NC x 5/8"		2
	114 606	WASHER, LOCK, EXTERNAL-TOOTH, 3/8"		2
	103 340	WASHER, STEEL, PLAIN, 5/16"		1
2	351 327 R2	LEVER, GOVERNOR CONTROL		1
3	43 650 D	SPRING, GOVERNOR CONTROL LEVER		1
4	350 727 R1	CLIP, GOVERNOR CONTROL ROD (TRACTORS EQUIPPED WITH TOUCH-CONTROL)		1
4A	350 614 R1	CLIP, GOVERNOR CONTROL ROD (TRACTORS WITHOUT TOUCH-CONTROL)		1
5	351 328 R1	ROD, GOVERNOR CONTROL (ORDER 351 328 R2 - REF. 9)		1
	137 130	PIN, COTTER, 1/16 x 7/16"		3
	Q 103	WASHER, STEEL, PLAIN, 1/4"		2
6	53 393 D	SPRING, EQUALIZER, GOVERNOR CONTROL ROD, REAR (USED ONLY WITH 351 328 R1 - REF. 5)		1
7	51 299 DA	SWIVEL, GOVERNOR CONTROL ROD (USED ONLY WITH 351 328 R1 - REF. 5)		1
	137 130	PIN, COTTER, 1/16 x 7/16"		1
	Q 103	WASHER, STEEL, PLAIN, 1/4"		1
8	51 300 D	SPRING, EQUALIZER, GOVERNOR CONTROL ROD, FRONT (USED ONLY WITH 351 328 R1 - REF 5)		1
9	351 328 R2	ROD, GOVERNOR CONTROL (WILL WORK FOR 51 299 DA, 51 300 D, 53 393 D, AND 351 328 R1)		1
	137 130	PIN, COTTER, 1/16 x 7/16"		2
	Q 103	WASHER, PLAIN 1/4"		2

ENGINE CONTROLS AND INSTRUMENTS




CHASSIS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		ENGINE CONTROLS AND INSTRUMENTS		
1	351 444 R1	ROD, CHOKE		1
	137 130	PIN, COTTER, 1/16 x 7/16"		1
2	354 379 R1	CLIP, CHOKE ROD, REAR		2
	181 307	SCREW, CAP, HEX-HD., 1/4-28NF x 3/8"		2
	103 319	WASHER, LOCK, 1/4"		2
3	350 633 R3	CLIP, CHOKE ROD, FRONT (TRACTORS EQUIPPED WITH TOUCH-CONTROL)		1
	179 792	SCREW, CAP, HEX-HD., 1/4-20NC x 9/16"		1
	103 319	WASHER, LOCK, 1/4"		1
4	50 417 D	CLAMP, HEAT INDICATOR		1
5	61 813 D	CLIP, HEAT INDICATOR		2
	179 834	SCREW, CAP, HEX-HD., 3/8-16NC x 9/16"		2
6	51 510 D	BUSHING, REDUCING, HEAT INDICATOR		1
7	353 868 R91	INDICATOR, HEAT, ASSEMBLY (170° - 220°)		1
		(COMPOSED OF -		
		1 BUSHING 51 510 D		
		1 CLAMP 50 417 D		
		1 INDICATOR §		
		2 NUT 103 089		
		2 WASHER 125 750)		
7	351 698 R92	INDICATOR, HEAT, ASSEMBLY (120° - 180°), (SPECIAL) (LOW BOILING POINT ANTI-FREEZE)		1
		(COMPOSED OF -		
		1 BUSHING 51 510 D		
		1 CLAMP 50 417 D		
		1 INDICATOR §		
		2 NUT 103 089		
		2 WASHER 125 750)		
	103 089	NUT, HEX., No. 12-24NC		2
	125 750	WASHER, LOCK, EXTERNAL TOOTH, No. 12		2
	352 147 R1	CLIP, CHOKE ROD, FRONT (TRACTORS NOT EQUIPPED WITH TOUCH-CONTROL)		1
	103 024	NUT, HEX., 1/4-28NF		1
	181 311	SCREW, CAP, HEX-HD., 1/4-28NF x 5/8"		1
	103 319	WASHER, LOCK, 1/4"		1
	363 913 R91	ATTACHMENT, THERMOSTAT AND HEAT INDICATOR (FOR LOW BOILING-POINT ANTI-FREEZE)		1
		(CONSISTS OF -		
		1 THERMOSTAT (133°-150°) 361 818 R91		
		1 INDICATOR 351 698 R92)		
		§- NOT SERVICED SEPARATELY		

CHASSIS

AIR CLEANER (UNITED SPECIALTIES)




A-37588

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	351 190 R91	CAP, AIR CLEANER INTAKE		1
2	358 144 R91	BODY		1
3	361 063 R1	GASKET		1
4	358 147 R91	CLAMP, RETAINING, OIL CUP		1
5	358 145 R1	BAFFLE		1
6	358 146 R1	CUP, OIL		1
7	351 199 R91	CLEANER, AIR, ASSEMBLY (OPTIONAL WITH 351 198 R92)		1
		(COMPOSED OF -		
		1 BODY 358 144 R91		
		1 GASKET 361 063 R1		
		1 CLAMP 358 147 R91		
		1 BAFFLE 358 145 R1		
		1 CUP 358 146 R1		
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		2
	103 321	WASHER, LOCK, 3/8"		2
	103 341	WASHER, PLAIN, 13/32" I.D. x 13/16" O.D. x No. 16 GA.		2
8	362 757 R1	HOSE, CONNECTION, AIR CLEANER (1-1/2" I.D. x 1-9/16" LONG, 3 PLY)		1
9	56 356 D	CLAMP, AIR CLEANER		2

CHASSIS

AIR CLEANER (Donaldson)




A-17201

REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	361 723 R91	X-1672-1	CAP, AIR CLEANER INTAKE		1
2	352 591 R92	P-13063	BODY		1
3	66 357 D	P-2846	CLAMP, RETAINING, OIL CUP		1
4	352 597 R91	P-7095	CUP, OIL		1
5	351 198 R92	A-4532	CLEANER, AIR, ASSEMBLY (4-3/8" "A" TYPE)(OPTIONAL WITH 355 199 R91)		1
			(COMPOSED OF -		
			1 BODY 352 591 R92		
			1 CLAMP 66 357 D		
			1 CUP 352 597 R91)		
	179 837		SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		2
	103 321		WASHER, LOCK, 3/8"		2
	103 341		WASHER, PLAIN, 13/32" I.D. x 13/16" O.D. x No. 16 GA.		2
6	362 757 R1		HOSE, CONNECTION, AIR CLEANER (1-1/2" I.D. x 1-9/16" LONG, 3 PLY)		1
7	56 356 D		CLAMP, AIR CLEANER HOSE		2

CHASSIS

CLUTCH (Auburn)



A-17204A

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	355 110 R1	CLIP, RETURN (SAME AS 357 416 R1) (USED WITH 357 419 R1)	(*) 152543 UP	3
2	63 975 D	SCREW, ADJUSTING (USED WITH 63 153 D)	(*) 100001 TO 152542	3
2	355 106 R1	SCREW, ADJUSTING (SAME AS 357 415 R1) (USED WITH 357 419 R1)	(*) 152543 UP	3
	114 493	NUT, JAM, HEX., 5/16-24NF		3
3	63 157 D	WASHER, ADJUSTING SCREW (USED WITH 63 153 D)	(*) 100001 TO 152542	3
3	355 096 R1	WASHER, ADJUSTING SCREW (SAME AS 357 417 R1) (USED WITH 357 419 R1)	(*) 152543 UP	3
4	357 418 R1	LEVER, CLUTCH (WILL WORK FOR 351 919 R1)		3
5	63 161 D	PIN, PIVOT, CLUTCH LEVER		3
6	351 920 R1	SPRING, PRESSURE	FC-100001 TO 184863	3
6	360 470 R1	SPRING, PRESSURE	FC-184864 UP	3
6	361 168 R91	PACKAGE, CLUTCH PRESSURE SPRING (CONSISTS OF THREE 360 470 R1)	FC-184864 UP	1
7	351 918 R1	BRACKET, CLUTCH		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		6
	103 320	WASHER, LOCK, 5/16"		6
8	63 153 D	PLATE, PRESSURE, CLUTCH (W/No. 3130 STAMPED ON BACK OF PLATE)	(*) 100001 TO 152542	1
8	357 419 R1	PLATE, PRESSURE, CLUTCH (W/No. 4325 STAMPED ON BACK OF PLATE)	(*) 152543 UP	1
9	351 297 R92	DISC, DRIVEN CLUTCH, W/FACING SET, 30 718 DXA		1
10	351 467 R91	FACING SET, CLUTCH (CONSISTS OF TWO FACINGS WITH TEN RIVETS, 63 974 D)		
		(USED WITH 351 297 R91)	(*) 100001 TO 152542	1
10	30 718 DXA	FACING SET, CLUTCH (CONSISTS OF TWO FACINGS WITH TWENTY-TWO RIVETS, 53 795 V)		
		(USED WITH 351 297 R92)	(*) 152543 UP	1
		(*) ENGINE SERIAL NUMBERS		

PRINTED IN UNITED STATES OF AMERICA


CLUTCH (Auburn)—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
11	63 974 D	RIVET, FACING (USED WITH 351 297 R91)	(*) 1001 TO 152542	10
11	53 795 V	RIVET, TUBULAR, CSK-HD., BRS., 3/16 x 5/16" (USED WITH 351 297 R92)	(*) 152543 UP	12
12	361 582 R91	PLATE, PRESSURE, CLUTCH, ASSEMBLY (WILL WORK FOR 351 296 R92)		1
		(COMPOSED OF -		
		1 BRACKET 351 918 R1		
		3 CLIP 357 418 R1		
		3 NUT 114 493		
		3 LEVER 357 418 R1		
		3 PIN 63 161 D		
		1 PLATE 357 419 R1		
		3 SCREW 355 106 R1		
		3 SPRING 360 470 R1		
		3 WASHER 355 096 R1)		
13	64 771 D	SPRING, RETURN (USED WITH 63 153 D)	(*) 100001 TO 152542	3
14	352 751 R1	SPRING, CUSHION (USED WITH 63 153 D)	(*) 100001 TO 152542	3

(*) - ENGINE SERIAL NUMBERS


PRINTED IN UNITED STATES OF AMERICA

CLUTCH (Rockford) ◊



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	352 745 R1	SCREW, ADJUSTING, CLUTCH LEVER		1
-	114 494	NUT, HEX., JAM, 3/8-24NF		1
2	351 449 R91	LEVER, CLUTCH, W/SCREW, 352 745 R1 AND NUT, 114 494		3
3	51 460 D	PIN, CLUTCH LEVER		3
	103 373	PIN, COTTER, 3/32 x 3/4"		3
4	51 461 D	SPRING, CLUTCH LEVER		3
5	7 911 T	SEAT, CLUTCH LEVER ADJUSTING SCREW (1/4" STEEL BALL)		3
6	352 744 R91	PLATE, BACK CLUTCH, W/THREE SEATS, 7 911 T		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		6
	103 320	WASHER, LOCK, 5/16"		6
7	52 907 D	SPRING, PRESSURE, CLUTCH	FC-100001 TO 184863	6
7	353 244 R1	SPRING, PRESSURE, CLUTCH	FC-184864 UP	6
7	352 583 R91	PACKAGE, CLUTCH PRESSURE SPRING (CONSISTS OF SIX SPRINGS, 52 907 D)	FC-100001 TO 184863	1
7	361 169 R91	PACKAGE, CLUTCH PRESSURE SPRING (CONSISTS OF SIX SPRINGS, 353 244 R1)	FC-184864 UP	1
8	351 448 R1	PLATE, PRESSURE, CLUTCH		1
9	53 795 V	RIVET, TUBULAR, CSK-HD., BRS., 3/16 x 5/16"		12
10	56 631 DB	DISC, DRIVEN, CLUTCH, W/FACING SET, 30 718 DXA		1
11	30 718 DXA	FACING SET, CLUTCH (TWO FACINGS WITH TWENTY-TWO RIVETS, 53 795 V)		1
12	352 582 R91	LEVER, CLUTCH, ASSEMBLY		1
		(COMPOSED OF -		
		3 LEVER 351 449 R91		
		3 PIN 51 460 D		
		3 PIN 103 373		
		3 SPRING 51 461 D)		
13	361 581 R91	PLATE, PRESSURE, CLUTCH, ASSEMBLY (WILL WORK FOR 351 447 R91)		1
		(COMPOSED OF -		
		1 LEVER 352 582 R91		
		1 PLATE 351 448 R1		
		1 PLATE 352 744 R91		
		1 SPRING, PACKAGE 361 169 R91)		
		◊ - OPTIONAL PART ON TRACTOR IDENTIFIED BY SUFFIX LETTER CODE SECTION OF THIS CATALOG		

CLUTCH HOUSING, CONTROLS AND CONNECTIONS



B-6128C

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	355 812 R1	ANCHOR, CLUTCH PEDAL RETURN SPRING		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		1
	103 321	WASHER, LOCK, 3/8"		1
2	351 210 R1	SPRING, CLUTCH PEDAL		1
3	355 807 R21	PEDAL, CLUTCH, W/PIN, 355 804 R1 (WILL WORK FOR 355 734 R91)		1
4	355 804 R1	PIN, CLUTCH PEDAL ROD		1
5	355 803 R1	WASHER, CLUTCH PEDAL ROD		1
6	66 584 D	FITTING, LUBRICATION		1
7	355 802 R11	ROD, CLUTCH PEDAL		1
	272 121	NUT, HEX., 7/16-20NF		1
8	117 825	CLEVIS, ADJUSTABLE ROD END, 7/16-20NF		1
9	103 497	PIN, ROD END, 7/16 x 1-15/64"		1
	103 373	PIN, COTTER, 3/32 x 3/4"		1
10	355 798 R11	SHAFT, CLUTCH RELEASE		1
11	124 555	KEY, WOODRUFF, 3/16 x 1-1/8"		1

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		CLUTCH HOUSING, CONTROLS AND CONNECTIONS—Continued		
12	357 109 R93	HOUSING, CLUTCH, 351 687 R71, W/COVER, 351 486 R1	100 001 TO 138 324	1
12	351 687 R81	HOUSING, CLUTCH, ASSEMBLY	138 325 UP	1
		(COMPOSED OF -		
		2 BUSHING 355 805 R1		
		1 FITTING Q 3 852		
		1 GUIDE 43 546 D		
		1 HOUSING §351 687 R8)		
	179 885	SCREW, CAP, HEX-HD., 1/2-13NC x 1-1/2"		2
	179 887	SCREW, CAP, HEX-HD., 1/2-13NC x 1-3/4"		4
	361 858 R1	SCREW, CAP, HEX-HD., 5/8-11NC x 2-1/2"		4
	103 323	WASHER, LOCK, 1/2"		6
	103 325	WASHER, LOCK, 5/8"		4
13	57 579 DX	COVER, DUST, CLUTCH HOUSING, W/SPRING		1
	111 871	RIVET, TUBULAR, OVAL HEAD, 1/8 x 5/32" (WILL WORK FOR 350 510 R1)		2
14	48 554 D	COVER, STARTER PAD		1
	179 877	SCREW, CAP, HEX-HD., 1/2-13NC x 5/8"		2
	103 323	WASHER, LOCK, 1/2"		2
15	354 909 R1	COVER, CLUTCH HOUSING		1
	179 812	SCREW, CAP, HEX-HD., 5/16-18NC x 1/2"		2
	103 320	WASHER, LOCK, 5/16"		2
16	350 830 R31	BEARING AND RETAINER, CLUTCH RELEASE, W/TWO FITTINGS, 109 454 (FOR TRACTORS NOT EQUIPPED WITH HYDRA-CREEPER ATTACHMENT)		
16A	6 116 D	SLEEVE, CLUTCH RELEASE (*)		1
16B	109 461	FITTING, LUBRICATION, CLUTCH RELEASE SLEEVE (OPTIONAL WITH 119 512)(*)		1
16B	119 512	FITTING, LUBRICATION, CLUTCH RELEASE SLEEVE (OPTIONAL WITH 109 461)(*)		1
16C	18 567 D	BEARING, CLUTCH RELEASE (OPTIONAL WITH 55 212 D AND 361 292 R91)(*)		1
16C	55 212 D	BEARING, CLUTCH RELEASE (OPTIONAL WITH 18 567 D AND 361 292 R91)(*)		1
16C	361 292 R91	BEARING, CLUTCH RELEASE (OPTIONAL WITH 18 567 D AND 55 212 D)(*)		1
17	355 795 R2	SPRING, RETURN, CLUTCH RELEASE BEARING (FOR TRACTORS NOT EQUIPPED WITH HYDRA-CREEPER ATTACHMENT)		2
18	43 546 D	GUIDE, SLEEVE, CLUTCH RELEASE		1
19	57 578 DX	BAR, CLUTCH HOUSING HAND HOLE COVER, W/WELDING BOLT		1
	103 127	NUT, WING, 1/4-20NC		1
20	57 576 DX	COVER, CLUTCH HOUSING HAND HOLE, W/FELT	100 001 TO 138 324	1
20	351 486 R1	COVER, CLUTCH HOUSING HAND HOLE	138 325 UP	1
		(*) - FOR TRACTORS EQUIPPED WITH HYDRA-CREEPER ATTACHMENT		
		§ - NOT SERVICED SEPARATELY		


CHASSIS

CLUTCH HOUSING, CONTROLS AND CONNECTIONS—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
21	66 584 D	FITTING, LUBRICATION	100 001 TO 161 082	1
21	Q 3 852	FITTING, LUBRICATION (OPTIONAL WITH 443 567)	161 083 UP	1
21	443 567	FITTING, LUBRICATION (OPTIONAL WITH Q 3 852)	161 083 UP	1
22	355 805 R1	BUSHING, CLUTCH RELEASE SHAFT		2
22A	517 832 R1	STUD, STATIONARY HITCH POINT (TRACTORS EQUIPPED WITH FAST HITCH)		
	517 843 R1	PIN, COTTER, QUICK-ATTACHABLE		1
	23 471 S	WASHER, PLAIN, 25/32" I.D. x 1-1/2" O.D. x No. 7 GA.		1
23	351 852 R2	SHAFT, CLUTCH		1
24	43 552 DBX	SCREW, CLUTCH DRIVE SHAFT JOINT, W/NUT, 103 026 AND WASHER, 103 321		4
	103 026	NUT, HEX., 3/8-24NF		4
	103 321	WASHER, LOCK, 3/8"		4
25	43 549 D	DISC, CLUTCH DRIVE SHAFT JOINT		1
26	43 550 D	WASHER, RUBBER, CLUTCH DRIVE SHAFT JOINT		8
27	43 551 D	RETAINER, CLUTCH DRIVE SHAFT JOINT RUBBER WASHER		8
28	109 454	FITTING, LUBRICATION, STRAIGHT, 1/4" (OPTIONAL WITH 110 347)		2
		(FOR TRACTORS NOT EQUIPPED WITH HYDRO-CREEPER ATTACHMENT)		2
28	110 347	FITTING, LUBRICATION, STRAIGHT, 1/4" (OPTIONAL WITH 109 454)		
		(FOR TRACTORS NOT EQUIPPED WITH HYDRO-CREEPER ATTACHMENT)		2
29	46 278 DAR	PIN, PIVOT, CLUTCH RELEASE YOKE		1
	103 395	PIN, COTTER, 5/32 x 3/4"		2
30	47 716 D	YOKE, CLUTCH RELEASE		1
31	357 369 R1	PIN, ROD END (3/8") (WILL WORK FOR 103 496)		1
	103 373	PIN, COTTER, 3/32 x 3/4"		1
32	355 806 R11	ROD, OPERATING, CLUTCH		1
33	82 663 H	PIN, ROD END (7/16") (WILL WORK FOR 103 497)		1
	103 373	PIN, COTTER, 3/32 x 3/4"		1
34	355 800 R1	LEVER, CLUTCH RELEASE		1
	103 026	NUT, HEX., 3/8-24NF		1
	181 377	SCREW, CAP, HEX-HD., 3/8-24NF x 1-3/4"		1
	103 321	WASHER, LOCK, MEDIUM, 3/8"		1

CHASSIS

GEAR SHIFTER MECHANISM AND TRANSMISSION



CHASSIS

GEAR SHIFTER MECHANISM AND TRANSMISSION

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	53 717 DA	KNOB, GEAR SHIFT LEVER		1
2	49 493 D	LEVER, GEAR SHIFT		1
3	43 578 D	SPRING, GEAR SHIFT SWIVEL		1
4	49 489 D	SHIELD, GEAR SHIFT SWIVEL		1
5	43 580 D	PIN, GEAR SHIFT SPRING RETAINER		1
6	49 488 D	SHAFT, GEAR SHIFT LEVER SWIVEL, LARGE		1
7	351 132 R21	COVER, REAR FRAME, W/FOUR STUDS, 352 106 R1 AND ONE PLUG. 144 000		1
	144 000	PLUG, PIPE, CSK-HD., 1" (OPTIONAL WITH 103 876)		1
	103 876	PLUG, PIPE, CSK-HD., 1" (OPTIONAL WITH 144 000)		1
	179 843	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/2" (15 USED ON TRACTORS EQUIPPED WITH REMOTE CONTROL ATTACHMENT)		17
	179 845	SCREW, CAP, HEX-HD., 3/8-16NC x 1-3/4" (TRACTORS EQUIPPED WITH REMOTE CONTROL ATTACHMENT)		1
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8" (TRACTORS EQUIPPED WITH REMOTE CONTROL ATTACHMENT)		1
	103 321	WASHER, LOCK, MEDIUM, 3/8"		17
8	352 106 R1	STUD, SEAT SUPPORT AND TOOL BOX		4
	103 028	NUT, HEX., 1/2-20NF		4
	103 323	WASHER, LOCK, 1/2"		4
9	41 058 DA	SPRING, GEAR SHIFT POPPET BALL		3
10	13 722 D	BALL, GEAR SHIFT POPPET (OPTIONAL WITH D 2 616)		3
10	D 2 616	BALL, GEAR SHIFT POPPET (OPTIONAL WITH 13 722 D)		3
11	47 289 DA	GUIDE, GEAR SHIFT RAIL, REAR		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		2
12	48 567 D	LOCK, GEAR SHIFT RAIL GUIDE CAP SCREW		4
13	43 579 D	RETAINER, GEAR SHIFT SWIVEL SPRING		2
14	49 492 D	SHAFT, GEAR SHIFT LEVER SWIVEL, SMALL		1
15	359 989 R91	PAWL, BRAKE PEDAL (WILL WORK FOR 49 208 D)		1
16	49 209 D	SHAFT, BRAKE PEDAL PAWL		1
	103 386	PIN, COTTER, 1/8 x 1-1/4"		1
17	351 133 R1	GASKET, REAR FRAME COVER		1
18	51 178 DBX	FORK AND RAIL, REVERSE SPEED GEAR SHIFTER		1
19	48 833 DBX	FORK AND RAIL, FIRST AND SECOND SPEED GEAR SHIFTER		1
20	48 834 DBX	FORK AND RAIL, THIRD AND FOURTH SPEED GEAR SHIFTER		1

PRINTED IN UNITED STATES OF AMERICA

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		GEAR SHIFTER MECHANISM AND TRANSMISSION—Continued		
20A	357 538 R91	GUIDE, GEAR SHIFT RAIL, FRONT (WILL WORK FOR 47 289 DA)		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		2
21	351 144 R1	BUSHING, TRANSMISSION SPLINE SHAFT		1
22	351 143 R11	SHAFT, TRANSMISSION SPLINE (10 TEETH), W/BUSHING, 351 144 R1		1
	181 395	SCREW, CAP, HEX-HD., 7/16-20NF x 1"		1
	103 322	WASHER, LOCK, 7/16"		1
23	ST 205 A	BEARING, BALL, TRANSMISSION SPLINE SHAFT, REAR		1
24	351 063 R11	GEAR, REVERSE SPLINE (20 TEETH), W/RIVET, 105 088		1
	105 088	RIVET, RD-HD., 3/16 x 2-1/4"		1
25	351 064 R1	GEAR, SLIDING, FIRST AND SECOND SPEED (16 AND 22 TEETH)		1
26	359 979 R1	GEAR, SLIDING, THIRD AND FOURTH SPEED (31 AND 37 TEETH) (FOR 7 M.P.H. THIRD SPEED FORWARD ATTACHMENT)		1
26	351 065 R1	GEAR, SLIDING, THIRD AND FOURTH SPEED (26 AND 37 TEETH)		1
27	ST 246	BEARING, BALL, TRANSMISSION SPLINE SHAFT, FRONT		1
28	46 503 D	GASKET, TRANSMISSION SPLINE SHAFT BEARING RETAINER		1
29	42 177 D	OIL SEAL, TRANSMISSION SPLINE SHAFT (OPTIONAL WITH 358 765 R91 AND 355 808 R91)		1
29	358 765 R91	OIL SEAL, TRANSMISSION SPLINE SHAFT (OPTIONAL WITH 42 177 D AND 355 808 R91)		1
29	355 808 R91 8	OIL SEAL, TRANSMISSION SPLINE SHAFT (OPTIONAL WITH 42 177 D AND 358 765 R91)		1
30	6 425 DX	RETAINER, TRANSMISSION SPLINE SHAFT BEARING, W/OIL SEAL, 42 177 D		1
	179 841	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/4"		3
	103 321	WASHER, LOCK, 3/8"		3
31	66 984 D	KEY, WOODRUFF 3/16 x 2-1/8"		1
32	43 548 D	FLANGE, TRANSMISSION DRIVE		1
33	359 992 R1	GASKET, TRANSMISSION DRIVE FLANGE		1
34	43 262 DA	WASHER, TRANSMISSION DRIVE FLANGE		1
35	51 177 DR	BUSHING, REVERSE IDLER GEAR		1
36	351 058 R11	GEAR, REVERSE IDLER (16 TEETH) W/BUSHING (OPTIONAL WITH 364 490 R11)		1
36	364 490 R11	GEAR, REVERSE IDLER (16 TEETH) W/BUSHING (OPTIONAL WITH 351 058 R11)		1
37	61 082 D	SCREW, REVERSE IDLER SHAFT LOCK		1
38	351 816 R1	SHAFT, REVERSE IDLER		1
39	351 134 R1	COUNTERSHAFT AND BEVEL PINION (8 TEETH)		1
40	43 284 D	BEARING, ROLLER, COUNTERSHAFT (OPTIONAL WITH 352 399 R91)		1
40	352 399 R91	BEARING, ROLLER, COUNTERSHAFT (OPTIONAL WITH 43 284 D)		1
41	351 135 R2	SPACER, FIRST SPEED GEAR		1


GEAR SHIFTER MECHANISM AND TRANSMISSION—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
42	354 643 R11	GEAR, TRANSMISSION OILER, W/BUSHING		1
43	351 059 R1	GEAR, FIRST SPEED (45 TEETH)		1
44	351 060 R1	GEAR, SECOND SPEED (39 TEETH)		1
45	351 061 R1	GEAR, THIRD SPEED (35 TEETH)		1
45	359 978 R1	GEAR, THIRD SPEED (30 TEETH) (FOR 7 M.P.H. THIRD SPEED FORWARD ATTACHMENT)		1
46	351 062 R1	GEAR, FOURTH SPEED (24 TEETH)		1
47	351 137 R1	SHIM, COUNTERSHAFT BEARING CAGE, LIGHT		2
48	351 138 R1	SHIM, COUNTERSHAFT BEARING CAGE, MEDIUM		1
49	351 139 R1	SHIM, COUNTERSHAFT BEARING CAGE, HEAVY		1
50	351 140 R1	SHIM, COUNTERSHAFT BEARING CAGE, EXTRA HEAVY		X
51	351 136 R2	CAGE, COUNTERSHAFT BEARING		1
52	21 557 D	BEARING, BALL, COUNTERSHAFT		1
53	4 221 D	NUT, COUNTERSHAFT AND BEVEL PINION SHAFT		1
	103 388	PIN, COTTER, 1/8 x 1-3/4"		1
54	351 142 R1	GASKET, COUNTERSHAFT BEARING CAGE RETAINER		1
55	351 141 R1	RETAINER, COUNTERSHAFT BEARING CAGE		1
	103 026	NUT, HEX., 3/8-24NF		3
	103 321	WASHER, LOCK, MEDIUM, 3/8"		3
·	359 977 R91	ATTACHMENT, SEVEN M.P.H. THIRD SPEED FORWARD		1
		(CONSISTS OF -		
		1 GEAR 359 978 R1		
		1 GEAR 359 979 R1)		

X - AS REQUIRED

CHASSIS

STEERING MECHANISM



B-3446 D

CHASSIS


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		STEERING MECHANISM		
1	351 127 R2	SHAFT, STEERING		1
	122 403	NUT, HEX. JAM, 3/4-16NF		1
2	112 139	KEY, WOODRUFF 1/4 x 7/8"		1
3	360 363 R11	BEARING, STEERING SHAFT, REAR, W/FITTING, 66 584 D (WILL WORK FOR 351 313 R92)		1
	179 839	SCREW, CAP, HEX-HD., 3/8-16NC x 1"		3
	103 321	WASHER, LOCK, 3/8"		3
4	119 512	FITTING, LUBRICATION, STRAIGHT, 1/8" (OPTIONAL WITH 109 461)	100001 TO 191630	1
4	109 461	FITTING, LUBRICATION, STRAIGHT, 1/8" (OPTIONAL WITH 119 512)	100001 TO 191630	1
4	66 584 D	FITTING, LUBRICATION, STRAIGHT, DRIVE TYPE, 3/16"	191631 UP	
5	23 858 D	BUSHING, STEERING SHAFT REAR BEARING	100001 TO 191630	1
6	29 118 DC	WHEEL, STEERING, 18" (OPTIONAL WITH 60 070 D)		1
6	60 070 D	WHEEL, STEERING, 18" (OPTIONAL WITH 29 118 DC)		1
7	351 364 R1	COVER, STEERING SHAFT SUPPORT BRACKET (FOR TRACTORS NOT EQUIPPED WITH TOUCH-CONTROL)		1
8	351 403 R1	COVER, HYDRAULIC LIFT CONTROL AND STEERING SHAFT BRACKET SUPPORT (TRACTORS EQUIPPED WITH TOUCH-CONTROL)		1
9	354 741 R1	BRACKET, STEERING SHAFT SUPPORT		1
	181 361	SCREW, CAP, HEX-HD., 3/8-24NF x 7/8"		4
	103 321	WASHER, LOCK, 3/8"		4
10	355 479 R92	SUPPORT, STEERING SHAFT AND INSTRUMENT PANEL		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		3
	103 321	WASHER, LOCK, 3/8"		3
	432 465	PLUG, DUST, ELECTRICAL INSTRUMENT MOUNTING PANEL 17/32" (FUSE HOUSING PIPE) (FOR TRACTORS EQUIPPED WITH COTTON PICKER MOUNTING ATTACHMENT)		1
	432 491	PLUG, DUST, ELECTRICAL INSTRUMENT MOUNTING PANEL 2-31/32" (LIGHTING SWITCH HOLE) (FOR TRACTORS EQUIPPED WITH COTTON PICKER MOUNTING ATTACHMENT)		1
11	6 660 DA	RETAINER, STEERING WORM BEARING		1
12	69 442 D	NUT, STEERING WORM		1
13	ST 225 BT	BEARING, BALL, STEERING WORM SHAFT		1
14	351 123 R2	WORM, STEERING		1
	108 635	PIN, COTTER, 1/8 x 1-1/8"		1
15	103 462	KEY, WOODRUFF 3/16 x 1"		2
16	351 121 R21	BRACKET, STARTING CRANK		1
	179 814	SCREW, CAP, HEX-HD., 5/16-18NC x 5/8"		4
	103 320	WASHER, LOCK, 5/16"		4

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		STEERING MECHANISM—Continued		
17	356 568 R1	PLUG, STEERING GEAR HOUSING VENT (WILL WORK FOR 53 218 DX)		1
18	52 953 DX	WASHER, STEERING WORM WHEEL SHAFT UPPER BEARING AND STUD		1
	103 028	NUT, HEX., 1/2-20NF		1
	103 323	WASHER, LOCK, 1/2"		1
19	352 417 R1	SEAL, STEERING WORM WHEEL SHAFT		1
21	351 122 R1	WHEEL, WORM, STEERING (38 TEETH)		1
20	ST 278	BEARING, UPPER, STEERING WORM WHEEL SHAFT		1
22	52 951 D	GASKET, STEERING WORM WHEEL SHAFT LOWER BEARING CAGE		1
23	8 324 D	CAGE, STEERING WORM WHEEL SHAFT LOWER BEARING		1
24	ST 269 A	BEARING, LOWER, STEERING WORM WHEEL SHAFT		1
25	52 952 D	GASKET, STEERING WORM WHEEL SHAFT LOWER BEARING CAGE COVER		1
26	360 457 R91	OIL SEAL, STEERING WORM WHEEL SHAFT (WILL WORK FOR 48 776 D, 358 780 R91 AND 358 819 R91)		1
27	350 009 R1	COVER, STEERING WORM WHEEL SHAFT LOWER BEARING CAGE		1
	179 862	SCREW, CAP, HEX-HD., 7/16-14NC x 1-1/2"		4
	103 322	WASHER, LOCK, 7/16"		4
28	53 001 DX	SHAFT, STEERING WORM WHEEL, W/FOUR STUDS, 53 002 D		1
	103 028	NUT, HEX., 1/2-20NF		4
	103 323	WASHER, LOCK, 1/2"		4
29	53 002 D	STUD, STEERING WORM WHEEL SHAFT		4
30	357 159 R92	HOUSING, STEERING GEAR, 351 120 R71, W/BRACKET, 351 121 R21, ASSEMBLY (WILL WORK FOR 351 120 R51)	100001 TO 128314	1
30	351 120 R71	HOUSING, STEERING GEAR, ASSEMBLY	128315 UP	1
		(COMPOSED OF -		
		1 BUSHING 41 096 DB		
		1 HOUSING § 351 120 R7		
		1 OIL SEAL 43 800 DA		
		1 PLUG 356 568 R1		
		1 PLUG 103 866		
		1 PLUG 103 867)		
	103 030	NUT, HEX., 5/8-18NF		1
	103 866	PLUG, PIPE, SQ-HD., 1/4"		1
	103 867	PLUG, PIPE, SQ-HD., C.I. 3/8" (OPTIONAL WITH 103 879)		1
	103 879	PLUG, PIPE, SQ-HD., STL., 3/8" (OPTIONAL WITH 103 867)		1
	359 258 R2	SCREW, CAP, HEX-HD., 5/8-11NC x 3" (WILL WORK FOR 179 935)		2
	359 259 R1	SCREW, CAP, HEX-HD., 5/8-11NC x 2" (WILL WORK FOR 179 931)		1
	359 260 R1	SCREW, CAP, HEX-HD., 5/8-18NF x 2-3/4" (WILL WORK FOR 181 487)		1
	103 325	WASHER, LOCK, 5/8"		4
31	41 096 DBR	BUSHING, STEERING WORM		1
		§ - NOT SERVICED SEPARATELY		

CHASSIS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		STEERING MECHANISM—Continued		
32	43 800 DA	OIL SEAL, STEERING WORM SHAFT (OPTIONAL WITH 359 042 R91 AND 359 257 R91)		1
32	359 042 R91	OIL SEAL, STEERING WORM SHAFT (OPTIONAL WITH 43 800 DA AND 359 257 R91)		1
32	359 257 R91	OIL SEAL, STEERING WORM SHAFT (OPTIONAL WITH 43 800 DA AND 359 042 R91)		1
33	112 055	PIN, STEERING SHAFT UNIVERSAL JOINT		2
34	351 316 R93	SHAFT AND YOKE, UNIVERSAL JOINT		1
35	351 126 R12	BEARING, STEERING SHAFT CENTER, ASSEMBLY		1
		(COMPOSED OF -.		
		1 BEARING §351 126 R1		
		1 CAP §351 125 R2		
		1 LUBRICATOR 66 584 D		
		2 SCREW 179 845		
		2 WASHER 103 321)		
	179 845	SCREW, CAP, HEX-HD., 3/8-16NC x 1-3/4"		2
	103 321	WASHER, LOCK, 3/8"		2
36	351 930 R92	JOINT, STEERING UNIVERSAL (ORDER 351 124 R94)		2
37	66 584 D	FITTING, LUBRICATION, STRAIGHT, DRIVE TYPE, 3/16"		1
38	350 256 R1	YOKE, STEERING UNIVERSAL JOINT		2
39	363 321 R91	BEARING AND SPIDER, STEERING UNIVERSAL JOINT (WILL WORK FOR 350 254 R91) (OPTIONAL WITH 363 313 R91)		2
39	363 313 R91	BEARING AND SPIDER, STEERING UNIVERSAL JOINT (WILL WORK FOR 357 439 R91) (OPTIONAL WITH 363 321 R91)		2
40	351 124 R94	SHAFT, STEERING, 351 316 R93, W/TWO BEARING AND SPIDER AND TWO YOKE, 350 256 R1		1
	361 157 R91	ATTACHMENT, FRONT END WEIGHT (FOR TRACTORS EQUIPPED WITH FAST-HITCH ATTACHMENT)		1
		(COMPOSED OF -		
		1 WEIGHT L.H. 361 158 R1		
		1 WEIGHT R.H. 361 159 R1		
		6 BOLT 361 160 R1)		
		§ - NOT SERVICED SEPARATELY		

FRONT AXLE AND BOLSTER




A-16939

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	~~8 624 DCX~~	BOLSTER, FRONT WHEEL, W/FOUR RIVETS, 357 126 R1		1
	380 660 R 91			
2	55 452 DBX	AXLE, FRONT, W/FOUR RIVETS, 357 126 R1		1
	102 649	NUT, SLOTTED, HEX., 5/8-18NF		2
	103 386	PIN, COTTER, 1/8 x 1-1/4"		2
	Q 1 538	WASHER, STEEL, PLAIN, 5/8"		2
3	55 454 D	DEFLECTOR, DUST, FRONT AXLE		2
4	55 453 D	WASHER, FELT, FRONT AXLE		2
5	55 461 DE	AXLE, FRONT, W/BOLSTER, ASSEMBLY		1
		(COMPOSED OF -		
		1 AXLE § 55 452 DB		
		1 BOLSTER § 8 624 DC		
		2 DEFLECTOR 55 454 D		
		4 RIVET 357 126 R1)		
	357 126 R1	RIVET, FRONT AXLE AND BOLSTER		4

§ - NOT SERVICED SEPARATELY

DUAL FRONT WHEELS



Front wheel (non-adjustable)

Front wheel (adjustable)


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	43 463 D	OIL SEAL, FRONT WHEEL (OPTIONAL WITH 358 769 R91 AND 359 788 R91)		2
1	358 769 R91	OIL SEAL, FRONT WHEEL (OPTIONAL WITH 43 463 D AND 359 788 R91)		2
1	359 788 R91	OIL SEAL, FRONT WHEEL (OPTIONAL WITH 43 463 D AND 358 769 R91)		2
2	54 631 H	CONE, FRONT WHEEL INNER BEARING TAPERED ROLLER BEARING		2
3	49 117 D	RING, WEAR, FRONT WHEEL OIL SEAL		2
4	54 630 H	CUP, TAPERED ROLLER BEARING, FRONT WHEEL INNER BEARING		2
5	43 440 D	CUP, FRONT WHEEL OUTER BEARING		2
6	13 823 V	CONE, FRONT WHEEL OUTER BEARING		2
7	49 116 D	GASKET, FRONT WHEEL HUB		2
8	49 115 D	CAP, FRONT WHEEL HUB		2
	179 814	SCREW, CAP, HEX-HD., 5/16-18NC x 5/8"		6
	103 320	WASHER, LOCK, 5/16"		6
9	351 556 R92	RIM, FRONT WHEEL (RIM SIZE - 3.00 D x 15 D.C.) (TIRE SIZE - 4.00 x 15 OR 5.00 x 15) (FOR NON-ADJUSTABLE WHEEL)		2
10	48 976 DA	CLAMP, FRONT WHEEL RIM		6
11	351 555 R2	BOLT, FRONT WHEEL RIM, CD-PLTD.		6
	125 653	NUT, HEX., CD-PLTD. 1/2-20NF		6


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		DUAL FRONT WHEELS—Continued		
12	6 787 DEX	WHEEL, FRONT, ASSEMBLY (NON-ADJUSTABLE)		2
		(COMPOSED OF -		
		1 CUP 43 440 D		
		1 CUP 54 630 H		
		1 RING 49 117 D		
		1 WHEEL § 6 787 DE)		
13	8 734 DX	WHEEL, FRONT, ASSEMBLY (ADJUSTABLE) (USED WITH RIM, 57 882 D)		2
		(COMPOSED OF -		
		1 CUP 54 630 H		
		1 CUP 43 440 D		
		1 RING 49 117 D		
		1 WHEEL § 8 734 D)		
13	9 350 DX	WHEEL, FRONT, ASSEMBLY (ADJUSTABLE)		2
		(COMPOSED OF -		
		1 CUP 43 440 D		
		1 CUP 54 630 H		
		1 RING 49 117 D		
		1 WHEEL § 9 350 D)		
14	57 095 D	RIM, FRONT WHEEL, W/CLAMPS (RIM SIZE -3.00 x 15)		
		(TIRE SIZE - 4.00 x 15 OR 5.00 x 15) (OPTIONAL WITH 350 327 R91)		
		(FOR ADJUSTABLE WHEEL, 9 350 DX)		2
14	350 327 R91	RIM, FRONT WHEEL, W/CLAMPS (RIM SIZE - 3.00 x 15)		
		(TIRE SIZE - 4.00 x 15 OR 5.00 x 15) (OPTIONAL WITH 57 095 D)		
		(FOR ADJUSTABLE WHEEL, 9 350 DX)		2
	120 371	NUT, HEX., CD-PLTD., 1/2-20NF		6
	181 707	SCREW, CAP, HEX-HD., CD-PLTD., 1/2-20NF x 2-1/4"		6
	103 323	WASHER, LOCK, 1/2"		6
15	57 882 D	RIM, FRONT WHEEL, W/CLAMPS (RIM SIZE - 3.00D x 19DC)		
		(TIRE SIZE - 4.00 x 19) (FOR ADJUSTABLE WHEEL, 8 734 DX)		2
15	352 760 R91	RIM, FRONT WHEEL, W/CLAMPS (RIM SIZE - 4.50E x 16)		
		(TIRE SIZE - 6.50 x 16) (FOR ADJUSTABLE WHEEL, 9 350 DX)		2
	120 371	NUT, HEX., CD-PLTD., 1/2-20NF		6
	181 707	SCREW, CAP, HEX-HD., CD-PLTD., 1/2-20NF x 2-1/4"		6
	103 323	WASHER, LOCK, 1/2"		6
	356 148 R91	WHEEL AND RIM, FRONT, ASSEMBLY (NON-ADJUSTABLE) (3.00 x 15 DC)		2
		(COMPOSED OF -		
		3 BOLT 351 555 R2 1 RIM 351 556 R92		
		1 CAP 49 115 D 1 SCREW 179 814		
		3 CLAMP 48 976 DA 1 WASHER 103 320		
		1 GASKET 49 116 D 1 WHEEL 6 787 DEX)		
		3 NUT 125 653		
		§ - NOT SERVICED SEPARATELY		

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		DUAL FRONT WHEELS—Continued		
	356 149 R91	WHEEL AND RIM, FRONT, ASSEMBLY (RIM SIZE - 3.00 x 15)		
		(TIRE SIZE - 4.00 x 15 OR 5.00 x 15) (ADJUSTABLE)		2
		(COMPOSED OF -		
		1 CAP 49 115 D 3 SCREW 181 707		
		1 GASKET 49 116 D 3 WASHER 103 320		
		3 NUT 120 371 3 WASHER 103 323		
		1 RIM 350 327 R91 1 WHEEL 9 350 DX)		
		3 SCREW 179 814		
	356 151 R91	WHEEL AND RIM, FRONT, ASSEMBLY (RIM SIZE - 4.50 x 16)		
		(TIRE SIZE - 6.50 x 16) (ADJUSTABLE)		2
		(COMPOSED OF -		
		1 CAP 49 115 D 3 SCREW 181 707		
		1 GASKET 49 116 D 3 WASHER 103 320		
		3 NUT 120 371 3 WASHER 103 323		
		1 RIM 352 760 R91 1 WHEEL 9 350 DX)		
		3 SCREW 179 814		
	356 153 R91	WHEEL AND RIM, FRONT, ASSEMBLY (RIM SIZE - 3.00D x 19DC)		
		(TIRE SIZE - 4.00 x 19) (ADJUSTABLE)		2
		(COMPOSED OF -		
		1 CAP 49 115 D 3 SCREW 181 707		
		1 GASKET 49 116 D 3 WASHER 103 320		
		3 NUT 120 371 3 WASHER 103 323		
		1 RIM 57 882 D 1 WHEEL 8 734 DX)		
		3 SCREW 179 814		
	360 119 R92	PACKAGE, OVERHAUL, FRONT WHEEL BEARING (FOR WHEELS, 6 787 DEX, 8 734 DX AND 9 350 DX)		X
		(CONSISTS OF -		
		1 CONE 13 823 V 1 OIL SEAL 43 463 D		
		1 CONE 54 631 H 1 RING 49 117 D		
		1 CUP 54 630 H 1 WASHER 49 118 DA		
		1 CUP 43 440 D 1 WASHER 55 453 D)		
		1 GASKET 49 116 D		

X - AS REQUIRED

SINGLE FRONT WHEEL





A-16940B


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQ'D A	No. REQ'D B
		KEY TO LETTERS IN CAPTION -			
		A - 57 894 DA Single Front Wheel (Tire Size - 7.50 x 10)			
		B - 58 282 DA Single Front Wheel (Tire Size - 6.00 x 12)			
1	52 950 DA	FORK, front wheel			1
	13 002 R1	NUT, hex, 3/8-16NC			2
	103 028	NUT, hex, 1/2-20NF			4
	179 849	SCREW, cap, hex-hd., 3/8-16NC x 2-1/2"			2
	103 321	WASHER, lock, 3/8"			2
	103 323	WASHER, lock, 1/2"			4
1	57 895 D	FORK, front wheel		1	
	13 002 R1	NUT, hex, 3/8-16NC		2	
	103 028	NUT, hex, 1/2-20NF		4	
	179 849	SCREW, cap, hex-hd., 3/8-16NC x 2-1/2"		2	
	103 321	WASHER, lock, 3/8"		2	
	103 323	WASHER, lock, 1/2"		4	
2	40 833 DA	WHEEL, front, two halves, 5 630 DAX and 5 631 DAX w/BOLTS (Tire Size - 7.50 x 10)		1	

CHASSIS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NU	No. REQ'D A	No. REQ'D B
		SINGLE FRONT WHEEL			
3	359 340 R1	BUSHING, SINGLE FRONT WHEEL		2	
4	5 630 DAX	WHEEL, FRONT, MALE HALF, W/OIL SEAL, 42 183 D			
		(TIRE SIZE - 7.50 x 10)		1	
	102 639	NUT, HEX, 5/8-11NC		4	
	17 184 R1	SCREW, CAP, HEX-HD., 5/8NC x 7"		4	
	103 325	WASHER, LOCK, 5/8"		4	
5	5 631 DAX	WHEEL, FRONT, FEMALE HALF, W/OIL SEAL, 42 183 D			
		(TIRE SIZE - 7.50 x 10)		1	
6	109 461	FITTING, LUBRICATION, STRAIGHT, 1/8" (OPTIONAL WITH 119 512)		1	1
6	119 512	FITTING, LUBRICATION, STRAIGHT, 1/8" (OPTIONAL WITH 109 461)		1	1
7	23 742 D	NUT, FRONT AXLE		1	1
8	23 743 D	LOCK, FRONT AXLE NUT		2	2
9	23 762 DX	SHIELD, FRONT WHEEL HUB		2	2
10	23 760 D	WASHER, FELT, FRONT WHEEL		2	2
11	42 183 D	OIL SEAL, FRONT WHEEL BEARING (OPTIONAL WITH 358 766 R91 AND 358 809 R91)		2	2
11	358 776 R91	OIL SEAL, FRONT WHEEL BEARING (OPTIONAL WITH 42 183 D AND 358 809 R91)		2	2
11	358 809 R91	OIL SEAL, FRONT WHEEL BEARING (OPTIONAL WITH 42 183 D AND 358 766 R91)		2	2
12	361 311 R1	BUSHING, FRONT WHEEL HUB			2
13	8 331 DAX	HUB, FRONT WHEEL, W/BUSHING, 361 311 R1 AND OIL SEAL, 42 183 D			2
	114 774	NUT, HEX, 1/2-13NC			3
	179 893	SCREW, CAP, HEX-HD., 1/2-13NC x 3"			3
	103 323	WASHER, LOCK, 1/2"			3
14	52 984 D	GASKET, FRONT WHEEL HUB			2
15	8 333 D	WHEEL, FRONT (TIRE SIZE - 6.00 x 12)			1
16	23 740 DA	AXLE, FRONT		1	
	218 200	NUT, HEX, 7/8-14NF		1	
16	52 949 DA	AXLE, FRONT			1
	218 200	NUT, HEX, 7/8-14NF			1

CHASSIS

REAR FRAME




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	46 060 D	PLATE, REAR FRAME COVER		1
	179 858	SCREW, CAP, HEX-HD., 7/16-14NC x 1"		7
	103 322	WASHER, LOCK, 7/16"		7
2	60 589 DA	GASKET, REAR FRAME COVER PLATE		1
3	357 124 R1	PIN, DOWEL, REAR FRAME COVER (WILL WORK FOR 29 588 D)		2
4	357 232 R1	PIN, DOWEL, REAR FRAME CLUTCH HOUSING (WILL WORK FOR 15 945 D)		2
5	172 558	PLUG, EXPANSION, REAR FRAME IDLER SHAFT HOLE, 1-1/4"		1
6	356 514 R1	STUD, COUNTERSHAFT BEARING CAGE		3
	103 026	NUT, HEX., 3/8-24NF		3
	103 321	WASHER, LOCK, 3/8"		3
7	48 594 DA	BUSHING, BRAKE BAND LEVER SHAFT		2
8	360 076 R92	OIL SEAL, BRAKE PEDAL SHAFT		2
9	356 608 R1	STUD, REAR AXLE CARRIER		12
10	351 131 R33	FRAME, REAR, ASSEMBLY		1
		(COMPOSED OF -		
		2 BUSHING 48 594 DA		
		2 DOWEL 357 124 R1		
		1 FRAME §351 131 R3		
		2 OIL SEAL 360 076 R92		
		2 PIN 357 232 R1		
		1 PLUG 103 866		
		1 PLUG 143 999		
		1 PLUG 172 558		
		12 STUD 356 608 R1		
		3 STUD 356 514 R1)		
	103 866	PLUG, PIPE, SQ-HD., C.I., 1/4"		1
	143 999	PLUG, PIPE, CSK-HDLS., STL., 3/4"		1

§ - NOT SERVICED SEPARATELY

CHASSIS

REAR AXLE AND DIFFERENTIAL



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	355 985 R11	RETAINER, BULL PINION SHAFT BEARING, ASSEMBLY		2
		(COMPOSED OF -		
		1 OIL SEAL 75 260 H		
		1 PIN 443 767		
		1 RING 350 793 R1)		
	443 767	PIN, DOWEL, 1/4 x 1/2"		2
2	285 723 R1	RING, SEAL, BULL PINION SHAFT BEARING RETAINER (WILL WORK FOR 350 793 R1)		2
3	75 260 H	OIL SEAL, BULL PINION SHAFT BEARING RETAINER (OPTIONAL WITH 359 790 R91)		2
3	359 790 R91	OIL SEAL, BULL PINION SHAFT BEARING RETAINER (OPTIONAL WITH 75 260 H)		2
4	355 984 R1	RING, SNAP, BULL PINION SHAFT		2
5	ST 201	BEARING, BALL (BULL PINION AND BRAKE SHAFT)		2
6	355 981 R11	CAGE, BULL PINION SHAFT BEARING, W/RING, 59 385 D AND CUP, ST 874 A OR 29 008 H		2
	355 982 R1	SCREW, CAP, BULL PINION SHAFT BEARING CAGE		12


CHASSIS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		REAR AXLE AND DIFFERENTIAL—Continued		
7	351 102 R1	SHIM, BULL PINION SHAFT BEARING CAGE, LIGHT		2
7	351 105 R1	SHIM, BULL PINION SHAFT BEARING CAGE, EXTRA LIGHT		X
8	351 103 R1	SHIM, BULL PINION SHAFT BEARING CAGE, MEDIUM		2
9	351 104 R1	SHIM, BULL PINION SHAFT BEARING CAGE, HEAVY		2
10	59 385 D	RING, SEAL, BULL PINION SHAFT BEARING CAGE		2
11	355 983 R2	PINION, BULL (12 TEETH) AND BRAKE SHAFT (OPTIONAL WITH 357 429 R1)		2
11	357 429 R1	PINION, BULL (12 TEETH) AND BRAKE SHAFT (OPTIONAL WITH 355 983 R2)		2
12	351 096 R1	GEAR, DIFFERENTIAL DRIVE (47 TEETH)		1
13	351 445 R91	CASE, DIFFERENTIAL (2 HALVES) L.H. AND R.H.		1
14	351 631 R2	GEAR, DIFFERENTIAL BEVEL (24 TEETH)		2
15	356 589 R1	SPIDER, DIFFERENTIAL		1
16	351 630 R2	PINION, DIFFERENTIAL (13 TEETH)		4
17	ST 775 A	CONE, TAPERED ROLLER BEARING DIFFERENTIAL CASE BEARING		2
18	ST 874 A	CUP, DIFFERENTIAL CASE BEARING		2
19	351 110 R1	RETAINER, BULL GEAR		2
	221 595	SCREW, CAP, SELF-LOCKING, HEX-HD., 3/8-24NF x 7/8"		4
20	351 095 R1	BOLT, DIFFERENTIAL CASE		8
	353 790 R1	NUT, HEX., LOCK, 7/16NF		8
21	351 109 R31	GEAR AND HUB, BULL		2
	104 119	RIVET, RD-HD., 3/8 x 1-3/4"		6

X - As Required

CHASSIS

REAR AXLE



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	351 113 R1	GASKET, REAR AXLE CARRIER		2
2	351 114 R1	RETAINER, REAR AXLE INNER BEARINGS (ONE PIECE TYPE) (ORDER 360 465 R91)		2
	192 278	BOLT, SELF-LOCKING, HEX-HD., 3/8-16NC x 3/4"		8
3	351 114 R2	RETAINER, REAR AXLE INNER BEARING (TWO PIECE TYPE)		4
4	360 465 R91	PACKAGE, REAR AXLE INNER BEARING RETAINER (CONSISTS OF TWO 351 114 R2)		
		(WILL WORK FOR 351 114 R1)		2
5	ST 295	BEARING, BALL, REAR AXLE, INNER		2
6	46 983 D	OIL SEAL, REAR AXLE CARRIER, INNER (OPTIONAL WITH 358 774 R91 AND 358 811 R91)		2
6	358 774 R91	OIL SEAL, REAR AXLE CARRIER, INNER (OPTIONAL WITH 46 983 D AND 358 811 R91)		2
6	358 811 R91	OIL SEAL, REAR AXLE CARRIER, INNER (OPTIONAL WITH 46 983 D AND 358 774 R91)		2
7	351 111 R31	CARRIER, REAR AXLE, L.H., W/OIL SEAL, 46 983 D		1
	103 030	NUT, HEX., 5/8-18NF		6
	103 325	WASHER, LOCK, 5/8"		6
7	351 112 R31	CARRIER, REAR AXLE, R.H., W/OIL SEAL, 46 983 D		1
	103 030	NUT, HEX., 5/8-18NF		6
	103 325	WASHER, LOCK, 5/8"		6
7	351 496 R31	CARRIER, REAR AXLE, L.H., W/OIL SEAL, 46 983 D		
		(FOR TRACTORS EQUIPPED WITH 100" WIDE TREAD REAR AXLE)		1
7	351 497 R31	CARRIER, REAR AXLE, R.H., W/OIL SEAL, 46 983 D		
		(FOR TRACTORS EQUIPPED WITH 100" WIDE TREAD REAR AXLE)		1
8	351 115 R2	AXLE, REAR (80" TREAD) (STANDARD)		2
8	351 479 R2	AXLE, REAR (88" TREAD) (SPECIAL)		2
8	351 493 R2	AXLE, REAR (100" TREAD) (SPECIAL)		2


CHASSIS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		REAR AXLE—Continued		
9	ST 269 A	BEARING, BALL, REAR AXLE, OUTER		2
10	60 254 D	OIL SEAL, REAR AXLE, OUTER (OPTIONAL WITH 358 791 R91 AND 358 826 R91)		2
10	358 791 R91	OIL SEAL, REAR AXLE, OUTER (OPTIONAL WITH 60 254 D AND 358 826 R91)		2
10	358 826 R91	OIL SEAL, REAR AXLE, OUTER (OPTIONAL WITH 60 254 D AND 358 791 R91)		2
11	351 118 R1	WASHER, FELT, REAR AXLE		2
12	351 117 R1	GASKET, REAR AXLE CARRIER CAP		2
13	109 354	FITTING, LUBRICATION, 90° ANGLE		2
14	351 116 R11	CAP, REAR AXLE CARRIER, W/WASHER, 351 118 R1 AND OIL SEAL, 60 254 D		2
	179 841	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/4"		8
	103 321	WASHER, LOCK, 3/8"		8
15	658 605 R91	BEARING, PILLOW BLOCK, FRONT FRAME AXLE SUPPORT ASSEMBLY (OPTIONAL WITH 658 964 R91) (*)		2
		(COMPOSED OF -		
		1 BEARING 658 608 R91		
		1 COLLAR 658 609 R11		
		1 HOUSING 658 607 R1)		
15	658 964 R91	BEARING, PILLOW BLOCK, FRONT FRAME AXLE SUPPORT ASSEMBLY (OPTIONAL WITH 658 605 R91) (*)		2
		(COMPOSED OF -		
		1 BEARING 657 379 R92		
		1 COLLAR 657 382 R11		
		1 HOUSING 657 380 R1)		
16	657 382 R11	COLLAR, BEARING, W/SET SCREW (FAFNIR) (*)		2
16	658 609 R11	COLLAR, BEARING, W/SET SCREW (LINK-BELT) (*)		2
17	657 379 R92	BEARING, BALL SELF-ALIGNING, W/SEALS (FAFNIR) (*)		2
17	658 608 R91	BEARING, BALL SELF-ALIGNING, W/SEALS (LINK BELT) (*)		2
18	657 380 R1	HOUSING, PILLOW BLOCK (FAFNIR) (*)		2
18	658 607 R1	HOUSING, PILLOW BLOCK (LINK BELT) (*)		2
	351 495 R94	ATTACHMENT, 100" WIDE TREAD REAR AXLE (SPECIAL)		1
		(COMPOSED OF -		
		2 AXLE 351 493 R2 / 2 GASKET 351 113 R1		
		2 BEARING ST 269 A / 2 GASKET 351 117 R1		
		2 BEARING ST 295 / 4 RETAINER 351 114 R2		
		2 CAP 351 116 R11 / 8 SCREW 192 278		
		1 CARRIER 351 496 R31 / 8 SCREW 179 841		
		1 CARRIER 351 497 R31 / 8 WASHER 103 321)		
		2 FITTING 109 354		
	351 498 R93	ATTACHMENT, 88" WIDE TREAD REAR AXLE (SPECIAL) (CONSISTS OF TWO REAR AXLES, 351 479 R2)		1

(*) - FOR TRACTORS EQUIPPED WITH COTTON PICKER MOUNTING ATTACHMENT

CHASSIS

REAR WHEEL




REF. NO.	PART NUMBER	DESCRIPTION	RIM SIZE	TIRE SIZE	SERIAL NUMBER	NO. REQ'D
1	351 244 R2	WHEEL, REAR				2
2	351 246 R1	CLAMP, REAR WHEEL HUB				2
	362 618 R1	SCREW, CAP, HEX-HD., 3/4-10NC x 3-3/4"				8
	103 326	WASHER, LOCK, 3/4"				8
	Q 3 478	WASHER, PLAIN, 3/4"				8
3	351 665 R91	RIM, REAR WHEEL, W/CLAMPS	W8-36	8-36 / 9-36		2
3	352 806 R92	RIM, REAR WHEEL, W/CLAMPS	W9-36	10-36 / 11-36		2
3	357 497 R91	RIM, REAR WHEEL, W/CLAMPS	DW8-42	9-42		2
4	351 245 R1	BOLT, REAR WHEEL RIM				12
	121 574	WASHER, LOCK, MEDIUM, CD-PLTD., 5/8"				12
	356 177 R92	WHEEL AND RIM, REAR, ASSEMBLY	W8-36	8-36 / 9-36		2
		(COMPOSED OF -				
		6 BOLT 351 245 R1				
		1 CLAMP 351 246 R1				
		6 NUT 357 099 R2				
		1 RIM 351 665 R91				
		4 SCREW 362 618 R1				
		6 WASHER 121 574				
		4 WASHER 103 326				
		4 WASHER Q 3 478				
		1 WHEEL 351 244 R2)				

REF. NO.	PART NUMBER	DESCRIPTION	RIM SIZE	TIRE SIZE	SERIAL NUMBER	NO. REQ'D
		REAR WHEEL—Continued				
	356 178 R93	WHEEL AND RIM, REAR, ASSEMBLY	W9-36	10-36 / 11-36		2
		(COMPOSED OF -				
		6 BOLT 351 245 R1				
		1 CLAMP 351 246 R1				
		6 NUT 357 099 R2				
		1 RIM 352 806 R92				
		4 SCREW 362 618 R1				
		6 WASHER 121 574				
		4 WASHER 103 326				
		4 WASHER Q 3 478				
		1 WHEEL 351 244 R2)				
	357 498 R91	WHEEL AND RIM, REAR, ASSEMBLY	DW8-42	9-42		2
		(COMPOSED OF -				
		6 BOLT 351 245 R1				
		1 CLAMP 351 246 R1				
		6 NUT 357 099 R2				
		1 RIM 357 497 R91				
		4 SCREW 362 618 R1				
		6 WASHER 121 574				
		4 WASHER 103 326				
		4 WASHER Q 3 478				
		1 WHEEL 351 244 R2)				
	357 099 R2	NUT, REAR WHEEL RIM				12

CHASSIS

BRAKES AND CONNECTIONS



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	355 812 R1	ANCHOR, CLUTCH PEDAL RETURN SPRING		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		1
	103 321	WASHER, LOCK, 3/8"		1
2	355 974 R1	LEVER, BRAKE SHAFT		
	271 500	NUT, HEX., 7/16-14NC		1
	179 867	SCREW, CAP, HEX-HD., 7/16-14NC x 2-1/4"		1
	103 322	WASHER, LOCK, 7/16"		1
				2
3	124 552	KEY, WOODRUFF, NI-STL. 13, 3/16 x 1"		2
4	355 971 R1	SHAFT, BRAKE PEDAL		1
5	48 983 D	WASHER, THRUST, BRAKE PEDAL SHAFT		2


CHASSIS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		BRAKES AND CONNECTIONS—Continued		
6	355 972 R21	PEDAL, BRAKE, L.H. (WILL WORK FOR 357 736 R91)		1
		(COMPOSED OF -		
		1 PEDAL §355 972 R2		
		1 PLATE 43 751 DB		
		1 RIVET 104 087		
		1 SPRING 51 293 D)		
	271 500	NUT, HEX., 7/16-14NC		1
	179 867	SCREW, CAP, HEX-HD., 7/16-14NC x 2-1/4"		1
	103 322	WASHER, LOCK, 7/16"		1
7	43 751 DB	PLATE, LOCK, BRAKE PEDAL		1
	104 087	RIVET, RD-HD., 1/4 x 1-1/4"		1
8	51 293 D	SPRING, TENSION, BRAKE PEDAL LOCK PLATE		1
9	355 973 R2	PEDAL, BRAKE, R.H., (WILL WORK FOR 357 737 R91)		1
10	66 584 D	FITTING, LUBRICATION		1
11	40 435 D	WASHER, BRAKE PEDAL SHAFT		1
12	351 215 R1	RING, SNAP, BRAKE SHAFT		1
13	351 210 R1	SPRING, RETURN BRAKE PEDAL		2
14	355 812 R1	ANCHOR, BRAKE PEDAL RETURN SPRING		1
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		1
	103 321	WASHER, LOCK, 3/8"		1
15	355 976 R1	BOOT, ENCLOSURE		2
16	355 977 R1	ROD, OPERATING BRAKE		2
	114 494	NUT, JAM, HEX., 3/8-24NF		6
17	575 807 R1	WASHER, STEEL, PLAIN, 13/32" I.D. x 1" O.D. x No. 11 GA.		2
18	355 978 R1	SPRING, BRAKE OPERATING ROD		2
19	355 980 R1	BALL, BRAKE OPERATING ROD		2
20	355 979 R1	SPACER, BRAKE OPERATING ROD		2
21	355 977 R11	ROD, OPERATING, BRAKE, ASSEMBLY		2
		(COMPOSED OF -		
		1 BALL 355 980 R1		
		3 NUT 114 494		
		1 ROD 355 977 R1		
		1 SPACER 355 979 R1		
		1 SPRING 355 978 R1		
		1 WASHER 575 807 R1)		
22	355 970 R1	PLUG, CUP BRAKE HOUSING (OPEN END PLUG)		2
23	357 101 R1	PLUG, CUP BRAKE HOUSING (CLOSED END PLUG)		2
		§ - NOT SERVICED SEPARATELY		

CHASSIS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		BRAKES AND CONNECTIONS—Continued		
24	355 969 R12	HOUSING, BRAKE, W/PLUG, 355 970 R1, AND PLUG, 357 101 R1		2
	179 872	SCREW, CAP, HEX-HD., 7/16-14NC x 3-1/2"		10
25	356 073 R1	RIVET, TUBULAR, STEEL, 3/16 x 1/2"		40
26	356 071 R91	DISC, MIDDLE, W/LININGS.		4
27	356 527 R91 368181R91	LINING SET, BRAKE (CONSISTS OF FOUR LININGS, W/TWENTY RIVETS, 356 073 R1)		2
28	355 975 R1	YOKE, BRAKE OPERATING ROD		2
	103 496	PIN, ROD END, 3/8 x 1-3/32"		2
	103 373	PIN, COTTER, 3/32 x 3/4"		2
29	356 853 R91	DISC, ACTUATING, ASSEMBLY		2
		(COMPOSED OF -		
		3 BALL 16 028 R1		
		2 DISC (NOT SERVICED SEPARATELY, ORDER 356 853 R91)		
		1 LINK 356 069 R1		
		1 LINK 356 070 R1		
		2 NUT 114 493		
		2 SPRING 354 627 R1		
		2 STUD 354 625 R1)		
30	356 070 R1	LINK, ACTUATING (PLAIN)		2
31	356 069 R1	LINK, ACTUATING (YOKE)		2
32	354 627 R1	SPRING, EXTENSION		4
33	16 028 R1	BALL, 7/8" DIA.		6
34	354 625 R1	STUD, ACTUATING DISC		4
	114 493	NUT, JAM, HEX., 5/16-24NF		4

SEAT, SEAT SUPPORT AND TOOL BOX



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	351 925 R93	SEAT, DELUXE UPHOLSTERED		1
	181 392	SCREW, CAP, HEX-HD., 7/16-20NF x 11/16"		4
	103 322	WASHER, LOCK, MEDIUM, 7/16"		4
2	356 895 R2	HINGE		1
3	356 896 R2	RETAINER, SEAT		1
4	356 897 R3	BRACKET, SEAT ADJUSTMENT		1
	271 500	NUT, HEX., 7/16-14NC		4
	179 856	SCREW, CAP, HEX-HD., 7/16-14NC x 3/4"		4
	103 322	WASHER, LOCK, MEDIUM, 7/16"		4

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		SEAT, SEAT SUPPORT AND TOOL BOX—Continued		
5	80 158 H	SPACER (WILL WORK FOR 356 894 R1)		2
6	356 893 R2	WASHER "X"		4
7	356 892 R2	PIN, HINGE		2
8	356 890 R92	ATTACHMENT, TILT BACK SEAT BRACKET (CONSISTS OF TILT BACK SEAT BRACKET, 356 891 R93 AND NUT, 271 500, SCREW, 179 856 AND WASHER, 103 322)		1
8	356 891 R93	BRACKET, TILT BACK SEAT		1
		(COMPOSED OF -		
		1 BRACKET 356 897 R3		
		1 HINGE 356 895 R2		
		2 PIN 356 892 R2		
		1 RETAINER 356 896 R2		
		2 SPACER 80 158 H		
		4 WASHER 356 893 R2)		
9	352 118 R1	CLIP, TRIP ROPE		1
	271 500	NUT, HEX., 7/16-14NC †		1
	179 856	SCREW, CAP, HEX-HD., 7/16-14NC x 3/4" †		1
	103 322	WASHER, LOCK, MEDIUM, 7/16" †		1
10	352 599 R94	BRACKET, SEAT SUPPORT, W/GASKET, 352 100 R1		1
11	352 100 R1	GASKET, CONICAL SPRING		1
12	352 598 R2	SPRING, CONICAL (4 IDENTIFYING NOTCHES) (FOR MEDIUM WEIGHT OPERATORS)		1
12	354 671 R2	SPRING, CONICAL (3 IDENTIFYING NOTCHES) (FOR LIGHT WEIGHT OPERATORS)		1
12	354 670 R2	SPRING, CONICAL (5 IDENTIFYING NOTCHES) (FOR HEAVY WEIGHT OPERATORS)		1
13	355 750 R12	PLATE, SEAT MOUNTING (WILL WORK FOR 352 601 R1)		1
14	351 751 R1	BOLT, SHOCK ABSORBER ANCHOR, LOWER		1
	271 505	NUT, HEX., 7/16-20NF		1
	103 322	WASHER, LOCK, MEDIUM, 7/16"		1
15	359 572 R92	SUPPORT, SEAT AND TOOL BOX (WILL WORK FOR 356 826 R92) (FOR TRACTORS EQUIPPED WITH FAST HITCH OR HYDRAULIC REMOTE CONTROL)		1
		(STANDARD TRACTOR)	193534 UP	1
	103 028	NUT, HEX., 1/2-20NF		4
	103 323	WASHER, LOCK, 1/2"		4
16	356 834 R12	GUARD, HOSE, AUXILIARY CONTROL VALVE (FOR TRACTORS EQUIPPED WITH FAST HITCH OR REMOTE CONTROL)		1
	179 795	SCREW, CAP, HEX-HD., 1/4-20NC x 3/4"		2
	103 339	WASHER, PLAIN, 9/32" I.D. x 5/8" O.D. x No. 16 GA.		2
17	181 413	SCREW, CAP, HEX-HD., 7/16-20NF x 3-1/2" (SHOCK ABSORBER ANCHOR, UPPER)		1
	354 732 R1	NUT, LOCK, SHOCK ABSORBER ANCHOR BOLT (UPPER)		1
18	354 731 R1	SPACER, SHOCK ABSORBER BUSHING STEEL		2
19	72 696 R1	BUSHING, SHOCK ABSORBER AND SEAT PIVOT RUBBER		4
20	354 730 R1	TUBE, SHOCK ABSORBER BUSHING		1
21	351 750 R93	ABSORBER, SHOCK		1
22	352 650 R1	WASHER, SEAT SUPPORT PIVOT AND ROD	100001 TO 178783	2
22	361 140	BUSHING, SEAT SUPPORT PIVOT ROD, 5/8" I.D. x 1" O.D., 1-3/16" LONG (WILL WORK FOR 355 574 R1)	178784 UP	2


† - USED ONLY WITH TILT BACK BRACKET ATTACHMENTS

SEAT, SEAT SUPPORT AND TOOL BOX—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
23	352 616 R1	ROD, SEAT SUPPORT PIVOT	100001 TO 178783	1
23	355 753 R1	ROD, SEAT SUPPORT PIVOT	178784 UP	1
	181 427	SCREW, CAP, HEX-HD., 1/2-20NF x 1"		2
	103 323	WASHER, LOCK, MEDIUM, 1/2"		2
24	358 268 R2	BOLT, SEAT MOUNTING		4
	103 028	NUT, HEX., 1/2-20NF		4
	103 323	WASHER, LOCK, MEDIUM, 1/2"		4
	353 649 R1	WASHER, STEEL, 21/32" I.D. x 1-5/16" O.D. x No. 13 GA.		4
	353 309 R1	SPACER, SEAT MOUNTING		4
25	352 600 R91	LOCATOR, SEAT		1
26	352 105 R1	SPRING, SEAT LOCATOR		1
27	351 128 R1	RETAINER, SEAT LOCATOR (WILL WORK FOR 352 122 R1)		1
	350 513 R1	RIVET, FL-HD., AL., 7/64 x 3/8" (USED FOR ATTACHING SERIAL NUMBER PLATE)		4
	357 820 R92	ATTACHMENT, DELUXE TYPE UPHOLSTERED SEAT (CONSISTS OF SEAT, 357 518 R91)		1
	351 440 R93	ATTACHMENT, DETACHABLE SEAT PAD (CONSISTS OF ONE PAD, 351 438 R93)		1
	359 555 R91	ATTACHMENT, DETACHABLE SEAT PAD (CONSISTS OF PAD, 359 483 R91)		1
	354 672 R92	ATTACHMENT, SEAT SPRING (CONSISTS OF ONE SPRING, 354 670 R2) (FOR HEAVY WEIGHT OPERATORS)		1
	354 673 R92	ATTACHMENT, SEAT SPRING (CONSISTS OF ONE SPRING, 354 671 R2) (FOR LIGHT WEIGHT OPERATORS)		1
	360 083 R91	ATTACHMENT, SEAT SPRING (CONSISTS OF ONE SPRING, 352 598 R2) (FOR MEDIUM WEIGHT OPERATORS)		1
	351 438 R93	PAD, DETACHABLE SEAT (RUBBER)		1
	359 483 R91	PAD, DETACHABLE SEAT (JUTE)		1
	355 749 R93	UNIT, SEAT SUSPENSION, ASSEMBLY (WILL WORK FOR 352 749 R93)		1
		(COMPOSED OF -		
		1 ABSORBER 351 750 R93 — 1 PLATE 355 750 R12		
		1 BOLT 351 751 R1 — 1 RETAINER 351 128 R1		
		1 BOLT 181 413 — 1 ROD 355 753 R1		
		1 BRACKET 352 599 R94 — 2 SCREW 181 427		
		4 BUSHING 72 696 R1 — 1 SCREW 186 273		
		2 BUSHING 361 140 R1 — 2 SPACER 354 731 R1		
		1 LEVER 362 671 R1 — 1 SPRING 352 105 R1		
		1 LOCATOR 352 600 R91 — 1 SPRING 354 671 R2		
		1 NUT 354 732 R1 — 1 TUBE 354 730 R1		
		1 NUT 271 505 — 1 WASHER 103 322		
		1 NUT 551 172 R1 — 2 WASHER 103 323)		
	351 807 R1	CLIP, STARTING CRANK	100001 TO 193534	1
	110 637	RIVET, RD-HD., STL., 1/8 x 5/16"		4
	360 710 R92	PACKAGE, SERVICE, SEAT AND TOOL BOX SUPPORT (CONSISTS OF GUARD, 356 834 R12 AND SUPPORT 359 572 R92) (WILL WORK FOR 352 086 R91)	100001 TO 193534	1

CHASSIS

SWINGING DRAWBAR




A-17208

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	351 232 R2	PLATE, SWINGING DRAWBAR HITCH		1
2	352 418 R1	PLATE, DRAWBAR CLAMP		1
	114 820	NUT, HEX., 5/8-11NC		2
	271 571	SCREW, CAP, HEX-HD., 5/8-11NC x 4-1/4"		2
	103 325	WASHER, LOCK, 5/8"		2
3	351 228 R11	DRAWBAR, SWINGING		1
	218 197	NUT, HEX., 3/4-16NF		2
	271 635	SCREW, CAP, HEX-HD., 3/4-16NF x 2-1/4"		2
	103 326	WASHER, LOCK, 3/4"		2
4	352 050 R11	DRAWBAR		1
	362 014 R1	SCREW, CAP, HEX-HD., 5/8-11NC x 1-1/2"		2
	271 560	SCREW, CAP, HEX-HD., 5/8-11NC x 1-3/4"		2
	103 325	WASHER, LOCK, 5/8"		4
5	351 231 R1	PIN, SWINGING DRAWBAR PIVOT		1
	103 408	PIN, COTTER, 3/16 x 1-1/4"		1
	357 428 R91	PACKAGE, SERVICE SWINGING DRAWBAR HITCH PLATE (WILL WORK FOR 351 232 R1)		1
		(CONSISTS OF -		
		1 PLATE 351 232 R2		
		2 NUT 103 031		
		2 SCREW 271 635		
		2 WASHER 103 326)		

CHASSIS

HAND LUBRICATOR (Lincoln)




A-20792

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	QA 3 803	LUBRICATOR (3 OUNCE CAPACITY)		1
1	353 867 R1	CAP, NOZZLE		1
2	39 656 D	PACKING, NOZZLE		1
3	353 863 R1	SPRING, CHECK BALL		1
4	39 659 D	BALL, CHECK, 7/32"		1
5	353 864 R1	EXTENSION, NOZZLE		1
6	353 862 R1	HEAD		1
7	353 861 R91	PLUNGER		1
8	353 858 R91	HEAD, ASSEMBLY		1
9	353 855 R1	GASKET, HEAD		1
10	52 034 DA	TUBE, CONTAINER		1

CHASSIS

TOOLS



A-16990B

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	46 190 DC	WRENCH, SPARK PLUG		1
2	350 370 R1	WRENCH, QUICK ATTACHABLE		1
3	351 559 R1	WRENCH, WHEEL (1 x 3/4" HEX.)		1
4	360 378 R1	HOOK, LATCH (TRACTORS EQUIPPED WITH FAST-HITCH)		1
	360 376 R1	CLIP, LATCH HOOK HOLD-DOWN (TRACTORS EQUIPPED WITH FAST-HITCH)		1
	360 377 R1	CLIP, SPRING, LATCH HOOK (TRACTORS EQUIPPED WITH FAST-HITCH)		1

TC-44

PACKAGE ASSORTED GASKETS

PART NUMBER		DESCRIPTION		NO. REQ'D
356 314 R92		GASKET SET, ENGINE, 29 GASKETS AS FOLLOWS -		
		24 520 D	GASKET, CARBURETOR	1
		46 179 D	GASKET, CRANKCASE FRONT COVER	1
		43 446 D	GASKET, CRANKSHAFT OIL SEAL	
			RETAINER PLATE	4
		43 448 D	GASKET, CRANKSHAFT REAR OIL SEAL	
			RETAINER	1
		43 447 D	GASKET, CRANKSHAFT REAR OIL SEAL	
			RETAINER CENTER	2
		356 313 R2	GASKET, CYLINDER HEAD	1
		46 168 DB	GASKET, DISTRIBUTOR DRIVE HOUSING	1
		352 014 R1	GASKET, EXHAUST AND INTAKE MANIFOLD	2
		43 294 D	GASKET, FAN BRACKET	1
		45 875 D	GASKET, GOVERNOR HOUSING	1
		43 415 D	GASKET, LUBRICATING OIL PUMP	
			BODY COVER	2
		13 728 D	GASKET, OIL FILTER CASE	1
		43 458 D	GASKET, OIL PAN	1
		43 378 DB	GASKET, VALVE COVER	1
		46 871 D	GASKET, WATER INLET ELBOW	1
		43 482 D	SEAL, FELT, GOVERNOR ROCKSHAFT	1
		46 949 D	SEAL, GOVERNOR SPEED CHANGE	
			LEVER SHAFT	1
		24 425 D	OIL SEAL, FELT, CRANKSHAFT REAR	2
		43 445 D	PLUGS, FELT, CRANKSHAFT OIL SEAL	
			RETAINER PLATE	4
357 476 R91		GASKET SET, VALVE GRINDING, 8 GASKETS AS FOLLOWS -		
		24 520 D	GASKET, CARBURETOR	1
		356 313 R2	GASKET, CYLINDER HEAD	1
		352 014 R1	GASKET, EXHAUST AND INTAKE MANIFOLD	2
		43 294 D	GASKET, FAN BRACKET	1
		43 378 DB	GASKET, VALVE HOUSING	1
		62 866 D	WASHER, VALVE HOUSING STUD NUT	2
354 219 R91		GASKET SET, CHASSIS, 18 GASKETS AS FOLLOWS -		
		351 142 R1	GASKET, COUNTERSHAFT BEARING	
			CAGE RETAINER	1
		49 116 D	GASKET, FRONT WHEEL HUB	2
		355 888 R1	GASKET, FUEL STRAINER	1
		351 113 R1	GASKET, REAR AXLE CARRIER	2
		351 117 R1	GASKET, REAR AXLE CARRIER CAP	2
		351 133 R1	GASKET, REAR FRAME COVER	1
		60 589 DA	GASKET, REAR FRAME COVER PLATE	1
		52 951 D	GASKET, STEERING WORM WHEEL SHAFT	
			LOWER BEARING CAGE	1
		52 952 D	GASKET, STEERING WORM WHEEL SHAFT	
			LOWER BEARING CAGE COVER	1
		46 503 D	GASKET, TRANSMISSION SPLINE SHAFT	
			BEARING RETAINER	1
		59 385 D	RING, SEAL, BULL PINION SHAFT	
			BEARING CAGE	2
		63 090 D	SEAL, BRAKE DRUM SHAFT	2
		352 417 R1	SEAL, STEERING WORM WHEEL SHAFT	1

OVERHAUL AND IMPROVEMENT PACKAGES

PART NUMBER	DESCRIPTION	
357 152 R91	GASKET SET, CARBURETOR (ZENITH)	1
356 314 R92	GASKET SET, ENGINE	1
357 476 R91	GASKET SET, VALVE GRINDING	1
356 452 R96	PACKAGE, DECAL	
	CONSISTS OF -	
	1 001 181 R3 — AIR CLEANER INSTRUCTIONS (DONALDSON)	1
	1 001 289 R1 — AIR CLEANER INSTRUCTIONS (UNITED SPECIALTIES)	1
	1 000 704 R4 — BRAKE WARNING	1
	1 000 987 R2 — CYLINDER HEAD BREATHER INSTRUCTIONS	1
	1 001 182 R1 — DRAWBAR WARNING	1
	1 001 327 R1 — HYDRAULIC LIFT CAUTION	1
	1 001 348 R1 — HYDRAULIC LIFT OIL LEVEL	1
	1 000 867 R1 — LIGHTING SWITCH TRANSFER	1
	1 000 690 R3 — "MADE IN U.S.A."	1
	1 001 673 R1 — "MCCORMICK" FARMALL	2
	1 001 012 R5 — OIL FILTER INSTRUCTIONS	1
	1 000 636 R5 — POWER TAKE-OFF WARNING	1
	1 000 984 R2 — PRESSURE COOLING WARNING DECAL	1
	1 001 455 R1 — SUPER "C" SYMBOL	2
356 746 R91	PACKAGE, GOVERNOR, ASSEMBLY	1
356 695 R92	PACKAGE, SERVICE, IGNITION CABLE	1
354 893 R92	RING SET, PISTON (PERFECT CIRCLE) (GASOLINE OR DISTILLATE) (GREY IRON PISTONS)	1
354 894 R92	RING SET, PISTON (WILKENING) (GASOLINE OR DISTILLATE) (GREY IRON PISTONS)	1
357 679 R91	RING SET, PISTON (PERFECT CIRCLE 2-IN-1-CHROME) (GASOLINE OR DISTILLATE) (GREY IRON PISTONS)	1
357 076 R91	RING SET, PISTON (PERFECT CIRCLE) (KEROSENE)(GREY IRON PISTONS)	1
357 080 R91	RING SET, PISTON (WILKENING) (KEROSENE)(GREY IRON PISTONS)	1
356 310 R92	SLEEVE SET, CRANKCASE (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 356 300 R92 (GASOLINE OR DISTILLATE) (GREY IRON PISTONS)	1
356 615 R92	SLEEVE SET, CRANKCASE (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 356 620 R92 (GASOLINE OR DISTILLATE - 5000 FT. ALTITUDE)(GREY IRON PISTONS)	1
356 617 R92	SLEEVE SET, CRANKCASE (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 356 621 R92 (GASOLINE OR DISTILLATE - 8000 FT. ALTITUDE) (GREY IRON PISTONS)	1
356 904 R92	SLEEVE SET, CRANKCASE (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 356 903 R92 (KEROSENE) (GREY IRON PISTONS)	1
356 907 R92	SLEEVE SET, CRANKCASE (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS) (KEROSENE - 5000 FT. ALTITUDE) (GREY IRON PISTONS)	1
356 909 R92	SLEEVE SET, CRANKCASE (CONSISTS OF FOUR SLEEVES, W/PISTONS AND RINGS, 356 915 R92 (KEROSENE - 8000 FT. ALTITUDE)(GREY IRON PISTONS)	1
362 865 R91	SLEEVE SET, CRANKCASE (CONSISTS OF FOUR SLEEVES W/PISTONS AND RINGS 562 866 R91 (GASOLINE) (FOR ALUMINUM PISTONS)	1
360 119 R92	PACKAGE, FRONT WHEEL BEARING	1

HYDRAULIC


PART NUMBER	DESCRIPTION	
357 646 R92	PACKAGE, SERVICE, CYLINDER BLOCK	1
354 007 R96	PACKAGE, SERVICE, CYLINDER BLOCK GASKET AND SEAL RING	1
355 207 R91	PACKAGE, TOUCH CONTROL MANIFOLD AND PUMP SEAL RING AND GASKET	1
355 362 R91	PACKAGE, TOUCH CONTROL PUMP MOUNTING GASKET	1

MEMORANDA

HYDRAULIC SYSTEM

HYDRAULIC SYSTEM

TOUCH-CONTROL CYLINDER BLOCK, CYLINDER HEAD, PISTONS, CONNECTING RODS, REGULATOR VALVES, CHECK VALVES, AND CONNECTIONS



A-22930D

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	354 465 R98	ATTACHMENT, FARMALL TOUCH-CONTROL		1
	359 560 R94	TOUCH-CONTROL, ASSEMBLY		1
		(COMPOSED OF -		
		1 BLOCK 354 351 R99		
		4 SCREW 271 569		
		1 ROCKSHAFT 359 558 R92		
		4 WASHER 103 325)		
1	355 844 R91	STRAINER, CYLINDER BLOCK OIL		1
	179 792	SCREW, CAP, HEX-HD., 1/4-20NC x 9/16"		4
	103 319	WASHER, LOCK, 1/4"		4
2	350 651 R1	GASKET, CYLINDER BLOCK OIL STRAINER		1

HYDRAULIC SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		TOUCH-CONTROL CYLINDER BLOCK, CYLINDER HEAD, PISTONS, CONNECTING RODS, REGULATOR VALVE, CHECK VALVES AND CONNECTIONS—Continued		
3	350 657 R1	SEAL, PISTON HEAD		2
3A	354 513 R1	NUT, CONNECTING ROD YOKE, W/WASHER, 103 334 (WILL WORK FOR 145 013)		2
	103 334	WASHER, LOCK, 5/8"		2
4	355 348 R91	PISTON (OPTIONAL WITH 357 372 R91)		2
4	357 372 R91	PISTON (OPTIONAL WITH 355 348 R91)		2
5	350 658 R1	SEAL, PISTON SLEEVE		4
5A	352 221 R1	RING, SEAL, CONNECTING ROD YOKE		2
6	355 353 R1	YOKE, CONNECTING ROD		2
7	350 661 R1	PIN, CONNECTING ROD YOKE		2
8	350 659 R11	ROD, CONNECTING, W/BUSHING, 350 019 R1		2
9	350 019 R1	BUSHING, CONNECTING ROD		2
10	350 667 R1	RING, SEAL, CHECK VALVE BUSHING, CENTER		4
11	350 668 R1	SPRING, CHECK VALVE		4
12	354 057 R2	VALVE, CHECK (WILL WORK FOR 350 664 R1)		4
13	353 953 R1	ACTUATOR, CHECK VALVE		2
13A	355 369 R1	BUSHING, CHECK VALVE, REAR (WILL WORK FOR 353 740 R1)		2
13B	355 967 R1	RING, SEAL, CHECK VALVE ACTUATOR (WILL WORK FOR 352 672 R1)		2
14	354 353 R11	HEAD, CYLINDER, W/PLUG, 50 474 DA		1
	50 474 DA	PLUG, PIPE, CYLINDER HEAD		1
15	354 354 R3	GASKET, CYLINDER HEAD		1
16	353 953 R1	ACTUATOR, CHECK VALVE		2
16A	355 967 R1	RING, SEAL, CHECK VALVE ACTUATOR (WILL WORK FOR 352 672 R1)		2
16B	355 368 R1	BUSHING, CHECK VALVE, FRONT (WILL WORK FOR 353 738 R1)		2
17	350 667 R1	RING, SEAL, CHECK VALVE, BUSHING, CENTER		4
18	15 258 E	SPRING, SAFETY VALVE (SAME AS 350 081 R1)	100001 TO 191866	1
19	351 342 R1	SLEEVE, SAFETY VALVE (WILL WORK FOR 351 868 R1)		1
20	351 867 R1	PISTON, SAFETY VALVE	100001 TO 191866	1
21	352 024 R1	RING, SEAL, PRESSURE REGULATOR VALVE PISTON	100001 TO 191866	1
22	352 940 R21	PISTON, PRESSURE REGULATOR VALVE	100001 TO 191866	1
23	352 024 R1	RING, SEAL, PRESSURE REGULATOR VALVE SEAT	100001 TO 191866	1
24	354 388 R1	SCREW, CAP, CYLINDER HEAD		14
26	352 025 R1	SEAT, PRESSURE REGULATOR VALVE	100001 TO 191866	1
27	16 018 R1	BALL, CHROME STL., 9/16" DIA. (PRESSURE REGULATOR VALVE)	100001 TO 191866	1
28	350 084 R2	RIDER, PRESSURE REGULATOR VALVE BALL	100001 TO 191866	1
29	352 026 R2	SPRING, PRESSURE REGULATOR VALVE BALL RIDER	100001 TO 191866	1

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		TOUCH-CONTROL CYLINDER BLOCK, CYLINDER HEAD, PISTON, CONNECTING RODS, REGULATOR VALVE, CHECK VALVES AND CONNECTION —Continued		
30	353 853 R31	PLUG AND SCREEN, PRESSURE REGULATOR VALVE ORIFICE (WILL WORK FOR 351 156 R1)		
		(OPTIONAL WITH 355 372 R92)		1
30	355 372 R92	PLUG AND SCREEN, PRESSURE REGULATOR VALVE ORIFICE (WILL WORK FOR 351 156 R1)		
		(OPTIONAL WITH 353 853 R31)		1
31	350 672 R1	RING, SEAL, CONTROL VALVE		2
32	350 646 R1	GASKET, CYLINDER BLOCK COVER		1
33	350 645 R1	COVER, CYLINDER BLOCK		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		10
34	50 410 DA	PLUG, CYLINDER BLOCK		16
35	354 360 R1	BLOCK, TAPPING, CONTROL VALVE OPERATING LEVER STOP		
		(NOT USED WITH 355 349 R21)		2
36	354 674 R1	STOP, CONTROL VALVE OPERATING LEVER (NOT USED WITH 355 349 R21)		2
	191 244	SCREW, CAP, HEX-SOCKET-HD., 5/16-24NF x 7/8"		4
37	351 753 R3	BOOT, CONTROL VALVE		2
	68 251 D	WIRE, LKG., No. 18 GA. x 4" LONG		2
	351 812 R1	WIRE, LKG., No. 18 GA. x 6-1/2" LONG		2
38	357 637 R1	COVER, HYDRAULIC CYLINDER BLOCK TOP W/CKS. HOLES)		1
	114 663	SCREW, MACHINE, SLOTTED-FL-HD., 5/16-18NC x 3/4"		14
38	355 351 R1	COVER, HYDRAULIC CYLINDER BLOCK TOP (W/PLAIN HOLES)		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		14
38A	355 352 R1	GASKET, HYDRAULIC CYLINDER BLOCK TOP COVER		1
39	357 646 R96	BLOCK, CYLINDER, ASSEMBLY (WILL WORK FOR 354 352 R21)	100001 TO 138891	1
		(COMPOSED OF -		
		1 BLOCK 362 451 R92 — 1 RING 352 024 R2		
		1 BUSHING 360 474 R1 — 1 RING 352 221 R1		
		1 BUSHING 360 475 R1 — 1 RING 355 966 R1		
		1 BUSHING 360 725 R1 — 14 SCREW 114 663		
		1 COVER 357 637 R1 — 1 SPRING 360 476 R1		
		1 GASKET 354 354 R3 — 1 SPRING 360 727 R1		
		1 GASKET 355 352 R1 — 1 SPRING 360 728 R1		
		1 PISTON 360 724 R11 — 1 SPRING 361 340 R2		
		1 PISTON 361 341 R3 — 1 VALVE 360 726 R1)		
		1 RING 350 684 R1		
39	360 633 R93	BLOCK, CYLINDER, ASSEMBLY (WILL WORK FOR 355 349 R21 AND 357 657 R31)	138892 TO 191866	1
		(COMPOSED OF -		
		1 BLOCK 362 451 R92 — 1 RING 352 024 R2		
		1 BUSHING 360 474 R1 — 1 RING 352 221 R1		
		1 BUSHING 360 475 R1 — 1 RING 355 966 R1		
		1 BUSHING 360 725 R1 — 1 SPRING 360 476 R1		
		1 GASKET 354 354 R3 — 1 SPRING 360 727 R1		
		1 PISTON 360 724 R11 — 1 SPRING 360 728 R1		
		1 PISTON 361 341 R3 — 1 SPRING 361 340 R2		
		1 RING 350 684 R1 — 1 VALVE 360 726 R1)		

HYDRAULIC SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		TOUCH-CONTROL CYLINDER BLOCK, CYLINDER HEAD, PISTONS, CONNECTING RODS, REGULATOR VALVE, CHECK VALVES AND CONNECTIONS—Continued		
39	362 451 R?1	BLOCK, CYLINDER, ASSEMBLY	191867 UP	1
		(COMPOSED OF -		
		1 BLOCK § 357 657 R5 — 2 RING 350 672 R1		
		1 GASKET 3 405 H — 2 SCREEN 354 269 R1		
		18 PLUG 50 410 DA — 2 SCREW 102 570		
		1 PLUG 172 592 — 2 VALVE 354 264 R91		
		1 PLUG 359 875 R1 — 2 VALVE § 354 357 R1)		
		1 PLUG 103 867		
39	354 351 R99	BLOCK, CYLINDER ASSEMBLY		1
		(COMPOSED OF -		
		REFERENCE NUMBER 1 TO 58 INCLUSIVE, ALSO		
		1 BRACE 350 678 R1 — 2 PIN 350 662 R1		
		1 BRACE 350 679 R1 — 2 PIN 350 680 R2		
		2 LINK 350 677 R2 — 1 PLUG 355 857 R1		
		4 NUT 110 633 — 4 SCREW 110 501		
		4 PIN 103 397 — 1 WASHER 355 848 R1		
		2 PIN 103 373 — 4 WASHER 106 497)		
	3 405 H	GASKET, FILLER PLUG		1
	172 592	PLUG, EXPANSION, 2" (SEE NOTE)		1
	103 867	PLUG, PIPE, SQ-HD., C.I., 3/8" (2 USED WITH BLOCK, 367 657 R4) (OPTIONAL WITH 103 879)		1
	103 879	PLUG, PIPE, SQ-HD., STL., 3/8" (OPTIONAL WITH 103 867)		1
	103 869	PLUG, PIPE, SQ-HD., C.I., 3/4"		1
	50 410 DA	PLUG, CONTROL VALVE		2
	359 875 R1	PLUG, FILLER (WILL WORK FOR 110 279 H AND 356 905 R1)		1
	179 887	SCREW, CAP, HEX-HD., 1/2-13 NC x 1-3/4"		4
	102 570	SCREW, SET, HEX-SOCKET, 1/4-20 NC x 3/8"		2
	103 323	WASHER, LOCK, 1/2"	100001 TO 171175	4
40	351 754 R3	BOOT, PISTON SLEEVE		2
	19 526 D	WIRE, LKG., No. 18 GA. x 10" LONG		2
	68 251 D	WIRE, LKG., No. 18 GA. x 4" LONG		2
41	354 358 R1	PIN, CONTROL VALVE		2
	137 130	PIN, COTTER, 1/16 x 7/16"		2
42	354 366 R92	LEVER AND PIN, CONTROL VALVE OPERATING		2
	103 373	PIN, COTTER, 3/32 x 3/4"		2
43	354 269 R1	SCREEN, RELIEF VALVE		2
44	354 264 R91	VALVE, RELIEF, W/PLUG, POPPET, AND SPRING		2
45	361 340 R2	SPRING, SAFETY VALVE		1
46	361 341 R3	PISTON, SAFETY VALVE	191867 UP	1
47	360 474 R1	BUSHING, OUTER, SAFETY VALVE	191867 UP	1
48	360 475 R1	BUSHING, INNER, SAFETY VALVE	191867 UP	1
49	355 966 R1	RING, SEAL, SAFETY VALVE INNER BUSHING	191867 UP	1
50	360 476 R1	SPRING, TENSION, SAFETY VALVE BUSHING	191867 UP	1
		NOTE - 4 USED ON TRACTORS WITH SERIAL Nos. 100001 TO 138891		
		§ - NOT SERVICED SEPARATELY		

HYDRAULIC SYSTEM


TOUCH-CONTROL CYLINDER BLOCK, CYLINDER HEAD, PISTONS, CONNECTING RODS, REGULATOR VALVE, CHECK VALVES AND CONNECTIONS—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
51	352 221 R1	RING, SEAL, PRESSURE REGULATOR VALVE PISTON	191867 UP	1
52	360 724 R11	PISTON, PRESSURE REGULATOR VALVE, W/RETAINER, ROD AND SPRING	191867 UP	1
53	352 024 R2	RING, SEAL, REAR, PRESSURE REGULATOR VALVE BUSHING	191867 UP	1
54	360 725 R1	BUSHING, PRESSURE REGULATOR VALVE	191867 UP	1
55	350 684 R1	RING, SEAL, FRONT, PRESSURE REGULATOR VALVE BUSHING	191867 UP	1
56	360 727 R1	SPRING, TENSION, PRESSURE REGULATOR VALVE	191867 UP	1
57	360 726 R1	VALVE, CHECK, PRESSURE REGULATOR	191867 UP	1
58	360 728 R1	SPRING, PRESSURE REGULATOR CHECK VALVE	191867 UP	1
	350 727 R1	CLIP, GOVERNOR CONTROL ROD (ILLUSTRATED WITH GOVERNOR CONTROLS)		1
	355 382 R1	FLUID, TRACTOR TOUCH-CONTROL (QUART CAN)		X
	359 450 R1	FLUID, TRACTOR TOUCH-CONTROL (GALLON CAN)		X
	360 376 R1	CLIP, LATCH HOOK HOLD-DOWN (TRACTORS EQUIPPED WITH FAST-HITCH)		1
	179 817	SCREW, CAP, HEX-HD., 5/16-18NC x 7/8"		1
	360 377 R1	CLIP, LATCH, (TRACTORS EQUIPPED WITH FAST-HITCH)		1
	360 378 R1	HOOK, LATCH (TRACTORS EQUIPPED WITH FAST-HITCH) (ILLUSTRATED WITH TOOLS)		1
	354 007 R96	PACKAGE, SERVICE, CYLINDER BLOCK, GASKET AND SEAL RING		1
		(CONSISTS OF -		
		1 GASKET 350 646 R1 — 1 RING 355 966 R1		
		1 GASKET 350 651 R1 — 4 RING 355 967 R1		
		1 GASKET 350 706 R2 — 4 RING 350 429 R1		
		1 GASKET 353 771 R2 — 2 RING 350 657 R1		
		1 GASKET 354 354 R3 — 4 RING 350 658 R1		
		1 GASKET 355 352 R1 — 10 RING 350 667 R1		
		1 RING 350 684 R1 — 2 RING 350 672 R1		
		2 RING 352 221 R1 — 2 RING 352 024 R2)		
	355 857 R1	PLUG, OIL STRAINER FLANGE (SEE NOTE)		1
	355 848 R1	WASHER, OIL STRAINER FLANGE BOSS (SEE NOTE)		1

NOTE - FOR STRAINER, 355 844 R91 ON TRACTORS NOT EQUIPPED WITH HEAT INDICATORS

§ - NOT SERVICED SEPARATELY — X - AS REQUIRED


TOUCH-CONTROL PUMP DRIVE GEAR AND MANIFOLD TUBES



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	350 706 R2	GASKET, MANIFOLD REAR FLANGE		
		(NOT USED ON TRACTORS EQUIPPED WITH HYDRAULIC REMOTE CONTROL ATTACHMENT)		1
2	350 701 R93	TUBES, MANIFOLD, W/TWO FLANGES, PLUG, 50 410 DA AND TWO PLUGS, 50 474 DA		1
2	356 779 R91	TUBES, MANIFOLD (TRACTORS EQUIPPED WITH HYDRAULIC REMOTE CONTROL ATTACHMENT)		
		(ILLUSTRATED WITH AUXILIARY CONTROL VALVE AND CONNECTIONS)		1
	103 026	NUT, HEX., 3/8-24NF		2
	179 841	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/4" (TRACTOR EQUIPPED		
		WITH HYDRAULIC REMOTE CONTROL ATTACHMENT)		2
	181 381	SCREW, CAP, HEX-HD., 3/8-24NF x 2-1/2"		2
	103 321	WASHER, LOCK, 3/8" (4 USED ON TRACTORS EQUIPPED WITH REMOTE CONTROL ATTACHMENT)		2
2A	353 331 R1	SCREW, CAP, MANIFOLD REAR FLANGE (WILL WORK FOR 179 842)		
		(NOT USED ON TRACTORS EQUIPPED WITH HYDRAULIC REMOTE CONTROL ATTACHMENT)		3
3	350 667 R1	RING, SEAL, MANIFOLD FRONT FLANGE (WILL WORK FOR 350 429 R1)		2
4		PUMP, TOUCH-CONTROL (FOR COMPONENTS SEE LIST OF PARTS UNDER		
		DETAILS OF "TOUCH-CONTROL PUMP")		1
5	106 749	KEY, WOODRUFF, 1/8 x 1/2"		1
6	350 709 R1	GEAR, DRIVE, TOUCH-CONTROL PUMP (16 TEETH)		1
7	351 818 R1	WASHER, DRIVE GEAR, TOUCH-CONTROL PUMP		1
8	350 708 R1	GASKET, TOUCH-CONTROL PUMP		1
	50 410 DA	PLUG, PIPE, 1/8" (MANIFOLD FLANGE, REAR)		1
	50 474 DA	PLUG, PIPE, 1/4" (MANIFOLD FLANGE, REAR)		2

HYDRAULIC SYSTEM

TOUCH-CONTROL PUMP



A-34381A

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	360 689 R91	PUMP, TOUCH-CONTROL, ASSEMBLY (PESCO) (WILL WORK FOR 350 707 R96,		
		355 007 R94 AND 355 370 R93) (OPTIONAL WITH 360 945 R92)		1
		(COMPOSED OF -		
		1 BALL 16 008 R1	1 RING § 353 186 R1	
		1 BODY, W/FOUR BEARINGS,	2 RING § 353 203 R11	
		TWO BOLTS, COVER, TWO	1 SCREW 186 282	
		PUMP GEARS, AND TWO	1 SCREW 179 850	
		WASHERS §	1 SPRING 361 625 R1	
		1 OIL SEAL 353 183 R91	1 SPRING 361 627 R1	
		1 PACKAGE 355 362 R91	2 WASHER, FIBRE § 355 202 R1)	
		1 PLUG 361 628 R1		
	114 494	NUT, JAM, HEX., 3/8-24NF		1
	179 850	SCREW, CAP, HEX-HD., 3/8-16NC x 2-3/4"		1
	186 282	SCREW, CAP, HEX-HD., 3/8-16NC x 3-1/4"		1
	103 321	WASHER, LOCK, MEDIUM, 3/8"		2
		§ - NOT SERVICED SEPARATELY		

PRINTED IN UNITED STATES OF AMERICA


HYDRAULIC SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		TOUCH-CONTROL PUMP—Continued		
2	16 008 R1	BALL, CHROME STL., 1/4" DIA. (USED ONLY ON PESCO PUMPS, 051012-080-02 AND 051012-081-02)		1
3	361 627 R1	SPRING, BALL CHECK (USED ONLY ON PESCO PUMPS, 051012-080-02 AND 051012-081-02)		1
4	361 628 R1	PLUG, BALL CHECK (USED ONLY ON PESCO PUMPS, 051012-080-02 AND 051012-081-02)		1
5	361 625 R1	SPRING, BEARING COVER (USED ON ALL PESCO PUMPS)		1
6	353 183 R91	OIL SEAL, PUMP SHAFT (USED ONLY ON PESCO PUMPS 051012-020-01, 051012-080-02 AND 051012-081 AND THOMPSON PUMPS) (OPTIONAL WITH 362 414 R91)		1
6	362 414 R91	OIL SEAL, PUMPSHAFT (USED ONLY ON PESCO PUMPS 051012-020-01, 051012-080-02 AND 051012-081-02 AND THOMPSON PUMPS) (OPTIONAL WITH 353 183 R91)		1
7	360 945 R91	PUMP, TOUCH-CONTROL, ASSEMBLY (THOMPSON) (WILL WORK FOR 350 707 R96, 355 007 R94 AND 355 370 R93) (OPTIONAL WITH 360 689 R91)		1
		(COMPOSED OF -		
		1 BALL 16 009 R1 — 1 PLUG 361 631 R1		
		1 BODY, W/FOUR BEARINGS, TWO BOLTS, COVER AND TWO PUMP GEARS § — 1 RING § 352 024 R2		
		1 RING § 356 818 R1		
		2 SCREW 179 851		
		1 OIL SEAL 353 183 R91 — 1 SPRING 361 629 R1		
		1 PACKAGE 355 362 R91 — 1 SPRING 361 630 R1)		
	114 494	NUT, JAM, HEX., 3/8-24NF		1
	179 851	SCREW, CAP, HEX-HD., 3/8-16NC x 3"		2
	103 321	WASHER, LOCK, MEDIUM, 3/8"		2
8	16 009 R1	BALL, CHROME STL., 9/32" DIA. (USED ON THOMPSON PUMPS)		1
9	361 630 R1	SPRING, BALL CHECK (USED ON THOMPSON PUMPS)		1
10	361 631 R1	PLUG, BALL CHECK (USED ON THOMPSON PUMPS)		1
11	361 629 R1	SPRING, PRESSURE PLATE (USED ON THOMPSON PUMPS)		1
	355 207 R91	PACKAGE, MANIFOLD AND PUMP SEAL RING AND GASKET (USED ON PESCO PUMPS 051012-020-01 THRU 051012-020-07 AND 051012-024-05 THRU 051012-024-07)		1
		(CONSISTS OF -		
		1 GASKET 350 706 R2 — 1 RING § 353 836 R1		
		1 GASKET 350 708 R1 — 2 RING § 355 203 R1		
		1 KEY 106 749 — 1 SEAL § 353 185 R1		
		2 RING 350 667 R1 — 2 WASHER § 355 048 R1		
		2 RING § 353 184 R1 — 2 WASHER § 355 202 R1)		
		1 RING § 353 186 R1		
		§ - NOT SERVICED SEPARATELY		

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		TOUCH-CONTROL PUMP—Continued		
	355 362 R91	PACKAGE, touch-control pump mounting gasket		1
		(Composed of -		
		1 GASKET 350 706 R2		
		1 GASKET 350 708 R1		
		2 RING 350 667 R1)		
	360 691 R91	PACKAGE, manifold and pump seal ring and gasket (used only on Pesco Pumps 051012-080-02 and 051012-081-02)		1
		(Composed of -		
		1 GASKET 350 706 R2 — 2 RING 350 667 R1		
		1 GASKET 350 708 R1 — 1 RING § 353 186 R1		
		1 KEY 106 749 — 2 RING § 355 203 R1		
		1 OIL SEAL 353 183 R91 — 2 WASHER § 355 202 R1)		
	360 957 R91	PACKAGE, manifold and pump seal ring and gasket (used only on Thompson Pumps)		1
		(Composed of -		
		1 GASKET 350 706 R2		
		1 GASKET 350 708 R1		
		1 KEY 106 749		
		1 OIL SEAL 353 183 R91		
		2 RING 350 667 R1		
		1 RING § 352 024 R2		
		1 RING § 356 818 R1)		
	353 836 R1	RING, seal pump shaft (used only on Pesco Pumps 051012-026-02 thru 051012-020-07 and 051012-024-05 thru 051012-024-07)		1

§ - Not Serviced Separately

TOUCH-CONTROL ROCKSHAFT, (3-ARM) ROCKSHAFT ARMS, BEARINGS, OPERATING LINK AND BRACE




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	350 677 R2	LINK, operating, control valve		2
	110 501	SCREW, slotted-rd-hd., No. 24NC x 5/8"		4
	110 633	NUT, hex., No. 10-24NC		4
	106 497	WASHER, lock, No. 10		4
2	350 662 R1	PIN, connecting rod		2
	103 397	PIN, cotter, 5/32 x 1-1/4"		4
3	350 678 R1	BRACE, control valve operating link, L.H.		1
4	350 914 R91	BEARING, rockshaft support, L.H. (order 359 567 R92)	100001 to 171175	1
4	350 914 R93	BEARING, rockshaft support, L.H.	171176 up	1
	179 937	SCREW, cap, hex-hd., 5/8-11NC x 3-1/2"	100001 to 171175	2
	271 569	SCREW, cap, hex-hd., 5/8-11NC x 3-3/4"	171176 up	2
	103 325	WASHER, lock, medium, 5/8"		2
5	109 350	FITTING, lubrication, 67-1/2° elbow, 1/8" (optional with 109 460) (used in bearing and cap with threaded fitting hole)		2
5	109 460	FITTING, lubrication, 67-1/2° elbow, 1/8" (optional with 109 350) (used in bearing and cap with threaded fitting hole)		2

HYDRAULIC SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		TOUCH-CONTROL ROCKSHAFT, (3-ARM) ROCKSHAFT ARMS, BEARINGS, OPERATING LINK AND BRACE —Continued		
6	443 571	FITTING, LUBRICATION, DRIVE TYPE, 67-1/2° ELBOW, 3/16" (OPTIONAL WITH 12 309 R1)		
		(USED IN BEARING AND CAP WITH PLAIN FITTING HOLE)		2
6	12 309	FITTING, LUBRICATION, DRIVE TYPE, 67-1/2° ELBOW, 3/16" (OPTIONAL WITH 443 571)		
		(USED IN BEARING AND CAP WITH PLAIN FITTING HOLE)		2
7	350 680 R2	PIN, CONTROL VALVE OPERATING LINK		2
	103 373	PIN, COTTER, 3/32 x 3/4"		2
8	350 679 R1	BRACE, CONTROL VALVE OPERATING LINK, R.H.		1
9	350 693 R1	BUSHING, ROCKSHAFT INNER ARM		2
10	350 918 R21	ARM, ROCKSHAFT, INNER, L.H. W/TWO BUSHINGS, 350 693 R1		1
11	443 566	FITTING, LUBRICATION, DRIVE TYPE, STRAIGHT, 3/16" (OPTIONAL WITH 15 239 E)		
		(USED IN ARM WITH PLAIN FITTING HOLE)		1
11	15 239 E	FITTING, LUBRICATION, DRIVE TYPE, STRAIGHT, 3/16" (OPTIONAL WITH 443 566)		
		(USED IN ARM WITH PLAIN FITTING HOLE)		1
12	40 093 D	KEY, WOODRUFF 1/4 x 2-1/8"		2
13	350 913 R2	ROCKSHAFT		1
14	350 917 R1	BEARING, ROCKSHAFT SUPPORT, R.H. (ORDER 359 567 R92)	100001 TO 171175	1
14	350 917 R21	BEARING, ROCKSHAFT SUPPORT, R.H.	17116 UP	1
	179 937	SCREW, CAP, HEX-HD., 5/8-11NC x 3-1/2"	100001 TO 171175	2
	271 569	SCREW, CAP, HEX-HD., 5/8-11NC x 3-3/4"	171176 UP	2
	103 325	WASHER, LOCK, MEDIUM, 5/8"		2
15	Q 3 515	PIN, ROCKSHAFT CLEVIS PIN LOCK		3
	108 630	PIN, COTTER, 1/8 x 7/8"		3
16	350 144 R1	SPRING, ROCKSHAFT CLEVIS PIN LOCK PIN		3
17	359 552 R1	ARM, ROCKSHAFT, R.H. (WILL WORK FOR 350 919 R1)		1
18	350 142 R1	PIN, ROCKSHAFT CLEVIS		6
19	15 347 D	NUT, ROCKSHAFT (WILL WORK FOR 115 781)		2
20	350 188 R21	LOCK, ROCKSHAFT CLEVIS PIN		3
21	359 554 R1	PIN, ROCKSHAFT ARM CLEVIS		1
	PO 18 500 A	PIN, COTTER, QUICK-ATTACHABLE		1
22	350 919 R21	ARM, ROCKSHAFT, OUTER, L.H.		1
	359 567 R92	PACKAGE, SERVICE, ROCKSHAFT SUPPORT (CONSISTS OF BEARING,		
		350 914 R92, BEARING, 350 917 R3 AND FOUR SCREWS, 271 567)	100001 TO 171175	1
	359 558 R92	ROCKSHAFT, TOUCH-CONTROL, ASSEMBLY (WILL WORK FOR 350 688 R91)		1
		(COMPOSED OF -		
		1 ARM 350 918 R21 — 2 NUT 15 347 D		
		1 ARM 350 919 R21 — 3 PIN 108 630		
		1 ARM 359 552 R1 — 1 PIN PO 18 500 A		
		1 BEARING 350 914 R93 — 3 PIN Q 3 515		
		1 BEARING 350 917 R3 — 6 PIN 350 142 R1		
		2 FITTING 443 571 — 1 PIN 359 554 R1		
		1 FITTING 443 566 — 1 ROCKSHAFT 350 913 R2		
		2 KEY 40 093 D — 3 SPRING 350 144.R1)		
		3 LOCK 350 188 R2		

HYDRAULIC SYSTEM

TOUCH-CONTROL ROCKSHAFT, (4-ARM) ROCKSHAFT ARMS, BEARINGS, OPERATING LINK AND BRACE




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	350 693 R1	BUSHING, ROCKSHAFT INNER ARM		4
2	351 401 R21	ARM, INNER, ROCKSHAFT, L.H., W/TWO BUSHINGS, 350 693 R1		1
3	350 914 R91	BEARING, ROCKSHAFT SUPPORT (ORDER 359 567 R92)	100001 TO 171175	2
3	350 914 R93	BEARING, ROCKSHAFT SUPPORT	171176 UP	2
	179 937	SCREW, CAP, HEX-HD., 5/8-11NC x 3-1/2"	100001 TO 171175	4
	271 569	SCREW, CAP, HEX-HD., 5/8-11NC x 3-1/2"	171176 UP	4
	103 325	WASHER, LOCK, 5/8"		4
4	109 350	FITTING, LUBRICATING, 67-1/2° ELBOW, 1/8" (OPTIONAL WITH 109 460) (USED IN BEARING AND CAP WITH THREADED FITTING HOLE)		2
4	109 460	FITTING, LUBRICATING, 67-1/2° ELBOW, 1/8" (OPTIONAL WITH 109 350) (USED IN BEARING AND CAP WITH THREADED FITTING HOLE)		2
5	443 571	FITTING, LUBRICATION, DRIVE TYPE, 67-1/2° ELBOW, 3/16" (OPTIONAL WITH 12 309 R1) (USED IN BEARING AND CAP WITH PLAIN FITTING HOLE)		2
5	12 309 R1	FITTING, LUBRICATION, DRIVE TYPE, 67-1/2° ELBOW, 3/16" (OPTIONAL WITH 443 571) (USED IN BEARING AND CAP WITH PLAIN FITTING HOLE)		2
6	Q 3 515	PIN, ROCKSHAFT ARM CLEVIS PIN LOCK		4
	108 630	PIN, COTTER, 1/8 x 7/8"		4
7	350 144 R1	SPRING, ROCKSHAFT ARM CLEVIS PIN LOCK PIN		4

HYDRAULIC SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		TOUCH-CONTROL ROCKSHAFT, (4-ARM) ROCKSHAFT ARMS, BEARINGS, OPERATING LINK AND BRACE —Continued		
8	350 919 R11	ARM, ROCKSHAFT, OUTER		2
9	350 142 R1	PIN, ROCKSHAFT ARM CLEVIS		8
10	350 188 R1	LOCK, ROCKSHAFT ARM CLEVIS PIN		4
11	443 566	FITTING, LUBRICATION, DRIVE TYPE, STRAIGHT, 3/16" (OPTIONAL WITH 15 239 E) (USED IN ARM WITH PLAIN FITTING HOLE)		1
11	15 239 E	FITTING, LUBRICATION, DRIVE TYPE, STRAIGHT, 3/16" (OPTIONAL WITH 443 566) (USED IN ARM WITH PLAIN FITTING HOLE)		1
12	40 093 D	KEY, WOODRUFF, NI. 1/4 x 2-1/8"		2
13	351 400 R2	ROCKSHAFT		1
14	350 677 R2	LINK, OPERATING, CONTROL VALVE		2
	110 501	SCREW, SLOTTED-RD-HD., No. 10-24NC x 5/8"		4
	110 633	NUT, HEX., No. 10-24NC		4
	106 497	WASHER, LOCK, No. 10		4
15	350 680 R2	PIN, CONTROL VALVE OPERATING LINK		2
	103 373	PIN, COTTER, 3/32 x 3/4"		2
16	350 662 R1	PIN, CONNECTING ROD		2
	103 397	PIN, COTTER, 3/16 x 1-1/4"		4
17	350 678 R1	BRACE, CONTROL VALVE OPERATING LINK, L.H.		1
18	350 679 R1	BRACE, CONTROL VALVE OPERATING LINK, R.H.		1
19	351 402 R11	ARM, ROCKSHAFT, INNER R.H., W/TWO BUSHINGS, 350 693 R1		1
20	15 347 D	NUT, ROCKSHAFT (WILL WORK FOR 115 781)		2
	350 917 R3	BEARING, ROCKSHAFT SUPPORT, R.H. (NOT USED WITH 4-ARM ROCKSHAFT) (SEE 3-ARM ROCKSHAFT)		
	359 567 R92	PACKAGE, SERVICE, ROCKSHAFT SUPPORT (CONSISTS OF BEARING, 350 914 R93, BEARING, 350 917 R3 AND FOUR SCREWS, 271 569)	100001 TO 171175	1
	351 399 R93	ROCKSHAFT, TOUCH-CONTROL, ASSEMBLY		1
		(COMPOSED OF -		
		2 ARM 350 919 R21 — 4 LOCK 350 188 R2		
		1 ARM 351 401 R21 — 2 NUT 115 781		
		1 ARM 351 402 R11 — 4 PIN Q 3 515		
		2 BEARING 350 914 R93 — 4 PIN 108 630		
		2 FITTING 443 571 — 8 PIN 350 142 R1		
		2 FITTING 443 566 — 1 ROCKSHAFT 351 400 R2		
		2 KEY 40 093 D — 4 SPRING 350 144 R1)		

HYDRAULIC SYSTEM

TOUCH-CONTROL LEVERS, SHAFTS, ARMS AND RODS




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	354 375 R2	ROD, TOUCH-CONTROL, L.H.		1
	103 024	NUT, HEX., 1/4-28NF		1
2	350 711 R1	ARM, TOUCH-CONTROL QUADRANT SUPPORT		4
	181 313	SCREW, CAP, HEX-HD., 1/4-28NF x 3/4"		4
	103 319	WASHER, LOCK, 1/4"		4
	103 024	NUT, HEX., 1/4-28NF		4
3	354 138 R1	SPACER, TOUCH-CONTROL QUADRANT SUPPORT ARM		1
4	350 712 R1	QUADRANT, TOUCH-CONTROL		2
	103 024	NUT, HEX., 1/4-28NF		2
	181 325	SCREW, CAP, HEX-HD., 1/4-28NF x 2-1/2"		2
	103 319	WASHER, LOCK, 1/4"		2
5	350 717 R91	STOP INDICATOR, TOUCH-CONTROL W/THUMB SCREW		4
7	351 403 R1	COVER, TOUCH-CONTROL AND STEERING SHAFT BRACKET SUPPORT		2

HYDRAULIC SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		TOUCH-CONTROL LEVERS, SHAFTS, ARMS AND RODS—Continued		
8	354 744 R91	SHAFT, HAND CONTROL LEVER, R.H.		1
	Q 1 510	WASHER, PLAIN, 15/32" I.D. x 13/16" O.D. x No. 14 GA.		1
8A	354 747 R1	SPACER, HAND CONTROL LEVER SHAFT		2
9	354 743 R91	SHAFT, HAND CONTROL LEVER, L.H.		1
	Q 1 510	WASHER, PLAIN, 15/32" I.D. x 13/16" O.D. x No. 14 GA.		1
10	350 719 R13	LEVER, HAND CONTROL		2
11	63 090 D	DISC, FRICTION, HAND CONTROL LEVER		2
12	17 157 R1	PIN, ROLL HAND CONTROL LEVER (WILL WORK FOR 142 493)		2
13	351 128 R1	RETAINER, CONTROL LEVER SHAFT SPRING		2
14	354 746 R1	SPRING, FRICTION, HAND CONTROL LEVER		2
15	103 494	PIN, END, 1/4 x 51/64"		2
	137 130	PIN, COTTER, 1/16 x 7/16"		2
16	354 373 R2	ROD, TOUCH-CONTROL, R.H.		1
	103 024	NUT, HEX., 1/4-28NF		1
17	104 036	YOKE, TOUCH-CONTROL ROD		2
18	356 466 R91	INDICATOR, HEAT, TOUCH-CONTROL (OPTIONAL WITH 355 841 R91)		1
18	355 841 R91	INDICATOR, HEAT, TOUCH-CONTROL (OPTIONAL WITH 356 466 R91)		1
19	61 813 D	CLIP, CABLE, HEAT INDICATOR (WILL WORK FOR 355 846 R1) (BATTERY BOX HOLD DOWN BOLT)		2
	355 874 R1	CLIP, CABLE, HEAT INDICATOR	100001 TO 176522	2
	359 526 R1	CLIP, CABLE, HEAT INDICATOR	176523 UP	1

HYDRAULIC SYSTEM

REMOTE CONTROL (Special)
AUXILIARY CONTROL VALVE, LEVER, ROD, AND MANIFOLD TUBES



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQ'D A	No. REQ'D B
		KEY TO LETTERS IN CAPTION:			
		A - 356 824 R93 - ATTACHMENT, REMOTE CONTROL (FOR TRACTORS EQUIPPED WITH TOUCH-CONTROL)		1	
		B - 362 845 R91 - ATTACHMENT, REMOTE CONTROL VALVE (FOR USE WITH C-32 POWER LOADER)			1
1	356 830 R4	HANDLE, AUXILIARY CONTROL VALVE OPERATING		1	1
	52 893 H	PIN, ROD END, DLD., 3/8 x 1-25/32"		1	1
	103 373	PIN, COTTER, 3/32 x 3/4"		1	1
2	356 831 R1	BRACKET, AUXILIARY CONTROL VALVE LEVER		1	1
	179 801	SCREW, CAP, HEX-HD., 1/4-20NC x 1-1/2"		2	2
	103 319	WASHER, LOCK, 1/4"		2	2
3	360 381 R91	LINK, 360 379 R1, W/HANDLE, 356 830 R4 AND TWO PINS, 1 161 Y (WILL WORK FOR 356 832 R3) (*)		1	
4	356 832 R3	ROD, AUXILIARY CONTROL VALVE, (ORDER 360 381 R91) (*)		1	
	137 130	PIN, COTTER, 1/16 x 7/16" (*)		2	
		(*) - THESE PARTS ARE NOT INCLUDED IN REMOTE CONTROL ATTACHMENTS			

HYDRAULIC SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQ'D A	No. REQ'D B
		REMOTE CONTROL (Special) AUXILIARY CONTROL VALVE LEVER, ROD, AND MANIFOLD TUBES—Continued			
5	360 379 R1	LINK, CONNECTING, AUXILIARY CONTROL VALVE, REMOTE CONTROL		1	1
	1 161 Y	PIN, ROD END, DLD., 5/16 x 23/32"		1	1
	103 373	PIN, COTTER, 3/32 x 3/4"		2	2
6	356 791 R2	LEVER, AUXILIARY CONTROL VALVE		1	1
7	356 793 R1	GUIDE, AUXILIARY CONTROL VALVE LEVER		1	1
	357 557 R1	PIN, ROLL, 1/4 x 5/8"		1	1
8	356 800 R1	POST, AUXILIARY CONTROL VALVE LEVER		1	1
	357 557 R1	PIN, ROLL, 1/4 x 5/8"		2	2
	622 258 R1	PIN, ROLL, 1/4 x 1-1/8"		1	1
9	356 790 R1	BOOT, AUXILIARY CONTROL VALVE		1	1
10	356 784 R91	OIL SEAL, AUXILIARY CONTROL VALVE (OPTIONAL WITH 361 086 R91)		1	1
10	361 086 R91	OIL SEAL, AUXILIARY CONTROL VALVE (OPTIONAL WITH 356 784 R91)		1	1
12	356 782 R21	BODY, AUXILIARY CONTROL VALVE, ASSEMBLY		1	1
		(COMPOSED OF -			
		1 BODY § 356 782 R2			
		1 OIL SEAL 356 784 R91			
		1 PLUG 444 691			
		1 PLUG § 356 786 R1			
		1 PLUG § 361 383 R1			
		1 VALVE § 356 783 R1)			
	444 691	PLUG, PIPE AUTOMOTIVE, HEX., SOCKET, 1/4" (OPTIONAL WITH 362 355 R1)		1	1
	362 355 R1	PLUG, PIPE AUTOMOTIVE, HEX., SOCKET, 1/4" (OPTIONAL WITH 444 691)		1	1
13	356 796 R1	WASHER, AUXILIARY CONTROL VALVE		2	2
14	356 795 R1	SPRING, AUXILIARY CONTROL VALVE		1	1
15	356 797 R1	RING, SNAP, AUXILIARY CONTROL VALVE		1	1
16	356 799 R1	GASKET, AUXILIARY CONTROL VALVE BOTTOM CAP		1	1
17	356 798 R1	CAP, AUXILIARY CONTROL VALVE BOTTOM		1	1
18	356 788 R91	VALVE, AUXILIARY CONTROL VALVE, ASSEMBLY (REFERENCE NOS. 6 TO 17 INCLUSIVE)		1	1
		(COMPOSED OF -			
		1 BODY 356 782 R21	3 PIN 357 557 R1		
		1 BOOT 356 790 R1	1 PIN 622 258 R1		
		1 CAP 356 798 R1	1 POST 356 800 R1		
		1 GASKET 356 799 R1	1 RING 356 797 R1		
		1 GUIDE 356 793 R1	1 SPRING 356 795 R1		
		1 LEVER 356 791 R2	2 WASHER 356 796 R1)		
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8"		1	1
		§ - NOT SERVICED SEPARATELY			

HYDRAULIC SYSTEM


REMOTE CONTROL (Special)
AUXILIARY CONTROL VALVE LEVER, ROD, AND MANIFOLD TUBES—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQ'D A	No. REQ'D B
19	444 504	ELBOW, AUTOMOTIVE PIPE, BRS., 90°, 1/4" (WILL WORK FOR 137 538 AND 144 127) (OPTIONAL WITH 454 085) (+)		1	
19	454 085	ELBOW, AUTOMOTIVE PIPE, CD-PLTD., 90°, x 1/4" (WILL WORK FOR 137 538 AND 144 127) (OPTIONAL WITH 444 504) (+)		1	
20	192 053	NIPPLE, PIPE, 1/4 x 2" (+)		1	1
21	444 480	ELBOW, STREET, AUTOMOTIVE PIPE, BRS., 90° x 1/4" (WILL WORK FOR 120 499 AND 144 112) (OPTIONAL WITH 454 109)		1	1
21	454 109	ELBOW, STREET, AUTOMOTIVE PIPE, CD-PLTD., 90° x 1/4" (WILL WORK FOR 120 499 AND 144 112) (OPTIONAL WITH 444 480)		1	1
22	350 667 R1	RING, SEAL, HYDRAULIC LIFT MANIFOLD FLANGE		4	4
23	356 779 R91	TUBES, MANIFOLD		1	1
	179 841	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/4"		2	2
	103 321	WASHER, LOCK, MEDIUM, 3/8"		2	2
24	657 731 R1	PIPE, BASKET (AUXILIARY) CONTROL VALVE LEVER SUPPORT (FOR TRACTORS EQUIPPED WITH COTTON PICKER MOUNTING ATTACHMENT)		1	1
	356 803 R1	GASKET, AUXILIARY CONTROL VALVE		1	1
	356 803 R1	GASKET, AUXILIARY CONTROL VALVE PLATE (NOT REQUIRED FOR SUPER "C")		1	1
	357 209 R1	PLATE, AUXILIARY CONTROL VALVE (NOT REQUIRED FOR SUPER "C")		1	1
	357 874 R2	SCREW, CAP, AUXILIARY CONTROL VALVE		2	2

(+) - NOT USED ON TRACTORS EQUIPPED WITH FAST-HITCH WITH TUBES AND FITTINGS

HYDRAULIC SYSTEM


REMOTE CONTROL (Special)
BREAK-AWAY COUPLING, FRONT SECTION, BRACKETS, HOSES AND CLAMP



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQ'D A	No. REQ'D B
1	364 311 R91	COUPLING, BREAK-AWAY, FRONT SECTION, ASSEMBLY (FOR COMPONENTS			
		SEE LIST OF PARTS UNDER DETAILS OF "BREAK-AWAY COUPLING") (WILL WORK FOR 353 215 R91)		1	
2	144 038	BUSHING, REDUCING, PIPE, 1/2 x 1/4"		2	
3	353 213 R2	SPRING, BREAK-AWAY COUPLING BRACKET		1	
4	19 849 H	FOLLOWS REFERENCE NO. 11			
5	356 835 R1	BRACKET, AUXILIARY CONTROL VALVE HOSE		1	
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8"		1	
6	356 836 R1	SPACER, AUXILIARY CONTROL VALVE HOSE BRACKET		1	
7	356 807 R91	HOSE, CONTROL VALVE TO BREAK-AWAY COUPLING, FRONT SECTION,			
		1/4" I.D. x 54" LONG (WILL WORK FOR 357 952 R91)		1	
8	356 833 R91	HOSE, CONTROL VALVE TO BREAK-AWAY COUPLING, FRONT SECTION,			
		1/4" I.D. x 57" LONG (WILL WORK FOR 357 955 R91)		1	
9	356 809 R1	CLAMP, AUXILIARY CONTROL VALVE HOSE	100001 TO 176522	1	
10	360 383 R1	CLAMP, AUXILIARY CONTROL VALVE HOSE	176523 UP	1	
11	356 837 R11	BRACKET, BREAK-AWAY COUPLING		1	
	108 630	PIN, COTTER, 1/8 x 7/8"		1	
	179 845	SCREW, CAP, HEX-HD., 3/8-16NC x 1-3/4"		1	
	19 849 H	WASHER, PLAIN, 33/64" I.D. x 1-3/8" O.D. x No. 11 GA.		2	
	355 190 R3	CAP, DUST, BREAK-AWAY COUPLING FRONT SECTION (ILLUSTRATED WITH			
		BREAK-AWAY COUPLING)		2	
	356 834 R12	GUARD, HOSE AUXILIARY CONTROL VALVE (ILLUSTRATED WITH HYDRA-CREEPER ATTACHMENT)		1	

HYDRAULIC SYSTEM

HYDRAULIC CYLINDER
(2-1/2 x 8" with 3/8" Dia. Limit Stop Valve)




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	359 561 R94	CYLINDER, HYDRAULIC, 2-1/2 x 8" (ORDER 360 994 R91)		1
1	352 369 R2	PIN, LOCK		2
	103 373	PIN, COTTER, 3/32 x 3/4"		2
2	352 370 R1	SPRING, PIVOT PIN LOCK PIN		2
3	354 837 R1	WASHER, LOCK PIN		2
4	354 045 R31	ROD, PISTON		1
	102 651	NUT, SLOTTED, HEX., 3/4-16NF		1
	103 386	PIN, COTTER, 1/8 x 1-1/4"		1
5	354 055 R2	COLLAR, STROKE LIMIT (FLANGED HALF) (ORDER 360 380 R91)		2
6	360 373 R1	COLLAR, STROKE LIMIT (FLANGED HALF)		1
7	360 372 R1	COLLAR, STROKE LIMIT (PLAIN HALF)		1
8	360 380 R91	COLLAR, STROKE LIMIT, 360 372 R1, W/COLLAR, 360 373 R1 (WILL WORK FOR TWO FLANGED HALVES, 354 055 R2)		1
9	361 085 R91	CLAMP, STROKE LIMIT COLLAR (WILL WORK FOR 354 056 R91 AND 360 382 R91) (OPTIONAL WITH 361 087 R91)		1
9	361 087 R91	COLLAR, STROKE LIMIT (WILL WORK FOR 354 056 R91 AND 360 382 R91) (OPTIONAL WITH 361 085 R91)		1
10	356 820 R1	PLATE, LIMIT STOP VALVE RETAINER		1
	179 792	SCREW, CAP, HEX-HD., 1/4NC x 9/16"		2
11	354 043 R2	RETAINER, LIMIT STOP VALVE		1
12	350 429 R1	RING, SEAL, LIMIT STOP VALVE RETAINER		1

HYDRAULIC SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		HYDRAULIC CYLINDER - Continued (2-1/2 x 8" with 3/8" Dia. Limit Stop Valve)		
13	354 042 R2	VALVE, LIMIT STOP (3/8" DIA.)		1
14	352 219 R1	RING, SEAL, LIMIT STOP VALVE		2
15	356 816 R21	HEAD, CYLINDER, FRONT, W/TWO PLUGS, 103 874 AND TWO PLUGS, 143 997		1
	144 038	BUSHING, REDUCING, PIPE, 1/2 x 1/4"		2
	103 874	PLUG, PIPE, SQ-SOCKET, C.I., 1/2"		2
	143 997	PLUG, PIPE, SQ-SOCKET, STL., 1/4"		2
	50 410 DA	PLUG, PIPE, CYLINDER HEAD, 1/8"		3
16	144 038	FOLLOWS REFERENCE NO. 15		
17	356 818 R1	RING, SEAL, CYLINDER		2
18	350 657 R1	RING, SEAL, PISTON HEAD		1
19	352 221 R1	RING, SEAL, CYLINDER RETURN TUBE		2
20	354 834 R11	TUBE, CYLINDER RETURN, W/TWO WASHERS		1
	103 321	WASHER, LOCK, MEDIUM, 3/8"		1
21	356 815 R2	HEAD, CYLINDER, REAR		1
	50 410 DA	PLUG, PIPE, CYLINDER HEAD, 1/8"		1
22	352 231 R11	PIN, CYLINDER PIVOT		2
23	356 817 R1	TUBE, CYLINDER		1
24	18 063 R1	SCREW, CAP, HEX-HD., 7/16-14NC x 12" (WILL WORK FOR 356 819 R1)		4
25	102 651	FOLLOWS REFERENCE NO. 7		
26	356 821 R1	HEAD, PISTON		1
27	354 047 R1	RING, GLAND, CYLINDER		1
28	354 048 R1	SEAL, DUST, PISTON ROD		1
29	354 049 R1	RETAINER, PISTON ROD DUST SEAL FELT		1

HYDRAULIC SYSTEM

HYDRAULIC CYLINDER
(2-1/2 x 8" with 3/16" Dia. Limit Stop Valve)



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	360 994 R91	CYLINDER, HYDRAULIC (2-1/2 x 8"), ASSEMBLY (WILL WORK FOR 356 813 R93 AND 359 561 R94)		1
1	352 369 R2	PIN, LOCK		2
	103 373	PIN, COTTER, 3/32 x 3/4"		2
2	352 370 R1	SPRING, LOCK PIN		2
3	354 837 R1	WASHER, LOCK PIN		2
4	352 231 R11	PIN, CYLINDER PIVOT, W/HANDLE		2
5	361 005 R11	ROD, PISTON, W/YOKE		1
6	361 085 R91	CLAMP, STROKE LIMIT COLLAR, W/SCREW (OPTIONAL WITH 361 087 R91)		1
6	361 087 R91	CLAMP, STROKE LIMIT COLLAR, W/SCREW (OPTIONAL WITH 361 085 R91)		1
7	360 372 R1	COLLAR, STROKE LIMIT PLAIN HALF		1
8	361 010 R1	COLLAR, STROKE LIMIT FLANGED HALF		1
9	361 009 R1	PLATE, LIMIT STOP VALVE RETAINER		1
	172 792	SCREW, CAP, HEX-HD., 1/4-20NC x 9/16"		2
10	361 007 R11	RETAINER, LIMIT STOP VALVE, W/SEAL RING RETAINER		1
11	360 599 R1	RING, SEAL, LIMIT STOP VALVE		1
12	350 429 R1	RING, SEAL, LIMIT STOP VALVE RETAINER		1
13	361 006 R11	VALVE, LIMIT STOP, W/SEAL (3/16" DIA.)		1
14	363 880 R1	BOLT, HEX., REG., 7/16-14NC x 12-1/8" (WILL WORK FOR 18 179 R1)		4
15	354 049 R1	RETAINER, PISTON ROD DUST SEAL		1
16	354 048 R1	SEAL, DUST, PISTON ROD		1
17	354 047 R1	RING, GLAND, CYLINDER PISTON ROD		1


HYDRAULIC SYSTEM

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		HYDRAULIC CYLINDER - Continued (2-1/2 x 8" with 3/16" Dia. Limit Stop Valve)		
18	360 998 R11	HEAD, HYDRAULIC CYLINDER, FRONT, W/TWO PLUG, 444 691, TWO PLUG, 444 703, AND THREE PLUG, 50 410 DA		1
	444 691	PLUG, AUTOMOTIVE PIPE, HEX-SOCKET, STL., 1/4" (OPTIONAL WITH 362 355 R1)		2
	444 703	PLUG, AUTOMOTIVE PIPE, HEX-SOCKET, STL., 1/2" (OPTIONAL WITH 362 356 R1)		2
	50 410 DA	PLUG, PIPE, CYLINDER HEAD (1/8")		3
	362 355 R1	PLUG, PIPE, CYLINDER HEAD (1/4") (OPTIONAL WITH 444 691)		2
	362 356 R1	PLUG, PIPE, CYLINDER HEAD (1/2") (OPTIONAL WITH 444 703)		2
19	356 818 R1	RING, SEAL, HYDRAULIC CYLINDER		2
20	361 000 R1	HEAD, PISTON		1
21	361 011 R1	NUT, LOCK, PISTON ROD		1
22	361 013 R1	WASHER, BACK-UP, PISTON HEAD (OPTIONAL WITH 362 088 R1)		2
22	362 088 R1	WASHER, BACK-UP, PISTON HEAD (OPTIONAL WITH 361 013 R1)		2
23	350 657 R1	RING, SEAL, PISTON HEAD		1
24	352 221 R1	RING, SEAL, CYLINDER RETURN TUBE		2
25	354 834 R11	TUBE, CYLINDER RETURN, W/TWO WASHERS		1
26	103 321	WASHER, LOCK, MEDIUM, 3/8"		1
27	356 817 R1	TUBE, HYDRAULIC CYLINDER		1
28	360 999 R11	HEAD, HYDRAULIC CYLINDER, REAR, W/PLUG, 50 410 DA		1
	50 410 DA	PLUG, PIPE, CYLINDER HEAD REAR (1/8")		1
	363 137 R91	PACKAGE, 2-1/2 x 8" HYDRAULIC CYLINDER SEAL RING		X
		(CONSISTS OF -		
		1 RING 350 429 R1 — 2 RING	356 818 R1	
		1 RING 350 657 R1 — 1 RING	360 599 R1	
		2 RING 352 221 R1 — 1 SEAL	354 048 R1	
		1 RING 354 047 R1 — 2 WASHER	361 013 R1)	

X - AS REQUIRED

HYDRAULIC SYSTEM

HYDRAULIC CYLINDER EQUIPMENT (Special)




A-37593

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	356 814 R91	HOSE, BREAK-AWAY COUPLING TO CYLINDER (1/4" I.D. x 105" LONG) (WILL WORK FOR 357 954 R91 AND 361 950 R91)		2
2	144 038	BUSHING, REDUCING, PIPE, SZ-PLTD., 1/2 x 1/4"		4
3	353 216 R91	COUPLING, BREAK-AWAY REAR SECTION, ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "BREAK-AWAY COUPLING")		1
4	360 994 R91	CYLINDER, HYDRAULIC (2-1/2 x 8") ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "HYDRAULIC CYLINDER")		1

HYDRAULIC SYSTEM

BREAK-AWAY AND SELF SEALING COUPLING



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	364 310 R91	COUPLING, BREAK-AWAY, 364 311 R91, W/COUPLING 353 216 R91 (WILL WORK FOR 353 086 R91)		1
1	353 216 R91	COUPLING, BREAK-AWAY, REAR SECTION, ASSEMBLY		1
		(COMPOSED OF -		
		2 COUPLING 353 218 R91		
		1 FRAME 353 220 R1		
		2 RING 353 228 R1)		
2	353 220 R1	FRAME, BREAK-AWAY, REAR (OPTIONAL WITH 357 137 R91)		1
2	357 137 R91	FRAME, BREAK-AWAY, REAR (OPTIONAL WITH 353 220 R1)		1
3	364 311 R91	COUPLING, BREAK-AWAY, FRONT SECTION, ASSEMBLY (WILL WORK FOR 353 215 R91)		1
		(COMPOSED OF -		
		2 COUPLING 353 217 R92		
		1 FRAME 364 312 R91)		
3	364 312 R91	FRAME, BREAK-AWAY, ASSEMBLY (WILL WORK FOR 353 219 R91)		1
		(COMPOSED OF -		
		1 COVER 353 223 R1		
		1 DRAWBAR 353 222 R1		
		1 FRAME 364 313 R91		
		1 LATCH 353 225 R1		
		1 PIN 353 226 R1		
		1 SPRING 353 224 R1)		
4	364 313 R91	FRAME, BREAK-AWAY, FRONT, W/TWO PINS AND TWO SNAP RINGS (WILL WORK FOR 353 221 R1)		1


HYDRAULIC SYSTEM

BREAK-AWAY AND SELF-SEALING COUPLING - Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
5	353 222 R1	DRAWBAR, BREAK-AWAY FRAME (OPTIONAL WITH 357 138 R91)		1
5	357 138 R91	DRAWBAR, BREAK-AWAY, FRAME (OPTIONAL WITH 353 222 R1)		1
6	353 224 R1	SPRING, BREAK-AWAY FRAME LATCH		1
7	353 223 R1	COVER, BREAK-AWAY FRAME LATCH SPRING		1
8	353 218 R91	COUPLING, HALF, BREAK-AWAY, REAR, OR SELF-SEALING FEMALE, ASSEMBLY		X
		(COMPOSED OF -		
		1 ADAPTER 357 129 R1		
		1 BODY 357 130 R1		
		1 SPRING 357 128 R1		
		1 VALVE 357 127 R91)		
9	353 228 R1	RING, SNAP, BREAK-AWAY COUPLING, REAR		2
10	355 190 R3	CAP, DUST, BREAK-AWAY, COUPLING, FRONT SECTION		2
11	353 217 R92	COUPLING, HALF, BREAK-AWAY, FRONT, OR SELF-SEALING MALE, ASSEMBLY		X
		(COMPOSED OF -		
		1 BODY 357 131 R1		
		1 RING 352 221 R1		
		1 SLEEVE 364 250 R91		
		1 SPRING 357 135 R1		
		1 VALVE 357 132 R1)		
12	353 227 R1	RING, SNAP, BREAK-AWAY COUPLING, FRONT (NOT USED WITH FRAME WITH RIVETED HINGED SNAP RINGS)		2
13	353 225 R1	LATCH, BREAK-AWAY FRAME		1
14	353 226 R1	PIN, BREAK-AWAY FRAME LATCH		1
15	357 129 R1	ADAPTER, BREAK-AWAY OR SELF-SEALING COUPLING		1
16	357 128 R1	SPRING, BREAK-AWAY OR SELF-SEALING COUPLING POPPET VALVE		1
17	357 127 R1	VALVE, POPPET, BREAK-AWAY OR SELF-SEALING COUPLING, W/SEAL		1
18	357 130 R1	BODY, BREAK-AWAY OR SELF-SEALING COUPLING HALF REAR		1
19	357 136 R2	EXTRACTOR, BREAK-AWAY OR SELF-SEALING COUPLING TUBULAR VALVE		X
20	357 132 R1	VALVE, TUBULAR, BREAK-AWAY OR SELF-SEALING COUPLING		1
21	364 250 R91	SLEEVE, INSERT, BREAK-AWAY OR SELF-SEALING COUPLING, W/SEAL (WILL WORK FOR 357 133 R1 AND 357 134 R91)		1
22	352 221 R1	RING, SEAL, BREAK-AWAY OR SELF-SEALING COUPLING TUBULAR VALVE		1
23	357 135 R1	SPRING, BREAK-AWAY OR SELF-SEALING COUPLING TUBULAR VALVE		1
24	357 131 R1	BODY, FRONT, BREAK-AWAY OR SELF-SEALING COUPLING HALF		1

X - AS REQUIRED

HYDRAULIC CYLINDER HOSE EXTENSION ATTACHMENT (Special)




HYDRAULIC SYSTEM

HYDRAULIC CYLINDER HOSE EXTENSION ATTACHMENT (Special)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	360 250 R91	ATTACHMENT, FAST-HITCH HYDRAULIC EXTENSION (FOR TRACTORS EQUIPPED WITH FAST-HITCH)		
1	144 038	BUSHING, REDUCING, PIPE, ZN-DULL, 1/2 x 1/4"		6
2	364 310 R91	COUPLING, BREAK-AWAY, ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAIL OF "BREAK-AWAY COUPLING") (WILL WORK FOR 353 086 R91)		1
3	19 849 H	WASHER, PLAIN, 33/64" I.D. x 1-3/8" O.D. x No. 11 GA.		2
4	353 213 R2	SPRING, BREAK-AWAY COUPLING BRACKET		1
5	360 243 R1	SUPPORT, CYLINDER HOSE		1
6	517 843 R1	PIN, COTTER, QUICK ATTACHABLE		3
7	360 244 R11	PIPE, CYLINDER REPLACEMENT LINK		1
8	360 246 R11	ROD, CYLINDER REPLACEMENT LINK		1
9	360 247 R1	PIN, CYLINDER REPLACEMENT LINK PIPE		1
10	360 428 R91	HOSE, VALVE BLOCK TO BREAK-AWAY COUPLING (1/4 x 22-1/2" LONG)		2
11	360 248 R1	PIN, CLEVIS, CYLINDER REPLACEMENT LINK		2
12	360 249 R11	BRACKET, HYDRAULIC BREAK-AWAY COUPLING		1
	108 630	PIN, COTTER, 1/8 x 7/8"		1
	179 845	SCREW, CAP, HEX-HD., 3/8-16NC x 1-3/4"		1
13	360 427 R91	HOSE, BREAK-AWAY COUPLING TO SELF-SEALING COUPLING (1/4 x 61" LONG)		2
14	353 217 R92	COUPLING, HALF SELF-SEALING MALE ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "SELF-SEALING"		1
15.	357 963 R91	COUPLING, HALF, FRONT, 353 217 R92 AND COUPLING, HALF, REAR, 357 964 R92, W/NUT, 357 965 R92		2
16	353 218 R91	COUPLING, HALF SELF-SEALING FEMALE ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF "SELF-SEALING COUPLING")		2
17	357 965 R1	NUT, UNION, SELF-SEALING COUPLING HALF, REAR		2
18	360 241 R91	HOSE, HYDRAULIC CYLINDER (1/4 x 39" LONG) (WILL WORK FOR 360 242 R91)		2
19	357 964 R92	COUPLING, HALF, SELF SEALING, FEMALE, 353 218 R91 W/NUT, 357 965 R2		2

HYDRAULIC SYSTEM

HYDRAULIC MOTOR
(For Tractors Equipped with Hydra-Creeper)




A-37600

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	362 288 R91	MOTOR, HYDRAULIC, ASSEMBLY		1
1	362 297 R1	RING, INTERNAL SNAP		1
2	362 296 R1	RING, DRIVE GEAR SEAL		1
3		COVER (NOT FOR SERVICE) (ORDER 362 288 R91)		
4	362 291 R1	GASKET, BODY (.001)		X
4	362 292 R1	GASKET, BODY (.0015)		X
4	362 293 R1	GASKET, BODY (.003)		X
5		GEAR, DRIVE (NOT FOR SERVICE) (ORDER 362 288 R91)		
6		GEAR, DRIVEN (NOT FOR SERVICE) (ORDER 362 288 R91)		
7		PIN, DRIVEN GEAR (NOT FOR SERVICE) (ORDER 362 288 R91)		
8		BODY, HYDRAULIC MOTOR (NOT FOR SERVICE) (ORDER 362 288 R91)		
9	362 295 R1	PLUG, BALL CHECK		2
10	362 294 R1	SPRING, BALL CHECK		2
11	16 008 R1	BALL, CHROME STEEL, 1/4" DIA.		2
			X - AS REQUIRED	

PRINTED IN UNITED STATES OF AMERICA

HYDRAULIC SYSTEM

SELECTOR VALVE
(For Tractors Equipped with Hydra-Creeper)



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	362 211 R91	VALVE, SELECTOR, ASSEMBLY		1
1	363 910 R91	KNOB, SELECTOR VALVE		1
	114 606	WASHER, LOCK, EXTERNAL TOOTH, 3/8"		1
2	363 909 R1	RING, SNAP, SELECTOR VALVE		2
3	363 908 R1	WASHER, BACK-UP SEAL RING		2
4	363 264 R1	RING, SEAL, SELECTOR VALVE		2
5	363 907 R91	BODY, SELECTOR, W/SPOOL VALVE		1


MEMORANDA

ATTACHMENTS

PRINTED IN UNITED STATES OF AMERICA

ATTACHMENTS

AIR CLEANER EXTENSION PIPE (Special)




A-11268

ATTACHMENTS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		AIR CLEANER EXTENSION PIPE (Special)		
	351 800 R91	ATTACHMENT, AIR CLEANER EXTENSION PIPE		1
1	63 264 D	CLAMP, EXTENSION PIPE BRACE, LOWER		2
	181 364	SCREW, CAP, HEX-HD., 3/8-24NF x 1"		2
	103 321	WASHER, LOCK, 3/8"		2
2	63 261 D	BRACE, EXTENSION PIPE, L.H.		1
	114 502	NUT, HEX, 5/16-18NC		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		1
	103 320	WASHER, LOCK, 5/16"		1
3	351 802 R1	CLAMP, EXTENSION PIPE BRACE, UPPER		1
	13 001 R1	NUT, HEX, 5/16-18NC		1
	179 818	SCREW, CAP, HEX-HD., 5/16-18NC x 1"		1
	103 320	WASHER, LOCK, 5/16"		1
4	351 801 R1	PIPE, EXTENSION		1
5	63 262 D	BRACE, EXTENSION PIPE, R.H.		1
	114 502	NUT, HEX, 5/16-18NC		1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		1
	103 320	WASHER, LOCK, 5/16"		1
6	15 435 D	HOSE, EXTENSION PIPE (1-3/4 I.D. x 2-1/2" LONG, 3 PLY)		1
7	29 979 D	CLAMP, EXTENSION PIPE HOSE		2
8	93 082 H	NUT, EXTENSION PIPE BRACE CLAMP, LOWER		2

PRE-CLEANER (Special)



A-39602

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		PRE-CLEANER (Collector Type) (Special)		
	362 993 R91	ATTACHMENT, PRE-CLEANER (COLLECTOR TYPE) (WILL WORK FOR 352 613 R91) (CONSISTS OF PRE-CLEANER, 362 997 R91)		1
1	352 612 R91	PRE-CLEANER (COLLECTOR TYPE W/JAR) (ORDER 362 997 R91)		1
2		BODY, COLLECTOR PRE-CLEANER (ORDER 362 997 R91) (*)		1
3	352 687 R91	CLAMP, PRE-CLEANER, W/BOLT, 13 269 R1 AND NUT, 114 502 (*)		1
	13 269 R1	BOLT, SQ-HD., 5/16-18NC x 1-1/4" (*)		1
	114 502	NUT, HEX., 5/16-18NC (*)		1
4	64 177 D	GASKET (*)		1
5	64 178 D	JAR, DUST (*)		1
6	362 997 R91	PRE-CLEANER (COLLECTOR TYPE, W/PLASTIC BODY) (COMPOSED OF REF. NOS. 7, 8 AND 9) (WILL WORK FOR 352 612 R91 AND 352 686 R91)		1
7	362 999 R91	CAP, TOP WITH NUT		1
8	363 000 R1	BODY, DUST RECEPTACLE		1
9	363 002 R91	SLEEVE, W/BOLT		1
		(*) - USED WITH 352 612 R91 - REF. 1		


ATTACHMENTS

PRE-CLEANER (Detachable Sleeve Type) (Special)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	359 318 R92	ATTACHMENT, PRE-CLEANER (DETACHABLE SLEEVE TYPE)		1
10	356 249 R92	PRE-CLEANER, DETACHABLE SLEEVE TYPE (COMPOSED OF REF. NOS. 11, 12 AND 13)		1
11	361 408 R91	CAP, TOP WITH NUT AND SHIELD		1
12	361 409 R91	BODY, PRE-CLEANER		1
13	361 411 R91	SLEEVE, w/CLAMP, NUT, 114 380, SCREW, 114 359, AND STUD		1
	114 380	NUT, SQ., 1/4-20NC		1
	114 359	SCREW, MACHINE, SLOTTED FILLISTER HEAD, 1/4-20NC x 1-1/4"		1

ATTACHMENTS

PRE-SCREENER (Donaldson) (Special)




A-37603

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	353 410 R92	PRE-SCREENER, AIR CLEANER		
1	353 633 R92	BODY, PRE-SCREENER		1
2	353 637 R91	SCREEN, PRE-SCREENER, W/TWO SPRINGS, 353 639 R1 AND ONE CLIP, 353 758 R1		1
3	353 639 R1	SPRING, TENSION SCREEN LOCK		2
4	353 758 R1	CLIP, SCREEN LOCK SPRING		1

ATTACHMENTS

ENGINE HOUR METER (Special)




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	356 735 R91	ATTACHMENT, ENGINE HOUR METER		1
1	33 560 D	GROMMET, RUBBER (OPTIONAL WITH 187 540)		1
1	187 540	GROMMET, RUBBER (OPTIONAL WITH 33 560 D)		1
2	356 736 R91	METER, HOUR		1
	132 705	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 6-32 x 1/2"		3
	138 526	WASHER, LOCK, INTERNAL-TOOTH, CD-PLTD., No. 6		3
3	356 738 R1	BRACKET, MOUNTING, HOUR METER		1
	171 589	SCREW, SELF-TAPPING, SLOTTED-RD-HD., CD-PLTD., No. 6-32 x 1/2"		2
	125 751	WASHER, LOCK, EXTERNAL-TOOTH, CD-PLTD., No. 12		2
	446 179	WASHER, PLAIN, CD-PLTD., 1/2" O.D. x 1/4" I.D. x No. 18 GA.		2
4	356 737 R91	DAMPER, HOUR METER VIBRATION		1
	132 705	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 6-32 x 1/2"		3
	138 526	WASHER, LOCK, INTERNAL-TOOTH, CD-PLTD., No. 6		3
5	105 416	TEE, PIPE, 1/8"		1
6	354 558 R1	SHIELD, PRESSURE SWITCH		1
7	356 739 R91	SWITCH, PRESSURE, HOUR METER		1
8	358 581 R91	CABLE, PRESSURE SWITCH TO JUNCTION BLOCK (WILL WORK FOR 70 261 D)		1
9	144 580	NIPPLE, 1/8 x 7/8" (CLOSE)		2
10	105 412	ELBOW, M.I., 1/8" (90°)		1
11	354 260 R1	SPACER, JUNCTION BLOCK		1
12	42 915 D	BLOCK, JUNCTION SLOTTED-RD-HD., CD-PLTD., No. 10-32 x 7/8"		1
	132 919	SCREW, SLOTTED-RD-HD., CD-PLTD., No. 10-32 x 7/8"		1
	120 614	NUT, HEX., CD-PLTD., No. 10-32		1
	120 217	WASHER, LOCK, MEDIUM, CD-PLTD., No. 10		1

MEMORANDA

ATTACHMENTS


EXHAUST MUFFLER AND SPARK ARRESTER (Special)



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	48 831 DB	ATTACHMENT, EXHAUST MUFFLER		1
	55 348 D	ATTACHMENT, SPARK ARRESTER		1
1	360 720 R91	MUFFLER, EXHAUST (WILL WORK FOR 48 832 DC, 356 004 R91 AND 357 595 R91)		1
2	48 889 DA	CLAMP, EXHAUST MUFFLER		1
	181 374	SCREW, CAP, HEX-HD., 3/8-24NF x 1-1/2"		1
	103 321	WASHER, LOCK, 3/8"		1
3	93 082 H	NUT, EXHAUST MUFFLER CLAMP		1
4	8 616 D	TOP, SPARK ARRESTER		1
	13 254 R1	BOLT, MACHINE, SQ-HD., 5/16-18NC x 1"		3
	114 502	NUT, HEX, 5/16-18NC		3
	103 320	WASHER, LOCK, 5/16"		3
5	5 125 D	BODY, SPARK ARRESTER		1
	218 438	NUT, HEX, JAM, 3/8-16NC		2
	103 868	PLUG, PIPE, SQ-HD., 1/2"		1
	102 896	SCREW, SET, SQ-HD., CUP-PT., 3/8-16NC x 1"		2

ATTACHMENTS

BELT PULLEY AND POWER TAKE-OFF ATTACHMENT (Special)



Power Take-Off Only

B-3452 A

BELT PULLEY AND POWER TAKE-OFF ATTACHMENT (Special)

KEY TO LETTERS IN CAPTION -

A - 351 315 R91 ATTACHMENT, BELT PULLEY AND POWER TAKE-OFF

B - 354 655 R92 ATTACHMENT, POWER TAKE-OFF

C - 357 865 R91 ATTACHMENT, BELT PULLEY (FOR TRACTORS EQUIPPED WITH POWER TAKE-OFF) (*)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
1	55 398 DB	SHIELD, SAFETY, POWER TAKE-OFF		1		1
	179 838	SCREW, CAP, HEX-HD., 3/8-16NC x 7/8"		2		2
	103 321	WASHER, LOCK, 3/8"		2		2
1A	55 403 DC	SHIELD, SAFETY, POWER TAKE-OFF			1	
	179 838	SCREW, CAP, HEX-HD., 3/8-16NC x 7/8"			2	
	103 321	WASHER, LOCK, 3/8"			2	
2	9 090 DX	HOUSING, BELT PULLEY DRIVE, W/PLUG, 43 670 D AND ONE PLUG, 103 865 AND ONE PLUG, 144 000 OR 103 876		1		1
	103 865	PLUG, PIPE, SQ-HD., C.I., 1/8"		1		
	144 000	PLUG, PIPE, CSK-HDLS. STL., 1" (OPTIONAL WITH 103 876)		1		
	103 876	PLUG, PIPE, CSK-HD., 1" (OPTIONAL WITH 144 000)		1		
	186 292	SCREW, CAP, HEX-HD., 7/16-14NC x 4-1/4"		4		
	103 322	WASHER, LOCK, 7/16"		4		
2A	9 092 D	COVER, POWER TAKE-OFF			1	
	186 292	SCREW, CAP, HEX-HD., 7/16-14NC x 4-1/4"			4	
	103 322	WASHER, LOCK, 7/16"			4	
3	351 627 R1	SHAFT, BELT PULLEY (23 TEETH)		1		1
	181 395	SCREW, CAP, HEX-HD., 7/16-20NF x 1"		1		1
	103 322	WASHER, LOCK, 7/16"		1		1
4	63 441 H	BEARING, INNER, BELT PULLEY SHAFT (HYATT 1207-TS) (OPTIONAL WITH 350 500 R91)		1		1
4	350 500 R91	BEARING, INNER, BELT PULLEY SHAFT (BOWER M-1207-EL) (OPTIONAL WITH 63 441 H)		1		1
5	43 670 D	PLUG, BELT PULLEY DRIVE HOUSING END		1		
6	60 582 D	SHIM, BELT PULLEY DRIVE HOUSING, LIGHT		X		X
6	355 143 R1	SHIM, BELT PULLEY DRIVE HOUSING, EXTRA LIGHT		X		X
7	60 583 D	SHIM, BELT PULLEY DRIVE HOUSING, MEDIUM		X		X
8	60 584 D	SHIM, BELT PULLEY DRIVE HOUSING, HEAVY		X		X
8A	60 581 D	GASKET, POWER TAKE-OFF COVER			1	
9	43 262 DA	WASHER, POWER TAKE-OFF DRIVE SHAFT		1	1	1

(*) - WHEN THIS ATTACHMENT IS APPLIED ON TRACTORS EQUIPPED WITH POWER TAKE-OFF ATTACHMENT 354 655 R92, BELT PULLEY OIL TUBE, 351 252 R1 AND NUT, 352 251 R1 MUST ALSO BE ORDERED.

X - AS REQUIRED

ATTACHMENTS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
		BELT PULLEY AND POWER TAKE-OFF ATTACHMENT (Special)—Continued				
10	351 626 R1	PINION, BEVEL, BELT PULLEY DRIVE (19 TEETH)		1		1
10A	48 152 D	SPACER, POWER TAKE-OFF SHAFT			1	
12	63 780 D	RETAINER, BELT PULLEY DRIVE HOUSING SEAL RING		1		1
13	358 208 R1	RING, SEAL, BELT PULLEY DRIVE HOUSING (WILL WORK FOR 58 419 D)		1		1
14	63 778 D	RETAINER, POWER TAKE-OFF DRIVE SHAFT BEARING		1	1	
	179 838	SCREW, CAP HEX-HD., 3/8-16NC x 7/8"		3	3	
	114 606	WASHER, LOCK, EXTERNAL TOOTH, 3/8"		3	3	
15	ST 212	BEARING, POWER TAKE-OFF DRIVE SHAFT		1	1	
16	60 588 D	CAGE, POWER TAKE-OFF DRIVE SHAFT BEARING		1	1	
17	63 779 D	GASKET, POWER TAKE-OFF DRIVE SHAFT BEARING CAGE		1	1	
19	120 502	KEY, WOODRUFF 3/16 x 7/8"		1		1
21	351 311 R1	SHAFT, POWER TAKE-OFF DRIVE (16 TEETH)		1	1	
	181 395	SCREW, CAP, HEX-HD., 7/16-20NF x 1"		1	1	
	103 322	WASHER, LOCK, 7/16"		1	1	
22	351 305 R91	SHIFTER, POWER TAKE-OFF		1	1	
23	9 091 DCX	HOUSING, POWER TAKE-OFF DRIVE, W/TWO PINS, 357 215 R1 AND PLUG, 103 884		1	1	
	103 884	PLUG, PIPE, SLOTTED-HD., 1/4"		1	1	
	179 860	SCREW, CAP, HEX-HD., 7/16-14NC x 1-1/4"		1	1	
	179 872	SCREW, CAP, HEX-HD., 7/16-14NC x 3-1/2"		2	2	
	103 322	WASHER, LOCK, 7/16"		3	3	
24	43 645 D	WASHER, FELT, POWER TAKE-OFF SHIFTER LEVER		1	1	
25	351 256 R1	LEVER, POWER TAKE-OFF SHIFTER		1	1	
26	53 517 DA	SHAFT, POWER TAKE-OFF SHIFTER LEVER		1	1	
	Q 3 478	WASHER, PLAIN, 3/4"		1	1	
	103 397	PIN, COTTER, 5/32 x 1-1/4"		1	1	
28	60 589 DA	GASKET, POWER TAKE-OFF DRIVE HOUSING		1	1	
29	48 102 D	POPPET, POWER TAKE-OFF SHIFTER		1	1	
30	48 103 D	SPRING, POWER TAKE-OFF SHIFTER POPPET		1	1	
32	357 215 R1	PIN, DOWEL, POWER TAKE-OFF DRIVE HOUSING (WILL WORK FOR 17 581 D)		2	2	
33	51 484 DX	GUARD, POWER TAKE-OFF SHAFT, W/CLAMP		1	1	
34	48 114 D	OIL SEAL, POWER TAKE-OFF SHAFT (OPTIONAL WITH 358 776 R91 AND 358 816 R91)		1	1	
34	358 776 R91	OIL SEAL, POWER TAKE-OFF SHAFT (OPTIONAL WITH 48 114 D AND 358 816 R91)		1	1	
34	358 816 R91	OIL SEAL, POWER TAKE-OFF SHAFT (OPTIONAL WITH 48 114 D AND 358 776 R91)		1	1	
35	66 184 D	SHAFT, POWER TAKE-OFF (1-3/8" SPLINE)		1	1	
	181 395	SCREW, CAP, HEX-HD., 7/16-20NF x 1"		1	1	
	103 322	WASHER, LOCK, 7/16"		1	1	

PRINTED IN UNITED STATES OF AMERICA

BELT PULLEY AND POWER TAKE-OFF ATTACHMENT (Special)—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
36	ST 213	BEARING, POWER TAKE-OFF SHAFT		2	2	
37	48 092 D	SPACER, POWER TAKE-OFF SHAFT BEARING		1	1	
39	351 310 R1	GEAR, POWER TAKE-OFF (49 TEETH)		1	1	
40	43 262 DA	WASHER, POWER TAKE-OFF SHAFT		1	1	
41	66 984 D	KEY, WOODRUFF, POWER TAKE-OFF GEAR 3/16 x 2-1/8"		1	1	
41A	351 309 R91	GUARD, BELT PULLEY		1		1
	103 026	NUT, HEX, 3/8-24NF	100001 TO 189456	2		2
	179 837	SCREW, CAP, HEX-HD., 3/8-16NC x 3/4"		2		2
	181 364	SCREW, CAP, HEX-HD., 3/8-24NF x 1"	100001 TO 189456	2		2
	103 321	WASHER, LOCK, 3/8"	100001 TO 189456	4		4
42	47 284 D	SHIM, BELT PULLEY SHAFT BEARING CAGE, LIGHT		X		X
43	47 285 D	SHIM, BELT PULLEY SHAFT BEARING CAGE, MEDIUM		X		X
44	47 286 D	SHIM, BELT PULLEY SHAFT BEARING CAGE, HEAVY		X		X
45	47 281 D	CAGE, BELT PULLEY SHAFT BEARING		1		1
46	ST 213	BEARING, OUTER, BELT PULLEY SHAFT		1		1
47	47 283 D	GASKET, BELT PULLEY SHAFT BEARING CAGE		1		1
48	48 085 DBX	RETAINER, BELT PULLEY SHAFT BEARING, W/OIL SEAL, 48 954 D		1		1
	179 841	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/4"		3		3
	103 321	WASHER, LOCK, 3/8"		3		3
49	48 954 D	OIL SEAL, BELT PULLEY SHAFT (OPTIONAL WITH 358 781 R91 AND 358 820 R91)		1		
49	358 781 R91	OIL SEAL, BELT PULLEY SHAFT (OPTIONAL WITH 48 954 D AND 358 820 R91)		1		
49	358 820 R91	OIL SEAL, BELT PULLEY SHAFT (OPTIONAL WITH 48 954 D AND 358 781 R91)		1		
50	43 630 D	SPACER, BELT PULLEY SHAFT		1		1
51	48 087 DB	SPACER, BELT PULLEY		1		1
52	54 001 DX	GUARD, BELT PULLEY SHAFT, W/CLAMP		1		1
53	43 262 DA	WASHER, BELT PULLEY SHAFT		1		
54	8 257 D	PULLEY, BELT (8-1/2" DIA. - 6" FACE)		1		1
54	58 514 DA	PULLEY, BELT (6-1/2" DIA. - 6-1/2" FACE)		X		X
54	58 515 D	PULLEY, BELT, 7-1/2" DIA. - 6-1/2" FACE) (SPECIAL) (SEE NOTE A)		X		X
54	356 946 R1	PULLEY, BELT (7-1/2" DIA. - 6-1/2" FACE) (SPECIAL) (SEE NOTE A)		X		X
54	358 262 R91	PULLEY, BELT (7-1/2" DIA. - 6-1/2" FACE) (SPECIAL) (SEE NOTE A)		X		X
55	351 251 R1	NUT, BELT PULLEY OIL TUBE (SEE NOTE B)		1	1	
56	351 252 R1	TUBE, OIL, BELT PULLEY (SEE NOTE B)		1	1	


NOTE A - BELT PULLEYS ARE OPTIONAL

NOTE B - MUST BE ORDERED UNLESS SO EQUIPPED

X - AS REQUIRED

ATTACHMENTS

ADJUSTABLE WIDE FRONT AXLE ATTACHMENT (Special)



ATTACHMENTS

ADJUSTABLE WIDE FRONT AXLE ATTACHMENT (Special)

KEY TO LETTERS IN CAPTION -

A - 352 501 R92 ATTACHMENT, ADJUSTABLE WIDE TREAD FRONT AXLE (46-3/8" AXLE) (ORDER 352 501 R94) (SEE NOTE)

B - 352 501 R94 ATTACHMENT, ADJUSTABLE WIDE TREAD FRONT AXLE (40-3/8" AXLE) (WITH AUTOMOTIVE TYPE TIE ROD ENDS) (SEE NOTE)

C - 358 417 R92 ATTACHMENT, ADJUSTABLE WIDE TREAD FRONT AXLE (46-3/8" AXLE)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C
1	57 875 D	SEAT, ADJUSTING, TIE ROD BALL		3		
2	57 873 D	SEAT, STEERING ARM TIE ROD BALL, CENTER		1		
3	57 874 D	SEAT, STEERING ARM TIE ROD BALL, END		1		
4	109 461	FITTING, LUBRICATION, STRAIGHT, 1/8" (3/4" LONG) (OPTIONAL WITH 119 512)		1		
4	119 512	FITTING, LUBRICATION, STRAIGHT, 1/8" (3/4" LONG) (OPTIONAL WITH 109 461)		1		
5	352 493 R11	TUBE, TIE ROD		2		
6	352 494 R1	CLAMP, TIE ROD		2		
	103 027	NUT, HEX., 7/16-20NF		2		
	181 406	SCREW, CAP, HEX-HD., 7/16-20NF x 2"		2		
	103 322	WASHER, LOCK, 7/16"		2		
7	352 492 R1	TIE ROD		2		
	114 499	NUT, HEX., JAM, 3/4-16NF		2		
8	48 280 DB	END, TIE ROD		2		
	103 389	PIN, COTTER, 1/8 x 2"		2		
9	109 454	FITTING, LUBRICATION, STRAIGHT, 1/4" (31/64" LONG) (OPTIONAL WITH 110 347)		2		
9	110 347	FITTING, LUBRICATION, STRAIGHT, 1/4" (31/64" LONG) (OPTIONAL WITH 109 454)		2		
10	43 468 D	SEAT, TIE ROD BALL		2		
11	351 805 R1	ARM, STEERING KNUCKLE, L.H.		1		
11	351 806 R1	ARM, STEERING KNUCKLE, R.H.		1		
12	43 466 DB	SCREW, SET, STEERING KNUCKLE ARM		2		
	114 498	NUT, HEX., JAM, 5/8-18NF		2		
13	352 489 R91	KNUCKLE, STEERING, W/DEFLECTOR, 43 462 D, OIL SEAL, 43 463 D AND WASHER, 49 118 DA		2		
	102 649	NUT, HEX., SLOTTED, 5/8-18NF		2		
	103 386	PIN, COTTER, 1/8 x 1-1/4"		2		
	Q 1 538	WASHER, STEEL, PLAIN, 5/8"		2		

NOTE - ATTACHMENT, 352 501 R94 DIFFERS FROM DISPLACED ATTACHMENT, 352 501 R92 IN THAT THE FRONT AXLE AND AXLE EXTENSIONS ARE REDUCED IN LENGTH; NEW STEERING GEAR ARM, STEERING KNUCKLE ARMS, TIE RODS AND AUTOMOTIVE TYPE TIE ROD ENDS ARE USED.

ATTACHMENTS

ADJUSTABLE WIDE FRONT AXLE ATTACHMENT (Special)- Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C
14	352 491 R1	ARM, STEERING GEAR		1		
	103 030	NUT, HEX., 5/8-18NF		2		
	103 389	PIN, COTTER, 1/8 x 2"		1		
	181 482	SCREW, CAP, HEX-HD., 5/8-18NF x 1-3/4"		2		
	103 325	WASHER, LOCK, 5/8"		2		
15	356 599 R2	ARM, STEERING GEAR			1	1
	103 030	NUT, HEX., 5/8-18NF			2	2
	271 585	SCREW, CAP, HEX-HD., 5/8-18NF x 1-3/4"			2	2
	103 325	WASHER, LOCK, 5/8"			2	2
16	356 601 R21	TIE ROD, W/END, COVER, 358 209 R1, NUT, 102 647 AND PIN, 103 385			2	2
	102 647	NUT, HEX., SLOTTED, 1/2-20NF			2	2
	103 385	PIN, COTTER, 1/8 x 1"			2	2
17	43 747 D	CLAMP, TIE ROD			2	2
	271 505	NUT, HEX., 7/16-20NF			2	2
	181 403	SCREW, CAP, HEX-HD., 7/16-20NF x 1-3/4"			2	2
	114 607	WASHER, LOCK, EXTERNAL-TOOTH, 7/16"			2	2
18	356 602 R1	TUBE, TIE ROD			2	
18	358 419 R1	TUBE, TIE ROD				2
19	356 543 R1	CLAMP, TIE ROD			2	2
	103 026	NUT, HEX., 3/8-24NF			2	2
	181 374	SCREW, CAP, HEX-HD., 3/8-24NF x 1-1/2"			2	2
	114 606	WASHER, LOCK, EXTERNAL-TOOTH, 3/8"			2	2
20	358 209 R1	COVER, DUST, TIE ROD END			4	4
21	356 540 R91	END, TIE ROD, W/COVER, 358 209 R1, NUT, 102 647 AND PIN, 103 385			2	2
	102 647	NUT, HEX., SLOTTED, 1/2-20NF			2	2
	103 385	PIN, COTTER, 1/8 x 1"			2	2
22	109 454	FITTING, LUBRICATION, STRAIGHT, 1/4" (31/64" LONG)				
		(OPTIONAL WITH 110 347)			4	4
22	110 347	FITTING, LUBRICATION, STRAIGHT, 1/4" (31/64" LONG)				
		(OPTIONAL WITH 109 454).			4	4.
23	356 600 R92	TIE ROD, ADJUSTABLE, ASSEMBLY (LESS REFERENCE No. 22)			2	
		(COMPOSED OF -				
		1 CLAMP 43 747 D 1 SCREW 181 403				
		1 CLAMP 356 543 R1 1 SCREW 181 374				
		1 END 356 540 R91 1 TUBE 356 602 R1				
		1 NUT 103 026 1 WASHER 114 606				
		1 NUT 271 505 1 WASHER 114 607)				
		1 ROD 356 601 R21				
23	358 418 R92	TIE ROD, ADJUSTABLE, ASSEMBLY (LESS REF. 22)			2	
		(COMPOSED OF -				
		1 CLAMP 43 747 D 1 SCREW 181 403				
		1 CLAMP 356 543 R1 1 SCREW 181 374				
		1 END 356 540 R91 1 TUBE 358 419 R1				
		1 NUT 103 026 1 WASHER 114 606				
		1 NUT 271 505 1 WASHER 114 607)				
		1 ROD 356 601 R21				

ATTACHMENTS

ADJUSTABLE WIDE FRONT AXLE ATTACHMENT (Special)—Continued


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
24	356 535 R2	ARM, STEERING KNUCKLE, L.H.			1	1
24	356 536 R2	ARM, STEERING KNUCKLE, R.H.			1	1
	124 553	KEY, WOODRUFF, 1/4 x 1"			2	2
	181 435	SCREW, CAP, HEX-HD., 1/2-20NF x 2"			2	2
	103 323	WASHER, LOCK, MEDIUM, 1/2"			2	2
25	353 253 R1	BUSHING, FRONT AXLE PIVOT, FRONT		1	1	1
26	353 252 R1	BUSHING, FRONT AXLE PIVOT, REAR		1	1	1
27	12 308 R91	FITTING, LUBRICATION, 67-1/2° ANGLE (27/32" LONG) (FOR TRACTORS EQUIPPED WITH NIPPLE, 352 500 R1)		1	1	1
27	109 357	FITTING, LUBRICATION, 90° ANGLE (1-3/16" LONG) (FOR TRACTORS NOT EQUIPPED WITH NIPPLE, 352 500 R1)		1	1	1
28	352 485 R2	SHAFT, FRONT AXLE PIVOT		1	1	1
29	352 482 R1	RUBBER, FRONT AXLE BUMPER		2	2	2
30	59 280 D	PIN, FRONT AXLE EXTENSION CLAMP		2	2	2
	108 630	PIN, COTTER, 1/8 x 7/8"		2	2	2
31	356 609 R1	BUSHING, STEERING KNUCKLE POST (WILL WORK FOR 60 385 DR)		4	4	
32	12 309 R91	FITTING, LUBRICATION, 67-1/2° ANGLE, 1/8" (7/8" LONG) (DRIVE TYPE) (OPTIONAL WITH 443 571)		1	1	1
32	443 571	FITTING, LUBRICATION, 67-1/2° ANGLE, 1/8" (7/8" LONG) (DRIVE TYPE) (OPTIONAL WITH 12 309 R91)		1	1	1
33	353 254 R1	BUSHING, STAY ROD PIVOT		1	1	1
34	352 475 R1	BRACKET, AXLE MOUNTING		1	1	1
	271 560	SCREW, CAP, HEX-HD., 5/8-11NC x 1-3/4"		4	4	4
	103 325	WASHER, LOCK, MEDIUM, 5/8"		4	4	4
35	6 749	PIN, HEADED, 1/2 x 3-5/16"		1	1	1
	103 407	PIN, COTTER, 3/16 x 1"		1	1	1
36	352 495 R1	STOP, FRONT AXLE BUMPER		2	2	2
	179 887	SCREW, CAP, HEX-HD., 1/2-13NC x 1-3/4"		4	4	4
	103 323	WASHER, LOCK, 1/2"		4	4	4
37	352 476 R91	AXLE, FRONT (46-3/8") w/STAY ROD, ASSEMBLY		1		1
		(COMPOSED OF -				
		1 AXLE §352 477 R11				
		2 BRACKET §352 481 R1				
		1 BUSHING 353 253 R1				
		1 BUSHING 353 252 R1				
		1 BUSHING 353 254 R1				
		1 ROD §352 483 R1				
		2 RUBBERS 352 482 R1)				
		§ - NOT SERVICED SEPARATELY				

ATTACHMENTS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
		ADJUSTABLE WIDE FRONT AXLE ATTACHMENT (Special)—Continued				
37	356 593 R91	AXLE, FRONT (40-3/8") W/STAY ROD, ASSEMBLY			1	
		(COMPOSED OF -				
		1 AXLE §356 594 R11				
		2 BRACKET §352 481 R1				
		1 BUSHING 353 252 R1				
		1 BUSHING 353 253 R1				
		1 BUSHING 353 254 R1				
		1 ROD §352 483 R1				
		2 RUBBER 352 482 R1)				
38	59 279 D	CLAMP, FRONT AXLE EXTENSION		4	4	4
39	271 593	BOLT, FRONT AXLE EXTENSION CLAMP		4	4	4
	103 030	NUT, HEX., 5/8-18NF		4	4	4
	114 609	WASHER, LOCK, EXTERNAL-TOOTH, 5/8" (WILL WORK FOR 103 325)		4	4	4
40	352 486 R92	EXTENSION, FRONT AXLE, W/TWO BUSHINGS, 356 609 R1		2		2
40	356 595 R92	EXTENSION, FRONT AXLE, W/TWO BUSHINGS, 356 609 R1			2	
41	109 461	FITTING, LUBRICATION, STRAIGHT, 1/8" (3/4" LONG) (OPTIONAL WITH 119 512) (WILL WORK FOR 16 949 R91) (FOR TRACTORS EQUIPPED WITH FRONT AXLE EXTENSION, 352 486 R91 OR 356 595 R91)		2	2	2
41	119 512	FITTING, LUBRICATION, STRAIGHT, 1/8" (3/4" LONG) (OPTIONAL WITH 109 461) (FOR TRACTORS EQUIPPED WITH FRONT AXLE EXTENSION, 352 486 R91 OR 356 595 R91)		2	2	2
41	109 454	FITTING, LUBRICATION, STRAIGHT, 1/4" (31/64" LONG) (OPTIONAL WITH 110 347) (TRACTORS EQUIPPED WITH FRONT AXLE EXTENSION, 352 486 R92 OR 356 595 R92)		2	2	2
41	110 347	FITTING, LUBRICATION, STRAIGHT, 1/4" (31/64" LONG) (OPTIONAL WITH 109 454) (TRACTORS EQUIPPED WITH FRONT AXLE EXTENSION, 352 486 R92 OR 356 595 R92)		2	2	2
42	356 597 R92	KNUCKLE, STEERING, W/DEFLECTOR, 43 462 D, OIL SEAL, 43 463 D AND WASHER, 49 118 DA			2	2
	102 649	NUT, HEX., SLOTTED, 5/8-18NF			2	2
	103 386	PIN, COTTER, 1/8 x 1-1/4"			2	2
	Q 1 538	WASHER, STEEL, PLAIN, 5/8"			2	2
43	43 462 D	DEFLECTOR, DUST, STEERING KNUCKLE		2	2	2
44	49 118 DA	WASHER, FELT, FRONT WHEEL		2	2	2
45	43 463 D	OIL SEAL, FRONT WHEEL (OPTIONAL WITH 358 769 R91 AND 359 788 R91)		2	2	2
45	358 769 R91	OIL SEAL, FRONT WHEEL (OPTIONAL WITH 43 463 D AND 359 788 R91)		2	2	2
45	359 788 R91	OIL SEAL, FRONT WHEEL (OPTIONAL WITH 43 463 D AND 358 769 R91)		2	2	2
46	49 116 D	GASKET, FRONT WHEEL HUB CAP		2	2	2
	352 496 R93	CRANK, STARTING, W/PIN, 15 204 D (SPECIAL)		1	1	1
	352 500 R1	NIPPLE, GREASE, FRONT AXLE PIVOT (ORDER 109 357)		1	1	1
	15 204 D	PIN, STARTING CRANK		1	1	1
		§ - NOT SERVICED SEPARATELY				

ATTACHMENTS

FENDER (Special)




A-17210

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	351 255 R91	ATTACHMENT, FENDER		1
1	351 248 R92	FENDER		2
2	351 250 R1	U-BOLT, FENDER		2
	103 028	NUT, HEX, 1/2-20NF		4
	103 323	WASHER, LOCK, 1/2"		4

ATTACHMENTS


FRONT WHEEL WEIGHTS ASSEMBLED (Special)



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	48 600 D	ATTACHMENT, FRONT WHEEL WEIGHT, INNER		1
	48 602 D	ATTACHMENT, FRONT WHEEL WEIGHT, OUTER		1
1	6 788 D	WEIGHT, FRONT WHEEL, INNER (EACH 42-1/2 LBS.)		2
	13 370 R1	BOLTS, MACHINE, 1/2-13NC x 2-3/8"		6
	114 774	NUT, HEX, 1/2-13NC		6
	103 323	WASHER, LOCK, 1/2"		6
2	6 788 D	WEIGHT, FRONT WHEEL, OUTER (EACH 42-1/2 LBS.)		2
	13 416 R1	BOLTS, MACHINE, 1/2-13NC x 3"		6
	114 774	NUTS, HEX, 1/2-13NC		6
	103 323	WASHER, LOCK, 1/2"		6

ATTACHMENTS

REAR WHEEL WEIGHTS (Special)




REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	61 719 DA	ATTACHMENT, REAR WHEEL WEIGHT, FIRST SET (CONSISTS OF TWO 6 818 DA)		1
	49 330 DA	ATTACHMENT, REAR WHEEL WEIGHT, SECOND SET (CONSISTS OF TWO 6 818 DA)		1
	49 331 DA	ATTACHMENT, REAR WHEEL WEIGHT, THIRD SET (CONSISTS OF TWO 6 818 DA)		1
1	6 818 DA	WEIGHT, REAR WHEEL (FIRST WEIGHT) (APPROXIMATELY 140 POUNDS EACH)		2
	13 472 R1	BOLT, MACHINE, SQ-HD., 3/4-10NC x 3-3/4"		8
	114 821	NUT, HEX, 3/4-10NC		8
	103 326	WASHER, LOCK, 3/4"		8
2	6 818 DA	WEIGHT, REAR WHEEL (SECOND WEIGHT) (APPROXIMATELY 140 POUNDS EACH)		2
	13 472 R1	BOLT, MACHINE, SQ-HD., 3/4-10NC x 3-3/4"		8
	114 821	NUT, HEX, 3/4-10NC		8
	103 326	WASHER, LOCK, 3/4"		8
	Q 1 552	WASHER, PLAIN, STEEL, 3/8"		8
	6 818 DA	WEIGHT, REAR WHEEL (THIRD WEIGHT) (APPROXIMATELY 140 POUNDS EACH)		2

PRINTED IN UNITED STATES OF AMERICA

ATTACHMENTS


PNEUMATIC TIRE PUMP (Enginair) (Special)



REF. NO.	I H PART NUMBER	MFR'S. NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	39 604 DA		PUMP, TIRE, W/GAGE, ASSEMBLY (FOR 18MM THREAD SPARK PLUG HOLE) (OPTIONAL WITH SCHRADER PUMP, 39 622 D)		1
1	40 617 DA		ELEMENT, PUMPING, ASSEMBLY		1
			(COMPOSED OF -		
			1 BALL 37 886 D		
			1 BARREL 61 560 D		
			1 CAGE 70 313 D		
			1 HEAD 69 911 D		
			1 NIPPLE 70 312 D		
			1 VALVE 61 564 D)		
2	37 895 DA		GAGE, AIR PRESSURE		1
3	61 560 D		BARREL, 18MM		1
4	70 313 D		CAGE, VALVE (2 HALVES)		1
5	61 564 D		VALVE, FLAP (2 HALVES)		1
6	69 911 D		HEAD		1
7	37 886 D		BALL, STAINLESS STEEL, 5/16"		1
8	70 312 D		NIPPLE, UNIVERSAL		1
9	61 566 D		CAP, AIR CHUCK, 3/4" (USED WITH 61 565 D)		2
10	61 567 D		RUBBER, AIR CHUCK, 11/16" (USED WITH 61 565 D)		2
11	37 890 D		RING, HOSE CLAMP		4
12	37 892 D		HOSE, 4 FT.		1
13	37 893 D		CONNECTION, AIR PRESSURE GAGE		1
14	37 891 D		HOSE, 12 FT.		1
15	357 375 R91		CHUCK, AIR, 3/4" (WILL WORK FOR 61 565 D)		2
	37 896 DA	ALL-3	BAG, CLOTH, W/INSTRUCTIONS		1
	69 912 D	SNA	NUT, SWIVEL		1

ATTACHMENTS

PNEUMATIC TIRE PUMP (Schrader) (Special)




B-517A

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQ'D A	No. REQ'D B
KEY TO LETTERS IN CAPTION -					
A - 39 622 D - PUMP, TIRE, 350 489 R91, W/ADAPTER (FOR 18MM THREAD SPARK PLUG HOLE) (OPTIONAL WITH ENGINAIR PUMP, 39 604 DA)					
B - 350 342 R91 - PUMP, TIRE, 350 489 R91, W/ADAPTERS (FOR 10, 14, 18MM, 1/2" AND 7/8" - 18 THREAD SPARK PLUG HOLE)					
1	42 813 D	CONNECTOR, PUMP		1	1
2	42 808 D	HOSE (4 FT. LONG)		1	1
3	42 809 D	GAGE, AIR PRESSURE		1	1
4	42 806 D	CONNECTOR, AIR PRESSURE GAGE		1	1
5	42 807 D	HOSE (12 FT. LONG)		1	
6	62 602 D	CLAMP, HOSE		4	4
7	42 802 D	DISC, RUBBER		1	1
8	42 812 D	WASHER, FIBRE (UNDER PERFORATED PLATE)		1	1
9	42 800 D	SHELL, LONG		1	1
10	42 811 D	WASHER, RUBBER (IN ADAPTER)		1	1
11	39 626 D	ADAPTER, 18 MM (*)		1	1
11	39 625 D	ADAPTER, 7/8" - 18 (*)			1
11	39 627 D	ADAPTER, 14 MM (*)			1
11	350 490 R1	ADAPTER, 1/2" (*)			1
11	350 491 R1	ADAPTER, 10 MM (*)			1
12	42 810 D	SCREW (FOR ADAPTER)		1	1
13	350 489 R91	PUMP, TIRE, W/GAGE, ASSEMBLY		1	1
	65 814 D	ADAPTER, AIR-WATER			1
	350 483 R91	CAPS, VALVE (SET OF 5)			1
	140 249 H	CORES, VALVE (SET OF 5)			1
	350 488 R1	GAGE, TIRE PRESSURE			1
	350 484 R1	TOOL, VALVE REPAIR			1
	350 485 R1	TOOL, VALVE FISHING			1
	350 486 R91	VALVE, AIR-WATER TIRE			1
		(*) - ADAPTERS ARE INTERCHANGEABLE ON EACH OF THE ABOVE ATTACHMENTS			

PRINTED IN UNITED STATES OF AMERICA

ATTACHMENTS

3-POINT ADAPTER UNIT (Special)
(For adapting Allied Implements to Farmall Super-C Tractor equipped with Fast-Hitch)




A-31301

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	518 117 R91	THREE-POINT-ADAPTER UNIT (FOR ADAPTING ALLIED IMPLEMENTS TO FARMALL SUPER-C TRACTOR		
		EQUIPPED WITH FAST-HITCH)		
1	517 859 R12	YOKE, ATTACHING		1
	17 867 R11	BOLT, HEX., REGULAR, 3/4-10UNC x 5-3/4", W/NUT		1
	114 821	NUT, HEX., 3/4-10NC		1
	103 326	WASHER, LOCK, 3/4"		1
2	517 867 R1	SPACER, YOKE BRACKET		1
3	517 854 R11	STRAP, PIVOT		1
4	517 865 R91	PLATE, LATCH, LEFT		1
4	517 866 R91	PLATE, LATCH, RIGHT		1
	15 058 R11	BOLT, CARRIAGE, 5/8-11NC x 1-3/4", W/NUT		2
	218 442	NUT, JAM, 5/8-11NC		2
	103 325	WASHER, LOCK, 5/8"		2
	551 177 R1	WASHER, PLAIN, 21/32" I.D. x 1-1/4" O.D. x No. 16 GA.		2
5	517 861 R1	PLATE, PIVOT, LEFT		1
5	517 862 R1	PLATE, PIVOT, RIGHT		1
	17 552 R11	BOLT, HEX., REGULAR, 5/8-11UNC x 2-1/4", W/NUT		4
	114 820	NUT, HEX., 5/8-11NC		4
	103 325	WASHER, LOCK, 5/8"		4
6	517 810 R12	PIN, LOCKING, W/BALL AND RING		1
7	517 853 R12	PIN, YOKE BRACKET, W/BALL AND RING		1
8	517 860 R1	STRAP, SPACING		1
	17 082 R11	BOLT, MACHINE, DLD., 5/8-11UNC x 1-3/8", W/NUT		
		(SPACING STRAP TO PIVOT STRAP)		
	427 630	NUT, HEX., SLOTTED, 5/8-11NC		
	13 092 R1	PIN, COTTER, 1/8 x 1-1/4"		
9	PO 16 351	SPACER, LATCH PLATE		1

ATTACHMENTS

FAST-HITCH (Special)



A-39603

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C	D
		KEY TO LETTERS IN CAPTION -					
		A - 360 434 R94 - ATTACHMENT, FAST-HITCH (FOR TRACTORS EQUIPPED WITH TOUCH-CONTROL SYSTEM)	100001 TO 171175	1			
		B - 360 933 R93 - ATTACHMENT, FAST-HITCH (FOR TRACTORS EQUIPPED WITH TOUCH-CONTROL SYSTEM)	171176 TO 193534		1		
		C - 360 934 R94 - ATTACHMENT, FAST-HITCH (FOR TRACTORS EQUIPPED WITH TOUCH-CONTROL SYSTEM)	193535 UP			1	
		D - 518 550 R91 - UNIT, FAST-HITCH		1	1	1	1
	360 185 R91	ATTACHMENT, DRAWBAR EXTENSION PLATE (PROVIDES STANDARDIZED POWER TAKE-OFF HITCH) (*)		1	1	1	
		(COMPOSED OF -					
		1 PLATE 360 184 R1					
		2 NUT 218 197					
		2 SCREW 271 636					
		2 WASHER 103 326)					
		CHECK VALVE AND CONNECTIONS					
1	360 393 R91	HOSE, CONTROL VALVE, SHORT (1/4" I.D. x 29" LONG) (WILL WORK FOR 361 072 R91 AND 361 953 R91)		2	2	2	

(*) - THESE PARTS ARE NOT INCLUDED IN FAST-HITCH FIELD ATTACHMENTS

ATTACHMENTS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C	D
		FAST-HITCH (Special) CHECK VALVE AND CONNECTIONS—Continued					
2	360 402 R92	BLOCK, check valve, assembly		1	1	1	
		(Composed of -					
		1 ACTUATOR 353 953 R1					
		1 BLOCK 360 390 R21					
		1 PLUG 360 391 R1					
		1 PLUG 360 392 R1					
		1 RING 355 967 R1					
		1 SPRING 350 668 R1					
		1 VALVE 354 057 R2					
		2 WASHER 13 727 D)					
3	360 391 R1	PLUG, check valve block, short		1	1	1	
4	13 727 D	WASHER, plug, check valve block		2	2	2	
5	350 668 R1	SPRING, check valve		1	1	1	
6	354 057 R2	VALVE, check		1	1	1	
7	360 390 R21	BLOCK, check valve		1	1	1	
8	353 953 R1	ACTUATOR, check valve		1	1	1	
9	355 967 R1	RING, seal, check valve actuator		1	1	1	
10	360 392 R1	PLUG, check valve block, long		1	1	1	
11	454 097	ELBOW, street, automotive pipe, stl., cd-pltd., 45°, 1/4"					
		(optional with 360 451 R1) (†) (*)		1	1	1	
11	360 451 R1	ELBOW, street, check valve to cylinder hose (optional with 454 097) (†) (*)		1	1	1	
12	360 394 R91	HOSE, control valve, long (1/4" I.D. x 31-3/4" long) (†) (*)		1	1	1	
13	444 480	ELBOW, street, automotive pipe, brs., 90°, 1/4" (optional with 454 109)		1	1	1	
13	454 109	ELBOW, street, automotive pipe, stl., cd-pltd., 90°, 1/4" (optional with 444 480)		1	1	1	
14	192 053	NIPPLE, pipe, long, cd-pltd., 1/4 x 7/8" (†) (*)		1	1	1	
15	454 085	ELBOW, street, automotive pipe, stl., cd-pltd., 90°, 1/4"					
		(optional with 444 504) (†) (*)		1	1	1	
15	444 504	ELBOW, street, automotive pipe, brs., 90°, 1/4" (optional with 454 085) (†) (*)		1	1	1	
16	360 383 R1	CLAMP, auxiliary control valve hose (†) (*)	176523 up		1	1	
17	356 809 R1	CLAMP, auxiliary control valve hose (†) (*)	100001 to 176522	1	1		
18	356 835 R1	BRACKET, auxiliary control valve hose (†) (*)		1	1	1	
	179 846	SCREW, cap, hex-hd., 3/8-16NC x 1-7/8" (†) (*)		1	1	1	
19	356 836 R1	SPACER, auxiliary control valve hose bracket (†) (*)		1	1	1	
20	360 393 R91	HOSE, control valve short (1/4" I.D. x 29" long) (will work for 361 072 R91 and					
		361 953 R91) (†) (*)		1	1	1	
21	9 402 805	ELBOW, control valve to check valve tube (‡)		2	2	2	
22	9 402 708	CONNECTOR, control valve to check valve tube (‡)		2	2	2	
23	361 191 R11	TUBE, control valve to check valve, long, w/two NUTS, and two SLEEVES (‡)		1	1	1	
		(*) - These parts are not included in Fast-Hitch Field Attachments					
		(†) - Used only on tractors equipped with Hoses and Connections					
		(‡) - Used only on tractors equipped with Tubes and Fittings					

ATTACHMENTS

FAST-HITCH (Special)


CHECK VALVE AND CONNECTIONS—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C	D
24	361 190 R11	TUBE, control valve to check valve short w/two NUTS and two SLEEVES ‡		1	1	1	
	359 552 R1	ARM, rockshaft, R.H. (illustrated with Rockshaft)		1			
	15 347 D	NUT, rockshaft		2			
	359 554 R1	PIN, rockshaft arm clevis		1			
	PO 18 500 A	PIN, cotter, quick attachable		1			
	356 831 R1	BRACKET, auxiliary control valve lever (illustrated with auxiliary control valve)		1	1	1	
	179 801	SCREW, cap, hex-hd., 1/4-20NC x 1-1/2"		2	2	2	
	103 319	WASHER, lock, medium, 1/4"		2	2	2	
	358 111 R92	CABLE, switch to rear light (illustrated with Lighting and Starting System)		1	1		
	61 813 D	CLIP, rear light cable (illustrated with Lighting and Starting System)		2	2		
	356 803 R1	GASKET, auxiliary control valve (illustrated with auxiliary control valve)		1	1	1	
	356 834 R12	GUARD, hose auxiliary control valve (illustrated with Seat, Seat Support and Tool Box)		1	1	1	
	179 795	SCREW, cap, hex-hd., 1/4-20NC x 3/4"		2	2	2	
	103 339	WASHER, plain, 9/32 I.D. x 5/8" O.D. x No. 16 ga.		2	2	2	
	356 830 R4	HANDLE, auxiliary control valve operating (illustrated with auxiliary control valve)		1	1	1	
	52 893 H	PIN, rod end, dld., 3/8 x 1-25/32"		1	1	1	
	103 373	PIN, cotter, 3/32 x 3/4"		1	1	1	
	360 379 R1	LINK, connecting, auxiliary control valve (illustrated with auxiliary control valve)		1	1	1	
	1 161 Y	PIN, rod end, dld., 5/16 x 23/32"		2	2	2	
	103 373	PIN, cotter, 3/32 x 3/4"		2	2	2	
	350 667 R1	RING, seal, manifold front flange (illustrated with auxiliary control valve)		4	4	4	
	357 874 R2	SCREW, cap, auxiliary control valve (illustrated with auxiliary control valve)		2	2	2	
	360 478 R11	SUPPORT, rear light (illustrated with headlight and rear light supports)		1	1		
	103 026	NUT, hex., 3/8-24NF		1	1		
	181 370	SCREW, cap, hex-hd., 3/8-24NF x 1-1/4"		1	1		
	103 321	WASHER, lock, medium, 3/8"		1	1		
	359 572 R92	SUPPORT, seat and tool box (illustrated with seat, seat support and tool box)		1	1		
	356 779 R91	TUBES, manifold (illustrated with auxiliary control valve)		1	1	1	
	179 841	SCREW, cap, hex-hd., 3/8-16NC x 1-1/4"		2	2	2	
	103 321	WASHER, lock, medium, 3/8"		2	2	2	
	356 788 R92	VALVE, auxiliary control, assembly (illustrated with auxiliary control valve)		1	1	1	
	179 846	SCREW, cap, hex., 3/8-16NC x 1-7/8"		1	1	1	

‡ - Used only on tractors equipped with Tubes and Fittings

ATTACHMENTS

FAST-HITCH (Special)
DRAWBAR, DRAFT LINK AND YOKE



ATTACHMENTS


REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C	D
		FAST-HITCH (Special) DRAWBAR, DRAFT LINK AND YOKE					
1	518 144 R1	ROD, HITCH LINK		1	1	1	1
2	517 843 R1	PIN, COTTER, QUICK-ATTACHABLE		1	1	1	1
3	518 135 R1	PIN, DRAFT LINK ADJUSTING (USED WITH 518 143 R11)		1	1	1	1
3	518 477 R1	PIN, DRAFT LINK ADJUSTING (USED WITH 518 476 R11)		1	1	1	1
4	518 143 R11	PIPE, DRAFT LINK (ORDER 518 476 R11 TOGETHER WITH 518 477 R1)		1	1	1	1
	17 578 R1	BOLT, HEX., 5/8-11NC x 2-1/2"		1	1	1	1
	114 820	NUT, HEX., 5/8-11NC		1	1	1	1
	517 843 R1	PIN, COTTER, QUICK-ATTACHABLE		1	1	1	1
	517 832 R1	STUD, STATIONARY HITCH POINT (ILLUSTRATED WITH CLUTCH HOUSING)		1	1	1	1
	23 471 S	WASHER, PLAIN, 25/32" I.D. x 1-1/2" O.D. x No. 7 GA.		1	1	1	1
	103 325	WASHER, LOCK, MEDIUM, 5/8"		1	1	1	1
4	518 476 R11	PIPE, DRAFT LINK (WILL WORK FOR 518 143 R11 WITH 518 477 R1)		1	1	1	1
	17 578 R1	BOLT, HEX., 5/8-11NC x 2-1/2"		1	1	1	1
	114 820	NUT, HEX., 5/8-11NC		1	1	1	1
	103 325	WASHER, LOCK, MEDIUM, 5/8"		1	1	1	1
5	518 138 R11	BRACKET, DRAFT LINK		1	1	1	1
	17 629 R1	BOLT, HEX., 5/8-11NC x 3"		1	1	1	1
	114 820	NUT, HEX., 5/8-11NC		2	2	2	2
	179 936	SCREW, CAP, HEX-HD., 5/8-11NC x 3-1/4"		1	1	1	1
	103 325	WASHER, LOCK, MEDIUM, 5/8"		2	2	2	2
6	518 145 R12	YOKE		1	1	1	1
7	517 786 R11	LATCH, W/PIN, 576 485 R1		2	2	2	2
	576 485 R1	PIN, ROLL, 1/4 x 1-1/4"		1	1	1	1
8	517 833 R1	SPRING, LATCH		2	2	2	2
	179 833	SCREW, CAP, HEX-HD., 3/8-16NC x 1/2"		2	2	2	2
	103 321	WASHER, LOCK, MEDIUM, 3/8"		2	2	2	2
	Q 1 597	WASHER, PLAIN, 13/32" I.D. x 3/4" O.D. x No. 16 GA.		2	2	2	2
9	518 134 R1	BRACKET, BALL JOINT		2	2	2	2
	15 193 R1	BOLT, CARRIAGE, SQ-NECK, 3/4-10NC x 3-3/4"		1	1	1	1
	114 821	NUT, HEX., 3/4-10NC		1	1	1	1
	103 326	WASHER, LOCK, MEDIUM, 3/4"		1	1	1	1
10	518 141 R91	BAIL, HITCH ADJUSTING		1	1	1	1
11	517 842 R1	BOLT, LINK PIVOT		2	2	2	2
	427 639	NUT, SLOTTED, HEX., 3/4-16NF		2	2	2	2
	13 092 R1	PIN, COTTER, SELF-OPENING, 1/8 x 1-1/4"		2	2	2	2
	518 568 R1	WASHER, LINK PIVOT BOLT		2	2	2	2
12	517 831 R1	BUSHING, LINK AND SWIVEL		2	2	2	2

ATTACHMENTS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C	D
		FAST-HITCH (Special) **DRAWBAR, DRAFT LINK AND YOKE - Continued**					
13	517 784 R1	STOP, LINK AND SWIVEL		2	2	2	2
14	109 350	FITTING, LUBRICATION, 67-1/2° ELBOW, 1/8"		2	2	2	2
15	517 829 R11	DRAWBAR		1	1	1	1
16	360 184 R1	PLATE, EXTENSION, DRAWBAR (FOR TRACTORS EQUIPPED WITH DRAWBAR EXTENSION PLATE ATTACHMENT) (*)		1	1	1	
	218 197	NUT, HEX., 3/4-16NF (*)		2	2	2	
	271 636	SCREW, CAP, HEX-HD., 3/4-16NF x 2-1/2" (*)		2	2	2	
	103 326	WASHER, LOCK, 3/4" (*)		2	2	2	
17	518 576 R21	BEAM, COUPLING (USE TO ADAPT ALLIED IMPLEMENTS FOR USE WITH FAST-HITCH BY WELDING THIS TO, OR BY DRILLING HOLES AND BOLTING THIS TO THE IMPLEMENT) (*)		1	1	1	
	360 378 R1	HOOK, LATCH (ILLUSTRATED WITH TOOLS)		1	1	1	
	360 377 R1	CLIP, SPRING, LATCH HOOK		1	1	1	
	360 376 R1	CLIP, LATCH HOOK HOLD-DOWN		1	1	1	
	179 817	SCREW, CAP, HEX-HD., 5/16-18NC x 7/8"		1	1	1	

(*) - THESE PARTS ARE NOT INCLUDED IN THE FAST HITCH FIELD ATTACHMENTS

FAST-HITCH (Special)
HYDRAULIC CYLINDER, BELL CRANK ADJUSTING LINK AND ROCKSHAFT



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C	D
1	517 824 R1	LINK, BELLCRANK ADJUSTING		1	1	1	1
2	517 810 R12	PIN, QUICK ATTACHABLE		3	3	3	3
3	517 823 R91	BELLCRANK, LEVELING		1	1	1	1
	15 583 R1	BOLT, PLOW, No. 3, 1/2-13NC x 1-1/2"		3	3	3	3
	114 774	NUT, HEX., 1/2-13NC		3	3	3	3
	103 323	WASHER, LOCK, MEDIUM, 1/2"		3	3	3	3

ATTACHMENTS

FAST-HITCH (Special)
HYDRAULIC CYLINDER, BELLCRANK ADJUSTING LINK AND ROCKSHAFT—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C	D
4	517 782 R2	RACE, BEARING, INSIDE		4	4	4	4
5	517 783 R1	RACE, BEARING, OUTSIDE (ORDER 518 511 R1 TOGETHER WITH TWO 517 782 R2)		2	2	2	2
5	518 511 R1	RACE, BEARING, OUTSIDL (WILL WORK FOR 517 783 R1 WITH TWO 517 782 R2)		4	4	4	4
6	119 512	FITTING, LUBRICATION, STRAIGHT, 1/8"		2	2	2	2
7	517 808 R11	ARM, ROCKER, HYDRAULIC CYLINDER		1	1	1	1
	13 158 R1	PIN, COTTER, SELF-OPENING, 5/16 x 2"		1	1	1	1
	Q 121	WASHER, PLAIN, 1-9/32" I.D. x 2" O.D. x No. 16 GA.		1	1	1	1
8	518 482 R1	BUSHING, LEVELING LOCK ARM BEARING (WILL WORK FOR PO 20 460)		1	1	1	1
9	517 825 R11	ARM, LEVELING LOCK		1	1	1	1
	114 820	NUT, HEX., 5/8-11NC		1	1	1	1
	362 016 R1	SCREW, CAP, HEX-HD., 5/8-11NC x 3"		1	1	1	1
	103 325	WASHER, LOCK, MEDIUM, 5/8"		1	1	1	1
	10 367 H	WASHER, PLAIN, 21/32" I.D. x 1-1/8" O.D. x No. 16 GA.		1	1	1	1
10	454 097	ELBOW, STREET, AUTOMOTIVE PIPE, STL., CD-PLTD., 1/4" (45°) (OPTIONAL WITH 360 451 R1)		1	1	1	
10	360 451 R1	ELBOW, STREET, CHECK VALVE TO CYLINDER HOSE (OPTIONAL WITH 454 097)		1	1	1	
11	360 994 R91	CYLINDER, HYDRAULIC (2-1/2 x 8") ASSEMBLY (WILL WORK FOR 359 561 R94) (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAILS OF HYDRAULIC CYLINDER)		1	1	1	
12	517 795 R21	PLATE, ATTACHING, L.H.		1	1	1	1
	13 139 R1	PIN, COTTER, SELF-OPENING, 1/4 x 1-3/4"		2	2	2	2
	362 014 R1	SCREW, CAP, HEX-HD., 5/8-11NC x 1-1/2"		3	3	3	3
	103 325	WASHER, LOCK, MEDIUM, 5/8"		3	3	3	3
	Q 3 483	WASHER, PLAIN, 1-9/32" I.D. x 2" O.D. x No. 11 GA.		1	1	1	1
	PO 12 898	WASHER, PLAIN, 29/32" I.D. x 1-1/2" O.D. x No. 11 GA.		1	1	1	1
13	110 161	FITTING, LUBRICATION, 3/16"		2	2	2	2
14	517 971 R92	LINK, LATERAL, W/FITTING, 110 161		2	2	2	2
	17 077 R1	PIN, ROLL, 3/8" x 1-15/16"		2	2	2	2
15	359 577 R1	PIN, LATERAL LINK		2	2	2	2
	13 068 R1	PIN, COTTER, SELF-OPENING, 3/16 x 1"		2	2	2	2
16	517 803 R11	ROCKSHAFT		1	1	1	1
	13 139 R1	PIN, COTTER, SELF-OPENING, 1/4 x 1-3/4"		1	1	1	1
	Q 162	WASHER, PLAIN, 1-5/32" I.D. x 1-3/4" O.D. x No. 16 GA.		1	1	1	1
16A	517 834 R1	BUSHING, LIFT ARM STUD		1	1	1	1


ATTACHMENTS

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C	D
		FAST-HITCH (Special)					
		HYDRAULIC CYLINDER, BELLCRANK ADJUSTING LINK AND ROCKSHAFT—Continued					
17	517 796 R21	PLATE, ATTACHING, R.H.		1	1	1	1
	15 041 R1	BOLT, CARRIAGE, SQ-NECK, 1/2-13NC x 1-1/2"		3	3	3	3
	114 774	NUT, HEX., 1/2-13NC		3	3	3	3
	13 139 R1	PIN, COTTER, SELF-OPENING, 1/4 x 1-3/4"		1	1	1	1
	362 014 R1	SCREW, CAP, HEX-HD., 5/8-11NC x 1-1/2"		3	3	3	3
	103 323	WASHER, LOCK, MEDIUM, 1/2"		3	3	3	3
	103 325	WASHER, LOCK, MEDIUM, 5/8"		3	3	3	3
	PO 12 898	WASHER, PLAIN, 29/32" I.D. x 1-1/2" O.D. x No. 11 GA.		1	1	1	1
18	517 802 R1	ROD, LIFT		1	1	1	1
19	517 838 R1	PIN, LIFT LOCKING		1	1	1	1
20	517 789 R11	EYEBOLT, LINK SWIVEL		1	1	1	1
	13 121 R1	PIN, COTTER, SELF-OPENING, 1/4 x 1-1/2"		1	1	1	1
	Q 3 481	WASHER, PLAIN, 1-1/32" I.D. x 1-1/2" O.D. x No. 16 GA.		1	1	1	1
21	517 843 R1	PIN, COTTER, QUICK-ATTACHABLE		1	1	1	1
22	517 781 R1	CAP, LIFTING ROD		1	1	1	1
	17 079 R1	PIN, ROLL, 1/2 x 1-7/8"		1	1	1	1
23	359 585 R21	BRACKET, CYLINDER ROCKER ARM, W/BUSHING, 359 587 R1		2	2	2	
	103 026	NUT, HEX., 3/8-24NF		4	4	4	
	179 848	SCREW, CAP, HEX-HD., 3/8-16NC x 2-1/4"		2	2	2	
	181 361	SCREW, CAP, HEX-HD., 3/8-24NF x 7/8"		4	4	4	
	103 321	WASHER, LOCK, MEDIUM, 3/8"		6	6	6	
24	359 587 R1	BUSHING, CYLINDER ROCKER ARM		2	2	2	

MEMORANDA

ATTACHMENTS

SWINGING DRAWBAR
(For Tractors Equipped with Fast-Hitch)




A-39605

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
1	359 795 R91	ATTACHMENT, SWINGING DRAWBAR		1
2	359 580 R11	DRAWBAR, SWINGING		1
	114 821	NUT, HEX., 3/4-10NC		2
	271 609	SCREW, CAP, HEX-HD., 3/4-10NC x 1-3/4"		2
	103 326	WASHER, LOCK, MEDIUM, 3/4"		2
3	359 584 R1	PIN, PIVOT, SWINGING DRAWBAR		1
	PO 18 499	PIN, COTTER, QUICK-ATTACHABLE		1

ATTACHMENTS

HYDRA-CREEPER (Special)
HYDRA-DRIVE TRANSMISSION



A-37596

ATTACHMENTS

HYDRA-CREEPER (Special)

KEY TO LETTERS IN CAPTION -

A - 362 202 R91 ATTACHMENT, HYDRA-CREEPER (FOR TRACTORS EQUIPPED WITH TOUCH CONTROL SYSTEM AND POWER TAKE-OFF ATTACHMENT)

B - 362 203 R91 ATTACHMENT, HYDRA-CREEPER (FOR TRACTORS EQUIPPED WITH TOUCH CONTROL SYSTEM, HYDRAULIC REMOTE CONTROL ATTACHMENT AND POWER TAKE-OFF ATTACHMENT)

C - 362 204 R91 ATTACHMENT, HYDRA-CREEPER (FOR TRACTORS EQUIPPED WITH TOUCH CONTROL SYSTEM, FAST-HITCH ATTACHMENT AND POWER TAKE-OFF ATTACHMENT)

NOTE: WHEN THE ABOVE FIELD ATTACHMENTS ARE APPLIED, TRACTORS MUST BE EQUIPPED WITH THE FOLLOWING, IF NOT PREVIOUSLY SO EQUIPPED:

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
	55 212 D	CLUTCH RELEASE BEARING (AETNA BALL BRG. CO. A-801)				
	OR					
	18 567 D	CLUTCH RELEASE BEARING (NICE 5015-1)				
	OR					
	361 292 R91	CLUTCH RELEASE BEARING (B.C.A. 2062-14)				
	109 461	CLUTCH RELEASE SLEEVE LUBRICATOR				
	OR					
	119 512	CLUTCH RELEASE SLEEVE LUBRICATOR				
	6 116 D	CLUTCH RELEASE SLEEVE				

HYDRA-DRIVE TRANSMISSION

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
	364 681 R91	TRANSMISSION, HYDRA-CREEPER, ASSEMBLY		1	1	1
		(COMPOSED OF REF. NOS. 1 THRU 28 INCLUDING THE ATTACHING PARTS PLUS THE FOLLOWING -				
		1 GASKET 362 289 R1				
		1 KEY 12 456				
		1 MOTOR 362 288 R91				
		4 NUT 103 026				
		4 WASHER 110 730)				
1	362 255 R91	OIL SEAL, DRIVEN SPROCKET (OPTIONAL WITH 362 256 R91)		2	2	2
1	362 256 R91	OIL SEAL, DRIVEN SPROCKET (OPTIONAL WITH 362 255 R91)		2	2	2
2	362 252 R91	BEARING, NEEDLE, IDLER PINION		2	2	2
3	362 253 R91	BEARING, NEEDLE, DRIVE SPROCKET (CLOSED END)		1	1	1
4	362 259 R1	WASHER, DRIVE SPROCKET RETAINER		2	2	2
5	362 260 R1	RING, DRIVE SPROCKET RETAINER		2	2	2
6	362 261 R1	SPROCKET, DRIVE		1	1	1
7	362 242 R11	SPROCKET, IDLER, W/HUB AND THREE RIVETS, 104 083		1	1	1
	104 083	RIVET, SOLID, RD-HD., 1/4 x 3/4"		3	3	3
8	124 546	KEY, IDLER PINION		1	1	1
9	362 265 R1	PINION, IDLER (8 TEETH)		1	1	1
10	362 266 R1	RING, IDLER PINION RETAINER		1	1	1
11	362 267 R1	WASHER, IDLER PINION RETAINER		1	1	1
12	362 258 R1	GASKET, HOUSING		1	1	1

ATTACHMENTS


HYDRA-CREEPER (Special)
HYDRA-DRIVE TRANSMISSION—Continued

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
13	362 249 R92	HOUSING AND COVER, ASSEMBLY		1	1	1
		(COMPOSED OF -				
		1 BEARING 10 026 R — 1 PLUG 143 923				
		2 BEARING 362 251 R91 — 2 SEAL 362 255 R91				
		2 BEARING 362 252 R91 — 4 SCREW 179 821				
		1 BEARING 362 253 R91 — 2 SCREW 179 823				
		1 COVER § 362 247 R1 — 3 SCREW 179 825				
		1 GASKET 362 258 R1 — 4 STUD 362 250 R1				
		1 HOUSING § 362 246 R11 — 9 WASHER 112 723)				
		2 PIN 141 223				
	143 923	PLUG, PIPE, SQ-HD., STL., 1/8"		1	1	1
	179 821	SCREW, CAP, HEX-HD., 5/16-18NC x 1-3/8"		4	4	4
	179 823	SCREW, CAP, HEX-HD., 5/16-18NC x 1-5/8"		2	2	2
	179 825	SCREW, CAP, HEX-HD., 5/16-18NC x 1-7/8"		3	3	3
	112 723	WASHER, LOCK, 5/16"		9	9	9
14	10 026 R	BEARING, NEEDLE, DRIVE SPROCKET (OPEN END)		1	1	1
15	362 250 R1	STUD, HYDRAULIC MOTOR MOUNTING		4	4	4
16	362 206 R1	SPACER, HYDRA-CREEPER TRANSMISSION SUPPORT BRACKET		2	2	2
17	362 207 R1	BRACKET, HYDRA-CREEPER TRANSMISSION SUPPORT		1	1	1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		1	1	1
	179 838	SCREW, CAP, HEX-HD., 3/8-16NC x 7/8"		1	1	1
	103 340	WASHER, PLAIN, 11/32" I.D. x 11/16" O.D. x No. 16 GA.		1	1	1
	103 341	WASHER, PLAIN, 13/32" I.D. x 13/16" O.D. x No. 16 GA.		1	1	1
18	362 208 R1	BRACKET, HYDRA-CREEPER TRANSMISSION SUPPORT (FOR TRACTORS EQUIPPED WITH BELT PULLEY ATTACHMENT)		1	1	1
	179 816	SCREW, CAP, HEX-HD., 5/16-18NC x 3/4"		1	1	1
	179 838	SCREW, CAP, HEX-HD., 3/8-16NC x 7/8"		1	1	1
	103 340	WASHER, PLAIN, 11/32" I.D. x 11/16" O.D. x No. 16 GA.		1	1	1
	103 341	WASHER, PLAIN, 13/32" I.D. x 13/16" O.D. x No. 16 GA.		1	1	1
19	141 223	PIN, DOWEL, 5/16 x 1"		2	2	2
20	362 251 R91	BEARING, NEEDLE, DRIVEN SPROCKET		2	2	2
21	362 243 R12	SPROCKET, DRIVEN, W/HUB AND THREE RIVETS, 104 100		1	1	1
	18 410 R1	PIN, ROLL, DRIVEN SPROCKET (1/8 x 1-3/4")		1	1	1
	104 100	RIVET, SOLID, RD-HD., 5/16 x 1-1/8"		3	3	3
22	362 268 R91	CHAIN, DRIVEN SPROCKET (5/8" PITCH)		1	1	1
23	1 315 D	LINK, OFF-SET, ASSEMBLY (5/8" PITCH)		X	X	X
	1 360 D	PIN, OFF-SET, LINK (5/8" PITCH)		X	X	X
24	1 309 D	LINK, ROLLER, ASSEMBLY (5/8" PITCH)		X	X	X
25	1 310 D	LINK, CONNECTING, ASSEMBLY (5/8" PITCH)		X	X	X
	1 311 D	CLIP, CONNECTING LINK (5/8" PITCH)		X	X	X
26	1 764 D	LINK, ROLLERLESS, ASSEMBLY (3/8" PITCH)		X	X	X
27	1 765 D	LINK, CONNECTING, ASSEMBLY (3/8" PITCH)		X	X	X
	1 768 D	CLIP, CONNECTING LINK (3/8" PITCH)		X	X	X
28	362 262 R91	CHAIN, DRIVE SPROCKET (3/8" PITCH)		1	1	1

§ - NOT SERVICED SEPARATELY X - AS REQUIRED

ATTACHMENTS

HYDRA-CREEPER (Special)
HYDRAULIC MOTOR, HOSES AND COUPLINGS AND SELECTOR VALVE
(For Tractors Equipped with Fast-Hitch)



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
1	362 289 R1	GASKET, HYDRAULIC MOTOR MOUNTING				1
2	124 546	KEY, HYDRAULIC MOTOR DRIVE SHAFT				1
3	362 288 R91	MOTOR, HYDRAULIC (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAIL OF "HYDRAULIC MOTOR")				1
	103 026	NUT, HEX., 3/8-24				4
	110 730	WASHER, LOCK, 3/8"				4
4	364 148 R1	ELBOW, STREET, HYDRAULIC MOTOR (AUTOMOTIVE PIPE 1/2" x 90°) (WILL WORK FOR 444 484)				3
5	444 496	ELBOW, STREET, HYDRAULIC MOTOR (AUTOMOTIVE PIPE 1/2" x 45°)				1
6	362 255 R91	HOSE, HYDRAULIC MOTOR TO RESERVOIR (WILL WORK FOR 362 226 R91 AND 362 227 R91)				1
7	362 222 R91	HOSE, SELECTOR TO HYDRAULIC MOTOR (WILL WORK FOR 362 223 R91 AND 362 224 R91)				1
8	362 219 R91	HOSE, SELECTOR TO CHECK VALVE (WILL WORK FOR 362 220 R91 AND 362 221 R91)				1
9	144 038	BUSHING, REDUCING PIPE, 1/2 x 1/4"				1
10	362 211 R91	VALVE, SELECTOR, ASSEMBLY (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAIL OF "SELECTOR VALVE")				1
11	356 830 R4	LEVER, HYDRAULIC AUXILIARY CONTROL VALVE REMOTE CONTROL				1
	103 373	PIN, COTTER, 3/32 x 3/4" (SEE NOTE)				1
	52 893 H	PIN, ROD END, DRILLED, 3/8 x 1-25/32" (SEE NOTE)				1
12	356 831 R1	BRACKET, HYDRAULIC AUXILIARY CONTROL VALVE LEVER (SEE NOTE)				1
	179 801	SCREW, CAP, HEX-HD., 1/4-20NC x 1-1/2" (SEE NOTE)				2
	103 319	WASHER, LOCK, MEDIUM, 1/4" (SEE NOTE)				2
		NOTE - NOT INCLUDED IN HYDRA-CREEPER ATTACHMENT.				

HYDRA-CREEPER (Special


HYDRAULIC MOTOR, HOSE COUPLINGS AND SELECTOR VALVE - Continued

(For Tractors Equipped with Fast-Hitch)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	A	B	C
13	360 379 R1	LINK, HYDRAULIC AUXILIARY CONTROL VALVE LEVER CONNECTING				1
	103 373	PIN, COTTER, 3/32 x 3/4"				1
	1 161 Y	PIN, ROD END, 5/16 x 23/32"				1
	441 014 R1	PIN, ROLL, 5/16" DIA. x .062 WALL x 7/8"				1
14	362 212 R1	BRACKET, SELECTOR VALVE SUPPORT				1
	179 813	SCREW, CAP, 5/16-18NC x 9/16"				2
	181 364	SCREW, CAP, 3/8-24NF x 1"				2
	103 314	WASHER, PLAIN, 13/32" I.D. x 13/16" O.D. x No. 16 GA.				2
15	364 148 R1	ELBOW. STREET, HYDRAULIC MOTOR (AUTOMOTIVE PIPE 1/2" x 90°) (WILL WORK FOR 444 484)				3
16	355 496 R92	HOSE, VALVE TO SELECTOR (WILL WORK FOR 361 760 R91 AND 359 329 R91)				1
17	179 752	COUPLING, REDUCING PIPE HYDRAULIC AUXILIARY CONTROL VALVE (1/2 x 1/4")				1
18	192 050	NIPPLE, PIPE, HYDRAULIC AUXILIARY CONTROL VALVE (1/4 x 7/8")				1
19	444 492	ELBOW. STREET, HYDRAULIC AUXILIARY CONTROL VALVE (AUTOMOTIVE PIPE, 1/4" x 45°)				1
20	356 803 R1	GASKET, HYDRAULIC AUXILIARY CONTROL VALVE (SEE NOTE)				1
21	356 788 R92	VALVE, HYDRAULIC AUXILIARY CONTROL (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAIL OF "HYDRAULIC AUXILIARY CONTROL VALVE") (SEE NOTE)				1
	50 474 DA	PLUG, DRAIN, HOLO-CHROME, STD-HEX-SOCKET, 1/4" (SEE NOTE)				1
	444 860	PLUG, DRAIN, AUTOMOTIVE, HEX-SOCKET, 1/4" (SEE NOTE)				1
	357 874 R2	SCREW, CAP, AUXILIARY CONTROL VALVE (SEE NOTE)				2
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8" (SEE NOTE)				1
22	362 209 R1	LATCH, CONTROL VALVE LEVER				1
23	362 210 R1	SCREW, CAP, CONTROL VALVE LEVER LATCH				2
	18 411 R1	NUT, CONTROL VALVE LEVER LATCH				2
24	192 067	NIPPLE, PIPE, LOW PRESSURE HOSE (3/8 x 1")				1
25	179 616	TEE, REDUCING PIPE, LOW PRESSURE HOSE (1/2 x3/8				1
26	356 809 R1	BRACKET, HOSE SUPPORT, L.H. (FOR TRACTORS EQUIPPED WITH ONE-PIECE BATTERY BOX)				1
27	360 383 R1	BRACKET, HOSE SUPPORT, L.H. (FOR TRACTORS EQUIPPED WITH TWO-PIECE BATTERY BOX)				1
28	356 836 R1	SPACER, HOSE BRACKET				1
29	362 290 R2	BRACKET, HOSE SUPPORT, R.H.				1
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8"				1
30	362 229 R1	CLAMP, HOSE FRONT				1
	103 024	NUT, HEX., 1/4-28NF				1
	149 495	SCREW, SLOTTED, MACHINE-RD., 1/4-28NF x 1/2"				1
	103 319	WASHER, LOCK, MEDIUM, 1/4"				1
31	362 228 R1	GUIDE, HOSE, REAR				1
	181 364	SCREW, CAP, HEX-HD., 3/8-24NF x 1"				1
		NOTE - NOTE INCLUDED IN HYDRA-CREEPER ATTACHMENT.				

ATTACHMENTS

HYDRA-CREEPER (Special)
HYDRAULIC MOTOR, HOSE COUPLINGS AND REMOTE CONTROL ATTACHMENT
(For Tractors not Equipped with Fast-Hitch)



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C
1	362 289 R1	GASKET, HYDRAULIC MOTOR MOUNTING		1	1	
2	124 546	KEY, HYDRAULIC MOTOR DRIVE SHAFT		1	1	
3	362 288 R91	MOTOR, HYDRAULIC (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAIL OF "HYDRAULIC MOTOR")		1	1	
	103 026	NUT, HEX., 3/8-24NF		4	4	
	110 730	WASHER, LOCK, 3/8"		4	4	
4	364 148 R1	ELBOW, STREET, HYDRAULIC MOTOR (AUTOMOTIVE PIPE, 1/2" x 90°) (WILL WORK FOR 444 484)		2	2	
5	444 496	ELBOW, STREET, HYDRAULIC MOTOR (AUTOMOTIVE PIPE, 1/2" x 45°)		1	1	
6	356 834 R1	GUARD, AUXILIARY CONTROL VALVE HOSE		1		
7	356 830 R4	LEVER, HYDRAULIC AUXILIARY CONTROL VALVE REMOTE CONTROL		1	1	
	103 373	PIN, COTTER, 3/32 x 3/4"		1		
	52 893 H	PIN, ROD END, DLD., 3/8 x 1-25/32"		1		
8	356 831 R1	BRACKET, HYDRAULIC AUXILIARY CONTROL VALVE LEVER		1		
	179 801	SCREW, CAP, HEX-HD., 1/4-20NC x 1-1/2"		2		
	103 319	WASHER, LOCK, MEDIUM, 1/4"		2		
9	360 379 R1	LINK, HYDRAULIC AUXILIARY CONTROL VALVE LEVER CONNECTING		1	1	
	103 373	PIN, COTTER, 3/32 x 3/4"		1	1	
	1 161 Y	PIN, ROD END, 5/16 x 23/32"		1	1	
	441 014 R1	PIN, ROLL, 5/16" DIA. x .062 WALL x 7/8"		1	1	

ATTACHMENTS

HYDRA-CREEPER (Special)


HYDRAULIC MOTOR, HOSE COUPLINGS AND REMOTE CONTROL ATTACHMENT - Continued

(For Tractors not Equipped with Fast-Hitch)

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C
10	356 803 R1	GASKET, HYDRAULIC AUXILIARY CONTROL VALVE		1		
11	356 788 R92	VALVE, HYDRAULIC AUXILIARY CONTROL (FOR COMPONENTS SEE LIST OF PARTS UNDER DETAIL OF "HYDRAULIC AUXILIARY CONTROL VALVE")		1		
	357 874 R2	SCREW, CAP, AUXILIARY CONTROL VALVE		1		
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8"		2		
	50 474 DA	PLUG, DRAIN, HOLO-CHROME, STD-HEX-SOCKET, 1/4"		1		
	444 860	PLUG, DRAIN, AUTOMOTIVE, HEX-SOCKET, 1/4"		1	1	
12	362 209 R1	LATCH, CONTROL VALVE LEVER		1	1	
13	362 210 R1	SCREW, CAP, CONTROL VALVE LEVER LATCH		2	2	
	18 411 R1	NUT, CONTROL VALVE LEVER LATCH		2	2	
14	444 492	ELBOW, STREET, HYDRAULIC AUXILIARY CONTROL VALVE (AUTOMOTIVE PIPE, 1/4 x 45°)		1	1	
15	192 050	NIPPLE, PIPE, HYDRAULIC AUXILIARY CONTROL VALVE (1/4 x 7/8")		1	1	
16	179 752	COUPLING, REDUCING PIPE HYDRAULIC AUXILIARY CONTROL VALVE (1/2 x 1/4")		1	1	
17	192 067	NIPPLE, PIPE, LOW PRESSURE HOSE (3/8 x 1")		1	1	
18	179 616	TEE, REDUCING PIPE, LOW PRESSURE HOSE (1/2 x 3/8")		1	1	
19	356 809 R1	BRACKET, HOSE SUPPORT, L.H. (FOR TRACTORS EQUIPPED WITH ONE-PIECE BATTERY BOX)		2	1	
20	360 383 R1	BRACKET, HOSE SUPPORT, L.H. (FOR TRACTORS EQUIPPED WITH TWO-PIECE BATTERY BOX)		2	1	
21	362 216 R91	HOSE, LOW PRESSURE (LIFT TO MOTOR) (WILL WORK FOR 362 217 R91 AND 362 218 R91)		1	1	
22	362 213 R91	HOSE, HYDRAULIC AUXILIARY CONTROL VALVE (WILL WORK FOR 362 214 R91 AND 362 215 R91)		1	1	
23	356 836 R1	SPACER, HOSE BRACKET		1		
24	362 290 R2	BRACKET, HOSE SUPPORT, R.H.		1	1	
	179 846	SCREW, CAP, HEX-HD., 3/8-16NC x 1-7/8"		1		
	356 779 R91	TUBES, MANIFOLD (ILLUSTRATED IN REMOTE CONTROL ATTACHMENT)		1		
	179 841	SCREW, CAP, HEX-HD., 3/8-16NC x 1-1/4"		2		
	103 321	WASHER, LOCK, MEDIUM, 3/8"		2		


ATTACHMENTS

HYDRA-CREEPER (Special)
CLUTCH INTERLOCK AND POWER TAKE-OFF SHIFTER LEVER



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	No. REQUIRED A	B	C
1	362 230 R11	LEVER, CLUTCH INTERLOCK		1	1	1
2	362 232 R1	BEARING, CLUTCH INTERLOCK LEVER		2	2	2
	179 845	SCREW, CAP, HEX-HD., 3/8-16NC x 1-3/4"		2	2	2
3	362 236 R1	ROD, CLUTCH INTERLOCK		1	1	1
	107 762	PIN, COTTER, 3/32 x 5/8"		2	2	2
	103 341	WASHER, PLAIN, 13/32" I.D. x 13/16" O.D. x .065 GA.		4	4	4
4	362 231 R1	LEVER, POWER TAKE-OFF AND CLUTCH INTERLOCK SHIFTER		1	1	1
	17 141 R1	PIN, ROLL, 5/32 x 1"		1	1	1
5	362 233 R11	BRACKET, INTERLOCK ARM		1	1	1
	179 834	SCREW, CAP, HEX-HD., 3/8-16NC x 9/16"		1	1	1
6	362 235 R1	ARM, CLUTCH PEDAL INTERLOCK		1	1	1
	107 762	PIN, COTTER, 3/32 x 5/8"		1	1	1
	18 415 R1	PIN, ROD END, 3/8" DIA. x 27/32" LONG (INTERLOCK ARM BRACKET)		1	1	1

COTTON PICKER MOUNTING ATTACHMENT (Special)
SPARK ARRESTER AND EXHAUST PIPE



REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
	359 775 R95	COTTON PICKER MOUNTING ATTACHMENT - Consists of parts necessary to adapt a Farmall Super C Tractor, equipped with Hydraulic Remote Control or Fast Hitch Attachments, for use with "C-14" Cotton Picker		
	359 776 R91	ARRESTER, spark, (orchard type) assembly		1
		(Composed of -		
		1 BAFFLE 359 779 R1		
		1 BODY § 359 777 R11		
		1 FLANGE 357 753 R1		
		1 PLUG 103 869		
		1 TOP 359 778 R1)		
1	359 782 R1	BRACKET, lower exhaust pipe clamp		1
	179 841	SCREW, cap, hex-hd., 3/8-16NC x 1-1/4"		1
		(to be used in the upper left bolt hole of the fan bracket and water outlet when the exhaust pipe clamp bracket is applied)		
2	359 780 R11	PIPE, exhaust, w/ASBESTOS TAPE and WIRE		1
3	359 781 R1	CLAMP, exhaust pipe (lower)		1
	114 502	NUT, hex., 5/16NC		2
	103 320	WASHER, lock, medium, 5/16"		2
		§ - Not Serviced Separately		

COTTON PICKER MOUNTING ATTACHMENT (Special) - Continued
SPARK ARRESTER AND EXHAUST PIPE

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
4	357 758 R1	CLAMP, EXHAUST PIPE (UPPER)		1
	114 774	NUT, HEX., 1/2NC		1
	179 884	SCREW, CAP, HEX-HD., 1/2NC x 1-3/8"		1
	103 323	WASHER, LOCK, MEDIUM, 1/2"		1
5	359 778 R1	TOP, SPARK ARRESTER		1
	93 082 H	NUT, "SEEZ-PRUF" 3/8-24NF		3
	181 384	SCREW, CAP, HEX-HD., 3/8-24NF x 2-3/4"		2
	186 309	SCREW, CAP, HEX-HD., 3/8-24NF x 3-1/2"		1
6	359 779 R1	BAFFLE, SPARK ARRESTER		1
7	359 777 R11	BODY, SPARK ARRESTER, W/PLUG, 103 869		1
	93 082 H	NUT, "SEEZ-PRUF", 3/8-24NF		1
	103 869	PLUG, PIPE, STD., SQ-HD., 3/4"		1
	181 385	SCREW, CAP, HEX-HD., 3/8-24NF x 3"		1
8	357 753 R1	FLANGE, SLPARK ARRESTER ADAPTER		1
		MOST OF THE FOLLOWING PARTS ARE ILLUSTRATED WITH THE UNITS WITH WHICH THEY ARE USED.		
	360 221 R11	BEARING, CRANKSHAFT, REAR (2 HALVES) (STANDARD)		1
	360 216 R11	BEARING, CRANKSHAFT, CENTER (2 HALVES) (STANDARD)		2
	658 605 R91	BEARING, PILLOW BLOCK, FRONT FRAME AXLE SUPPORT, ASSEMBLY (OPTIONAL WITH 658 964 R91)		2
	658 964 R91	BEARING, PILLOW BLOCK, FRONT FRAME AXLE SUPPORT, ASSEMBLY (OPTIONAL WITH 658 605 R91)		2
	357 778 R1	BOWL, FUEL STRAINER (METAL)		1
	656 830 R92	COVER, EXHAUST PIPE OPENING, W/TWO RIVETS 135 234		1
	9 092 D	COVER, POWER TAKE-OFF		1
	186 292	SCREW, CAP, HEX-HD., 7/16NC x 4-1/4"		4
	103 322	WASHER, LOCK, MEDIUM, 7/16"		4
	360 679 R1	GASKET, BOWL, FUEL STRAINER		1
	60 581 D	GASKET, POWER TAKE-OFF COVER		1
	657 731 R1	PIPE, BASKET HYDRAULIC VALVE ROD		1
	432 465	PLUG, DUST, ELECTRICAL INSTRUMENT MOUNTING PANEL, 17/32" (FUSE HOUSING PIPE)		1
	432 491	PLUG, DUST, ELECTRICAL INSTRUMENT MOUNTING PANEL, 2-3/32" (LIGHTING SWITCH HOLE)		1

TC-44

TRACTOR CHANGE-OVER PARTS PACKAGE

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		The following Tractor Change-Over Parts Packages include the necessary parts for changing over the Farmall Super C Tractor Equipped with Cotton Picker Mounting Attachment so that the tractor may be used for normal farm operations.		
	362 098 R91	PACKAGE, tractor change-over parts (for tractors equipped with Dual Front Wheels and Cotton Picker Mounting Attachment, 362 097 R92)		
		ELECTRICAL UNIT		
	357 917 R92	CABLE, headlight		1
	358 111 R92	CABLE, switch to rear light		1
	350 920 R1	CLAMP, light		3
	354 379 R1	CLIP, starting switch pull rod		1
	181 307	SCREW, cap, hex-hd., 1/4-28NF x 3/8"		1
	103 319	WASHER, lock, medium, 1/4"		1
	61 813 D	CLIP, rear light cable		2
	60 938 D	CLIP, rear light cable		2
	179 834	SCREW, cap, hex-hd., 3/8-16NC x 9/16"		2
	103 321	WASHER, lock, medium, 3/8"		2
	106 653	FUSE, type AGC (20 amps.)		1
	354 232 R91	HOUSING, fuse		1
	357 884 R93	LIGHT, sealed beam, assembly		3
	114 774	NUT, hex., 1/2-13NC		3
	103 323	WASHER, lock, medium, 1/2"		3
	49 069 D	SPACER, lamp		3
	360 478 R11	SUPPORT, rear light		1
	103 026	NUT, hex., 3/8-24NF		1
	181 370	SCREW, cap, hex-hd., 3/8-24NF x 1-1/4"		1
	103 321	WASHER, lock, medium, 3/8"		1
	363 130 R91	SWITCH, lighting (for components see list of parts under details of "Lighting Switch")		1
	351 228 R11	DRAWBAR, swinging		1
	356 354 R1	PIPE, exhaust		1
	351 443 R3	PIPE, headlamp support		1
	351 231 R1	PIN, pivot, swinging drawbar		1
	103 408	PIN, cotter, 3/16 x 1-1/4"		1

TRACTOR CHANGE-OVER PARTS PACKAGE

REF. NO.	PART NUMBER	DESCRIPTION	SERIAL NUMBER	NO. REQ'D
		ELECTRICAL UNIT—Continued		
	352 418 R1	PLATE, DRAWBAR, CLAMP		1
	114 820	NUT, HEX., 5/8-11NC		2
	271 571	SCREW, CAP, HEX-HD., 5/8-11NC x 4-1/4"		2
	103 325	WASHER, LOCK, MEDIUM, 5/8"		2
	351 232 R2	PLATE, HITCH, SWINGING DRAWBAR		1
	218 197	NUT, HEX., 3/4-16NC		2
	271 635	SCREW, CAP, HEX-HD., 3/4-16NC x 2-1/4"		2
	103 326	WASHER, LOCK, MEDIUM, 3/4"		2
		MISCELLANEOUS		
	53 385 DBX	CRANK, STARTING, W/PIN, 15 204 D (SPECIAL)		1
	58 141 DA	SCREW, RADIATOR GRILLE FASTENER		2

MEMORANDA

SUFFIX LETTER CODE

A Suffix Letter Code, as outlined below, is added to the Chassis Serial Number as a means of identifying tractors with special features, thus facilitating servicing. This code applies primarily to special features that replace standard parts or units used internally but may also be used to identify tractors equipped with one of two or more optional parts wherein identification of said optional parts is deemed necessary to proper servicing. Each suffix letter used is stamped in the blank space following the serial number on the Chassis Serial Number Plate.

Attachments that do not effect replacement of standard parts or units have not been coded.

(Example: 100001BEJ represents a tractor with a 8000-Ft. High-Altitude Kerosene Burning Engine and Rockford Clutch.)

SUFFIX LETTER ON CHASSIS SERIAL NUMBER PLATE	SPECIAL FEATURES OR OPTIONAL PARTS
A	DISTILLATE-BURNING ATTACHMENT
B	KEROSENE-BURNING ATTACHMENT
D	5000-FT. HIGH-ALTITUDE ATTACHMENT
E	8000-FT. HIGH-ALTITUDE ATTACHMENT
J	ROCKFORD CLUTCH

MEMORANDA

NUMERICAL INDEX

NUMERICAL INDEX

No.

PART NUMBER	PAGE
6 749	187
514 545	56
1 864 099	56
1 873 844	56
1 882 012	56
1 882 013	56
1 882 994	56
1 930 685	56
9 402 708	196
9 402 805	196

D

PART NUMBER	PAGE
D 2 616	107
1 309 D	208
1 310 D	208
1 311 D	208
1 315 D	208
1 360 D	208
1 764 D	208
1 765 D	208
1 768 D	208
4 097 DA	9
4 221 D	109
5 125 D	179
5 630 DAX	119
5 631 DAX	119
6 089 DA	8
6 096 DX	25
6 098 DA	24
6 100 D	10
6 101 D	10
6 102 D	10
6 116 D	104
6 116 D	207
6 339 DAX	38
6 340 DAX	38
6 425 DX	108
6 482 DAY	47
6 483 DAY	46
6 502 DB	14
6 507 DA	38
6 515 DAX	49
6 660 DA	111
6 779 DB	11
6 787 DEX	116
6 788 D	190
6 812 D	59
6 812 D	86
6 818 DA	191
6 866 DA	27
8 257 D	183
8 324 D	112
8 331 DAX	119
8 333 D	119
8 616 D	179
8 624 DCX	114
8 639 D	86
8 732 D	54
8 732 D	55
8 734 DX	116
9 090 DX	181
9 091 DCX	182
9 092 D	181
9 092 D	215
9 102 D	19

PART NUMBER	PAGE
9 350 DX	116
12 433 D	35
12 455 D	34
12 469 D	35
12 472 D	34
13 047 DA	19
13 194 D	94
13 722 D	107
13 727 D	40
13 727 D	196
13 728 D	40
13 873 D	34
15 204 D	14
15 204 D	188
15 347 D	150
15 347 D	152
15 347 D	197
15 435 D	173
15 945 D	12
16 067 DA	8
16 825 D	35
17 564 D	94
17 565 DA	94
18 567 D	104
18 567 D	207
19 526 D	143
21 210 D	34
21 210 D	35
21 314 DX	46
21 350 DXA	45
21 372 D	49
21 372 D	53
21 394 D	46
21 394 D	52
21 409 DB	47
21 557 D	109
23 740 DA	119
23 742 D	119
23 743 D	119
23 760 D	119
23 762 DX	119
23 858 D	111
23 977 DB	92
23 977 DB	93
23 995 DC	92
23 995 DC	93
24 413 D	16
24 414 DB	16
24 425 D	10
24 433 D	9
24 520 D	29
24 520 D	32
24 520 D	33
24 523 D	27
24 523 D	48
24 541 D	8
24 544 DA	8
24 550 D	13
24 564 DA	7
24 603 D	48
24 610 D	48
27 311 D	48
28 078 D	38
29 118 DC	111
29 899 D	93
29 899 D	94
29 910 D	93
29 951 D	13
29 979 D	173
30 114 D	48
30 638 D	12
30 718 DXA	100
30 718 DXA	102

PART NUMBER	PAGE
30 926 DFXA	16
30 926 DFYA	16
31 804 DA	39
32 032 DXA	45
33 560 D	177
37 730 D	89
37 886 D	192
37 890 D	192
37 891 D	192
37 892 D	192
37 893 D	192
37 895 DA	192
37 896 DA	192
38 609 DA	45
38 609 DA	48
39 604 DA	192
39 622 D	193
39 625 D	193
39 626 D	193
39 627 D	193
39 656 D	134
39 659 D	134
40 093 D	150
40 093 D	152
40 435 D	128
40 534 D	35
40 535 D	35
40 617 DA	192
40 833 DA	118
41 058 DA	107
41 096 DBR	112
41 359 D	38
42 026 D	8
42 040 D	8
42 098 D	8
42 099 DA	7
42 177 D	108
42 183 D	119
42 191 D	34
42 191 D	35
42 383 DC	79
42 383 DC	84
42 800 D	193
42 802 D	193
42 806 D	193
42 807 D	193
42 808 D	193
42 809 D	193
42 810 D	193
42 811 D	193
42 812 D	193
42 813 D	193
42 915 D	85
42 915 D	177
43 249 D	11
43 262 DA	108
43 262 DA	181
43 262 DA	183
43 284 D	108
43 291 D	13
43 293 D	20
43 294 D	20
43 373 D	8
43 374 D	7
43 375 D	7
43 378 DB	7
43 412 DR	25
43 414 DA	24
43 415 D	24
43 439 DBR	11
43 440 D	115
43 445 D	10
43 446 D	10

PART NUMBER	PAGE
43 447 D	10
43 448 D	10
43 458 DA	25
43 462 D	188
43 463 D	115
43 463 D	188
43 466 DB	185
43 468 D	185
43 482 D	38
43 483 D	38
43 546 D	104
43 548 D	108
43 549 D	105
43 550 D	105
43 551 D	105
43 552 DBX	105
43 578 D	107
43 579 D	107
43 580 D	107
43 617 DA	37
43 630 D	183
43 645 D	182
43 650 D	95
43 670 D	181
43 747 D	186
43 751 DB	128
43 800 DA	113
45 574 D	8
45 640 DB	69
45 640 DB	70
45 640 DB	79
45 640 DB	80
45 640 DB	83
45 640 DB	84
45 753 D	38
45 875 D	39
46 060 D	120
46 102 D	27
46 122 DAX	11
46 168 DB	49
46 168 DB	51
46 179 DB	11
46 190 DC	135
46 202 D	27
46 278 DAR	105
46 349 D	13
46 503 D	108
46 629 D	25
46 868 D	48
46 868 D	51
46 870 DA	13
46 871 D	19
46 924 D	39
46 939 D	38
46 942 D	39
46 943 DA	38
46 947 DAXB	37
46 949 D	37
46 950 D	37
46 983 D	123
47 240 D	91
47 281 D	183
47 283 D	183
47 284 D	183
47 285 D	183
47 286 D	183
47 289 DA	107
47 292 DX	48
47 293 DX	48
47 293 DY	49
47 384 D	11
47 386 D	11
47 408 D	45

PRINTED IN UNITED STATES OF AMERICA

NUMERICAL INDEX

(Rev. No. 3 11-'59)

PRINTED IN UNITED STATES OF AMERICA

NUMERICAL INDEX

PART NUMBER	PAGE
350 711 R1	153
350 712 R1	153
350 717 R91	153
350 719 R13	154
350 727 R1	95
350 727 R1	144
350 735 R91	79
350 735 R91	83
350 736 R91	80
350 736 R91	84
350 741 R1	79
350 741 R1	83
350 742 R1	80
350 742 R1	84
350 830 R31	104
350 913 R2	150
350 914 R91	149
350 914 R91	151
350 914 R93	149
350 914 R93	151
350 917 R1	150
350 917 R21	150
350 917 R3	152
350 918 R21	150
350 919 R21	150
350 919 R21	152
350 920 R1	69
350 920 R1	85
350 920 R1	216
351 058 R11	108
351 059 R1	109
351 060 R1	109
351 061 R1	109
351 062 R1	109
351 063 R11	108
351 064 R1	108
351 065 R1	108
351 090 R11	91
351 091 R91	91
351 092 R91	91
351 095 R1	122
351 096 R1	122
351 102 R1	122
351 103 R1	122
351 104 R1	122
351 105 R1	122
351 109 R31	122
351 110 R1	122
351 111 R31	123
351 112 R31	123
351 113 R1	123
351 114 R1	123
351 114 R2	123
351 115 R2	123
351 116 R11	124
351 117 R1	124
351 118 R1	124
351 120 R71	112
351 121 R21	111
351 122 R1	112
351 123 R2	111
351 124 R94	113
351 126 R12	113
351 127 R2	111
351 128 R1	132
351 128 R1	154
351 131 R33	120
351 132 R21	107
351 133 R1	107
351 134 R1	108
351 135 R2	108
351 136 R2	109
351 137 R1	109
351 138 R1	109
351 139 R1	109
351 140 R1	109
351 141 R1	109
351 142 R1	109
351 143 R11	108
351 144 R1	108
351 182 R2	90
351 190 R91	98
351 198 R92	99
351 199 R91	98
351 210 R1	103
351 210 R1	128
351 215 R1	128
351 217 R12	13
351 218 R92	45
351 218 R92	83
351 228 R11	133
351 228 R11	216
351 231 R1	133
351 231 R1	216
351 232 R2	133
351 232 R2	217
351 244 R2	125
351 245 R1	125
351 246 R1	125
351 248 R92	189
351 250 R1	189
351 251 R1	183
351 252 R1	183
351 255 R91	189
351 256 R1	182
351 297 R92	100
351 305 R91	182
351 309 R91	183
351 310 R1	183
351 311 R1	182
351 315 R91	181
351 316 R93	113
351 327 R2	95
351 328 R1	95
351 328 R2	95
351 364 R1	111
351 365 R91	49
351 366 R91	48
351 367 R91	48
351 399 R93	152
351 400 R2	152
351 401 R21	151
351 402 R11	152
351 403 R1	111
351 403 R1	153
351 409 R11	89
351 412 R11	89
351 414 R2	89
351 434 R91	49
351 438 R93	132
351 440 R93	132
351 443 R2	69
351 443 R2	86
351 443 R3	216
351 444 R1	30
351 444 R1	36
351 444 R1	86
351 444 R1	97
351 445 R91	122
351 446 R2	65
351 446 R2	86
351 448 R1	102
351 449 R91	102
351 460 R96	83
351 461 R2	89
351 467 R91	100
351 479 R2	123
351 486 R1	104
351 493 R2	123
351 495 R94	124
351 496 R31	123
351 497 R31	123
351 498 R93	124
351 555 R2	115
351 556 R92	115
351 559 R1	135
351 626 R1	182
351 627 R1	181
351 630 R2	122
351 631 R2	122
351 641 R94	9
351 647 R1	8
351 648 R1	8
351 655 R21	27
351 665 R91	125
351 687 R81	104
351 693 R92	52
351 698 R92	97
351 699 R1	55
351 750 R93	131
351 751 R1	131
351 752 R11	69
351 753 R3	142
351 754 R3	143
351 778 R1	38
351 800 R91	173
351 801 R1	173
351 802 R1	173
351 805 R1	185
351 806 R1	185
351 807 R1	132
351 812 R1	142
351 814 R2	58
351 814 R2	86
351 816 R1	108
351 818 R1	145
351 852 R2	105
351 867 R1	141
351 871 R1	55
351 871 R1	79
351 871 R1	83
351 911 R1	79
351 911 R1	83
351 913 R1	80
351 913 R1	84
351 914 R1	79
351 914 R1	83
351 917 R92	79
351 917 R92	83
351 918 R1	100
351 920 R1	100
351 925 R93	130
351 930 R92	113
351 964 R1	91
352 014 R2	27
352 024 R2	141
352 024 R2	144
352 025 R1	141
352 026 R2	141
352 036 R92	25
352 050 R11	133
352 051 R11	91
352 057 R1	25
352 085 R94	25
352 100 R1	131
352 105 R1	132
352 106 R1	107
352 118 R1	131
352 147 R1	30
352 147 R1	36
352 147 R1	85
352 147 R1	97
352 219 R1	160
352 221 R1	141
352 221 R1	144
352 221 R1	160
352 221 R1	162
352 221 R1	165
352 231 R11	160
352 231 R11	161
352 277 R11	52
352 284 R2	52
352 293 R1	53
352 298 R1	53
352 301 R1	53
352 369 R2	159
352 369 R2	161
352 370 R1	159
352 370 R1	161
352 399 R91	108
352 417 R1	112
352 418 R1	133
352 418 R1	217
352 475 R1	187
352 476 R91	187
352 482 R1	187
352 485 R2	187
352 486 R92	188
352 489 R91	185
352 491 R1	186
352 492 R1	185
352 493 R11	185
352 494 R1	185
352 495 R1	187
352 496 R93	14
352 496 R93	188
352 500 R1	188
352 501 R92	185
352 501 R94	185
352 521 R11	7
352 522 R1	38
352 580 R1	90
352 581 R1	90
352 582 R91	102
352 583 R91	102
352 591 R92	99
352 597 R91	99
352 598 R2	131
352 599 R94	131
352 600 R91	132
352 612 R91	174
352 616 R1	132
352 626 R1	89
352 627 R1	88
352 632 R1	91
352 639 R91	90
352 650 R1	131
352 687 R91	174
352 744 R91	102
352 745 R1	102
352 751 R1	101
352 760 R91	116
352 806 R92	125
352 890 R1	35
352 891 R1	35
352 940 R21	141
353 051 R91	49
353 171 R91	46
353 172 R91	52
353 183 R91	147
353 213 R2	158
353 213 R2	167

NUMERICAL INDEX

PART NUMBER	PAGE
353 216 R91	163
353 216 R91	164
353 217 R92	165
353 217 R92	167
353 218 R91	165
353 218 R91	167
353 220 R1	164
353 222 R1	165
353 223 R1	165
353 224 R1	165
353 225 R1	165
353 226 R1	165
353 227 R1	165
353 228 R1	165
353 241 R91	34
353 244 R1	102
353 252 R1	187
353 253 R1	187
353 254 R1	187
353 268 R92	72
353 309 R1	132
353 331 R1	145
353 410 R92	176
353 609 R2	11
353 633 R92	176
353 637 R91	176
353 639 R1	176
353 642 R11	69
353 649 R1	132
353 758 R1	176
353 790 R1	122
353 836 R1	148
353 853 R31	142
353 855 R1	134
353 858 R91	134
353 861 R91	134
353 862 R1	134
353 863 R1	134
353 864 R1	134
353 867 R1	134
353 868 R91	89
353 868 R91	97
353 874 R91	50
353 889 R1	50
353 894 R1	53
353 895 R1	53
353 896 R91	52
353 898 R11	53
353 899 R1	53
353 900 R11	52
353 901 R2	52
353 902 R1	53
353 903 R92	52
353 905 R1	52
353 906 R1	52
353 907 R1	52
353 915 R91	53
353 933 R11	51
353 934 R11	51
353 936 R2	50
353 937 R1	50
353 953 R1	141
353 953 R1	196
353 982 R91	43
353 983 R91	43
353 985 R91	43
353 986 R91	43
354 007 R96	137
354 007 R96	144
354 042 R2	160
354 043 R2	159
354 045 R31	159
354 047 R1	160
354 047 R1	161
354 048 R1	160
354 048 R1	161
354 049 R1	160
354 049 R1	161
354 055 R2	159
354 057 R2	141
354 057 R2	196
354 137 R92	27
354 138 R1	153
354 143 R91	94
354 210 R91	80
354 210 R91	84
354 219 R91	136
354 232 R91	79
354 232 R91	84
354 232 R91	216
354 234 R91	63
354 237 R91	59
354 237 R91	60
354 237 R91	80
354 237 R91	84
354 238 R94	59
354 238 R94	85
354 243 R92	79
354 243 R92	84
354 260 R1	86
354 260 R1	177
354 264 R91	143
354 269 R1	143
354 302 R92	73
354 303 R91	73
354 303 R91	75
354 304 R91	73
354 304 R91	75
354 305 R92	72
354 307 R92	72
354 308 R1	72
354 309 R91	72
354 310 R1	72
354 351 R99	143
354 353 R11	141
354 354 R3	141
354 358 R1	143
354 360 R1	142
354 366 R92	143
354 373 R2	154
354 375 R2	153
354 379 R1	30
354 379 R1	36
354 379 R1	65
354 379 R1	85
354 379 R1	86
354 379 R1	97
354 379 R1	216
354 388 R1	141
354 465 R98	140
354 473 R91	79
354 473 R91	84
354 513 R1	141
354 552 R1	53
354 558 R1	177
354 625 R1	129
354 627 R1	129
354 643 R11	109
354 655 R92	181
354 670 R2	131
354 671 R2	131
354 672 R92	132
354 673 R92	132
354 674 R1	142
354 730 R1	131
354 731 R1	131
354 732 R1	131
354 741 R1	111
354 742 R11	95
354 743 R91	154
354 744 R91	154
354 746 R1	154
354 747 R1	154
354 804 R1	29
354 804 R1	32
354 805 R92	30
354 806 R91	29
354 807 R1	30
354 808 R1	29
354 808 R1	32
354 809 R1	30
354 812 R91	30
354 813 R91	30
354 814 R1	30
354 814 R1	32
354 815 R1	29
354 815 R1	32
354 817 R1	29
354 817 R1	32
354 818 R91	29
354 818 R91	32
354 819 R1	29
354 820 R1	29
354 821 R1	29
354 821 R1	32
354 822 R1	30
354 822 R1	32
354 823 R1	30
354 824 R1	29
354 824 R1	32
354 825 R1	29
354 825 R1	30
354 825 R1	32
354 826 R1	29
354 826 R1	32
354 827 R91	29
354 827 R91	32
354 829 R1	29
354 829 R1	30
354 829 R1	32
354 830 R1	29
354 830 R1	32
354 831 R1	30
354 833 R91	30
354 834 R11	160
354 834 R11	162
354 837 R1	159
354 837 R1	161
354 881 R1	16
354 892 R93	29
354 893 R92	16
354 893 R92	137
354 894 R92	16
354 894 R92	137
354 901 R1	53
354 909 R1	104
355 009 R91	40
355 046 R21	9
355 096 R1	100
355 106 R1	100
355 110 R1	100
355 141 R91	94
355 142 R92	94
355 143 R1	181
355 190 R3	158
355 190 R3	165
355 196 R93	80
355 196 R93	84
355 207 R91	137
355 207 R91	147
355 348 R91	141
355 351 R1	142
355 352 R1	142
355 353 R1	141
355 362 R91	137
355 362 R91	148
355 368 R1	141
355 369 R1	141
355 372 R92	142
355 373 R1	8
355 382 R1	144
355 423 R91	73
355 423 R91	74
355 424 R91	73
355 425 R1	73
355 425 R1	74
355 460 R1	53
355 476 R1	37
355 479 R92	111
355 485 R91	33
355 496 R92	210
355 574 R1	55
355 666 R2	89
355 667 R1	89
355 688 R1	91
355 719 R91	30
355 719 R91	32
355 724 R91	53
355 735 R92	25
355 749 R93	132
355 750 R12	131
355 753 R1	132
355 760 R93	19
355 762 R91	19
355 763 R92	19
355 764 R1	19
355 767 R91	19
355 768 R1	19
355 769 R1	19
355 770 R91	88
355 794 R91	65
355 794 R91	67
355 794 R91	79
355 794 R91	83
355 795 R2	104
355 798 R11	103
355 800 R1	105
355 802 R11	103
355 803 R1	103
355 804 R1	103
355 805 R1	105
355 806 R11	105
355 807 R21	103
355 808 R91	108
355 812 R1	103
355 812 R1	127
355 812 R1	128
355 841 R91	154
355 844 R91	140
355 847 R1	80
355 847 R1	84
355 848 R1	144
355 857 R1	144
355 874 R1	154
355 888 R2	94
355 914 R92	74
355 966 R1	143
355 967 R1	141
355 967 R1	196
355 969 R12	129
355 970 R1	128
355 971 R1	127

(Rev. No. 3 11-'59)

PRINTED IN UNITED STATES OF AMERICA

NUMERICAL INDEX

PART NUMBER	PAGE
355 972 R21	128
355 973 R2	128
355 974 R1	127
355 975 R1	129
355 976 R1	128
355 977 R1	128
355 977 R11	128
355 978 R1	128
355 979 R1	128
355 980 R1	128
355 981 R11	121
355 982 R1	121
355 983 R2	122
355 984 R1	121
355 985 R11	121
356 008 R21	92
356 062 R91	79
356 062 R91	80
356 062 R91	83
356 062 R91	84
356 069 R1	129
356 070 R1	129
356 071 R91	129
356 073 R1	129
356 148 R91	116
356 149 R91	117
356 151 R91	117
356 153 R91	117
356 177 R92	125
356 178 R93	126
356 249 R92	175
356 304 R11	16
356 305 R11	16
356 306 R11	16
356 307 R11	16
356 310 R92	137
356 314 R92	136
356 314 R92	137
356 314 R96	9
356 352 R92	7
356 353 R1	93
356 354 R1	27
356 354 R1	216
356 355 R11	93
356 356 R94	90
356 357 R12	90
356 364 R92	90
356 369 R1	27
356 372 R94	92
356 373 R11	93
356 374 R11	93
356 452 R96	137
356 466 R91	154
356 495 R1	92
356 514 R1	120
356 527 R91	129
356 535 R2	187
356 536 R2	187
356 540 R91	186
356 543 R1	186
356 568 R1	112
356 580 R95	92
356 583 R1	8
356 583 R11	8
356 588 R1	8
356 589 R1	122
356 590 R91	74
356 591 R91	75
356 592 R91	75
356 593 R91	188
356 595 R92	188
356 597 R92	188
356 599 R2	186

PART NUMBER	PAGE
356 600 R92	186
356 601 R21	186
356 602 R1	186
356 608 R1	120
356 609 R1	187
356 615 R92	137
356 617 R92	137
356 622 R11	45
356 686 R92	43
356 686 R92	45
356 686 R92	50
356 695 R92	43
356 695 R92	137
356 699 R91	29
356 699 R91	32
356 700 R1	30
356 701 R91	29
356 701 R91	32
356 710 R91	90
356 735 R91	177
356 736 R91	177
356 737 R91	177
356 738 R1	177
356 739 R91	177
356 744 R1	59
356 744 R1	86
356 746 R91	39
356 746 R91	137
356 776 R1	8
356 779 R91	145
356 779 R91	157
356 779 R91	197
356 779 R91	212
356 782 R21	156
356 784 R91	156
356 788 R91	156
356 788 R92	197
356 788 R92	210
356 788 R92	212
356 790 R1	156
356 791 R2	156
356 793 R1	156
356 795 R1	156
356 796 R1	156
356 797 R1	156
356 798 R1	156
356 799 R1	156
356 800 R1	156
356 803 R1	157
356 803 R1	197
356 803 R1	210
356 803 R1	212
356 807 R91	158
356 809 R1	158
356 809 R1	196
356 809 R1	210
356 809 R1	212
356 814 R91	163
356 815 R2	160
356 816 R21	160
356 817 R1	160
356 817 R1	162
356 818 R1	160
356 818 R1	162
356 820 R1	159
356 821 R1	160
356 824 R93	155
356 825 R1	69
356 830 R4	155
356 830 R4	197
356 830 R4	209
356 830 R4	211
356 831 R1	155

PART NUMBER	PAGE
356 831 R1	197
356 831 R1	209
356 831 R1	211
356 832 R3	155
356 833 R91	158
356 834 R1	211
356 834 R12	131
356 834 R12	158
356 834 R12	197
356 835 R1	158
356 835 R1	196
356 836 R1	158
356 836 R1	196
356 836 R1	210
356 836 R1	212
356 837 R11	158
356 840 R91	9
356 841 R91	8
356 842 R1	8
356 844 R91	21
356 853 R91	129
356 890 R92	131
356 891 R93	131
356 892 R2	131
356 893 R2	131
356 895 R2	130
356 896 R2	130
356 897 R3	130
356 901 R91	33
356 902 R92	29
356 903 R93	18
356 904 R92	137
356 904 R93	18
356 907 R92	137
356 907 R93	18
356 909 R92	137
356 910 R92	7
356 911 R91	7
356 912 R91	7
356 914 R93	18
356 946 R1	183
356 979 R1	11
357 004 R91	21
357 076 R91	16
357 076 R91	137
357 080 R91	16
357 080 R91	137
357 099 R2	126
357 101 R1	128
357 109 R93	104
357 124 R1	120
357 125 R91	29
357 125 R91	32
357 126 R1	114
357 127 R1	165
357 128 R1	165
357 129 R1	165
357 130 R1	165
357 131 R1	165
357 132 R1	165
357 135 R1	165
357 136 R2	165
357 137 R91	164
357 138 R91	165
357 142 R92	34
357 143 R91	34
357 144 R1	35
357 145 R91	34
357 147 R91	35
357 148 R91	35
357 149 R1	35
357 150 R1	35
357 151 R1	35

PART NUMBER	PAGE
357 152 R91	36
357 152 R91	137
357 153 R1	34
357 154 R91	35
357 155 R91	35
357 159 R92	112
357 209 R1	157
357 215 R1	182
357 232 R1	120
357 289 R91	7
357 289 R91	8
357 290 R91	7
357 290 R91	8
357 291 R92	7
357 291 R92	8
357 292 R92	7
357 292 R92	8
357 369 R1	105
357 372 R91	141
357 374 R1	7
357 375 R91	192
357 418 R1	100
357 419 R1	100
357 428 R91	133
357 429 R1	122
357 432 R2	38
357 433 R91	38
357 476 R91	136
357 476 R91	137
357 476 R92	9
357 497 R91	125
357 498 R91	126
357 538 R91	108
357 548 R1	11
357 557 R1	156
357 637 R1	142
357 646 R92	137
357 646 R96	142
357 648 R1	25
357 679 R91	16
357 679 R91	137
357 749 R91	94
357 750 R11	14
357 753 R1	215
357 758 R1	215
357 778 R1	94
357 778 R1	215
357 820 R92	132
357 865 R91	181
357 870 R91	91
357 874 R2	157
357 874 R2	197
357 874 R2	210
357 874 R2	212
357 884 R93	69
357 884 R93	71
357 884 R93	79
357 884 R93	80
357 884 R93	83
357 884 R93	84
357 884 R93	216
357 886 R91	34
357 917 R92	216
357 929 R92	51
357 934 R91	79
357 934 R92	50
357 935 R91	51
357 935 R91	52
357 957 R1	94
357 958 R1	94
357 963 R91	167
357 964 R92	167
357 965 R1	167

NUMERICAL INDEX

PART NUMBER	PAGE
358 108 R91	53
358 109 R92	79
358 109 R92	83
358 111 R92	80
358 111 R92	85
358 111 R92	197
358 111 R92	216
358 112 R92	80
358 112 R92	85
358 116 R92	80
358 116 R92	85
358 118 R91	80
358 118 R91	84
358 144 R91	98
358 145 R1	98
358 146 R1	98
358 147 R91	98
358 168 R91	23
358 208 R1	182
358 209 R1	186
358 262 R91	183
358 268 R2	132
358 417 R92	185
358 418 R92	186
358 419 R1	186
358 421 R93	90
358 540 R11	58
358 541 R11	58
358 542 R11	58
358 544 R91	58
358 572 R92	77
358 581 R91	177
358 615 R1	25
358 765 R91	108
358 769 R91	115
358 769 R91	188
358 774 R91	123
358 776 R91	119
358 776 R91	182
358 781 R91	183
358 791 R91	124
358 809 R91	119
358 811 R91	123
358 816 R91	182
358 820 R91	183
358 826 R91	124
358 890 R92	71
358 891 R92	71
358 892 R91	71
359 042 R91	113
359 257 R91	113
359 258 R2	112
359 259 R1	112
359 260 R1	112
359 274 R91	43
359 275 R91	43
359 276 R91	43
359 277 R91	43
359 318 R92	175
359 321 R1	16
359 340 R1	119
359 450 R1	144
359 483 R91	132
359 526 R1	79
359 526 R1	80
359 526 R1	83
359 526 R1	84
359 526 R1	154
359 552 R1	150
359 552 R1	197
359 554 R1	150
359 554 R1	197
359 555 R91	132
359 558 R92	150
359 560 R94	140
359 561 R94	159
359 567 R92	150
359 567 R92	152
359 572 R92	131
359 572 R92	197
359 577 R1	202
359 580 R11	205
359 584 R1	205
359 585 R21	203
359 587 R1	203
359 682 R91	74
359 683 R91	23
359 704 R1	48
359 766 R91	49
359 773 R91	74
359 775 R95	214
359 776 R91	214
359 777 R11	215
359 778 R1	215
359 779 R1	215
359 780 R11	214
359 781 R1	214
359 782 R1	214
359 788 R91	115
359 788 R91	188
359 790 R91	121
359 795 R91	205
359 875 R1	25
359 875 R1	143
359 965 R1	48
359 966 R1	45
359 966 R1	47
359 967 R1	48
359 977 R91	109
359 978 R1	109
359 979 R1	108
359 989 R91	107
359 992 R1	108
360 004 R1	35
360 053 R91	79
360 053 R91	84
360 076 R92	120
360 077 R91	12
360 083 R91	132
360 119 R92	117
360 119 R92	137
360 184 R1	200
360 185 R91	195
360 196 R11	16
360 213 R91	11
360 216 R11	13
360 216 R11	215
360 217 R11	13
360 218 R11	13
360 219 R11	13
360 220 R11	13
360 221 R11	13
360 221 R11	215
360 222 R11	13
360 223 R11	13
360 224 R11	13
360 225 R11	13
360 241 R91	167
360 243 R1	167
360 244 R11	167
360 246 R11	167
360 247 R1	167
360 248 R1	167
360 249 R11	167
360 250 R91	167
360 296 R91	14
360 297 R91	14
360 363 R11	111
360 372 R1	159
360 372 R1	161
360 373 R1	159
360 376 R1	135
360 376 R1	144
360 376 R1	200
360 377 R1	135
360 377 R1	144
360 377 R1	200
360 378 R1	135
360 378 R1	144
360 378 R1	200
360 379 R1	156
360 379 R1	197
360 379 R1	210
360 379 R1	211
360 380 R91	159
360 381 R91	155
360 383 R1	158
360 383 R1	196
360 383 R1	210
360 383 R1	212
360 390 R21	196
360 391 R1	196
360 392 R1	196
360 393 R91	195
360 393 R91	196
360 394 R91	196
360 402 R92	196
360 427 R91	167
360 428 R91	167
360 430 R91	40
360 434 R94	195
360 451 R1	196
360 451 R1	202
360 457 R91	112
360 465 R91	123
360 470 R1	100
360 474 R1	143
360 475 R1	143
360 476 R1	143
360 478 R11	69
360 478 R11	86
360 478 R11	197
360 478 R11	216
360 599 R1	161
360 633 R93	142
360 679 R1	94
360 679 R1	215
360 689 R91	146
360 691 R91	148
360 702 R91	23
360 703 R1	23
360 704 R91	23
360 705 R91	23
360 706 R1	23
360 710 R92	132
360 720 R91	179
360 724 R11	144
360 725 R1	144
360 726 R1	144
360 727 R1	144
360 728 R1	144
360 898 R91	59
360 898 R91	64
360 898 R91	80
360 898 R91	85
360 933 R93	195
360 934 R94	195
360 942 R91	43
360 943 R91	43
360 945 R92	147
360 957 R91	148
360 994 R91	161
360 994 R91	163
360 994 R91	202
360 998 R11	162
360 999 R11	162
361 000 R1	162
361 005 R11	161
361 006 R11	161
361 007 R11	161
361 009 R1	161
361 010 R1	161
361 011 R1	162
361 013 R1	162
361 063 R1	98
361 085 R91	159
361 085 R91	161
361 086 R91	156
361 087 R91	159
361 087 R91	161
361 140 R1	131
361 157 R91	113
361 168 R91	100
361 169 R91	102
361 190 R11	197
361 191 R11	196
361 292 R91	104
361 292 R91	207
361 311 R1	119
361 340 R2	143
361 341 R3	143
361 342 R1	141
361 408 R91	175
361 409 R91	175
361 411 R91	175
361 555 R1	11
361 581 R91	102
361 582 R91	101
361 625 R1	147
361 627 R1	147
361 628 R1	147
361 629 R1	147
361 630 R1	147
361 631 R1	147
361 686 R91	43
361 688 R91	43
361 723 R91	99
361 818 R91	20
361 858 R1	104
361 985 R92	74
362 002 R92	77
362 014 R1	133
362 014 R1	202
362 014 R1	203
362 016 R1	202
362 038 R1	19
362 088 R1	162
362 098 R91	216
362 101 R91	19
362 202 R91	207
362 203 R91	207
362 204 R91	207
362 206 R1	208
362 207 R1	208
362 208 R1	208
362 209 R1	210
362 209 R1	212
362 210 R1	210
362 210 R1	212
362 211 R91	169
362 211 R91	209
362 212 R1	210

(Rev. No. 3 11-'59)

PRINTED IN UNITED STATES OF AMERICA

NUMERICAL INDEX

PART NUMBER	PAGE
362 213 R91	212
362 216 R91	212
362 219 R91	209
362 222 R91	209
362 228 R1	210
362 229 R1	210
362 230 R11	213
362 231 R1	213
362 232 R1	213
362 233 R11	213
362 235 R1	213
362 236 R1	213
362 242 R11	207
362 243 R12	208
362 249 R92	208
362 250 R1	208
362 251 R91	208
362 252 R91	207
362 253 R91	207
362 255 R91	207
362 255 R91	209
362 256 R91	207
362 258 R1	207
362 259 R1	207
362 260 R1	207
362 261 R1	207
362 262 R91	208
362 265 R1	207
362 266 R1	207
362 267 R1	207
362 268 R91	208
362 288 R91	168
362 288 R91	209
362 288 R91	211
362 289 R1	209
362 289 R1	211
362 290 R2	210
362 290 R2	212
362 291 R1	168
362 292 R1	168
362 293 R1	168
362 294 R1	168
362 295 R1	168
362 296 R1	168
362 297 R1	168
362 355 R1	156
362 355 R1	162
362 356 R1	162
362 414 R91	147
362 451 R91	143
362 603 R91	23
362 611 R11	11
362 618 R1	125
362 757 R1	98
362 757 R1	99
362 845 R91	155
362 865 R91	137
362 993 R91	174
362 997 R91	174
362 999 R91	174
363 000 R1	174
363 002 R91	174
363 130 R91	56
363 130 R91	79
363 130 R91	83
363 130 R91	216
363 137 R91	162
363 264 R1	169
363 313 R91	113
363 321 R91	113
363 368 R92	17
363 371 R92	17
363 465 R11	16
363 466 R1	16
363 669 R91	91
363 749 R91	51
363 763 R11	51
363 764 R1	51
363 765 R1	51
363 880 R1	161
363 907 R91	169
363 908 R1	169
363 909 R1	169
363 910 R91	169
363 913 R91	97
363 914 R91	76
363 917 R91	76
363 919 R1	76
363 920 R1	76
363 923 R91	77
364 002 R1	77
364 003 R1	77
364 004 R1	77
364 148 R1	209
364 148 R1	210
364 148 R1	211
364 171 R1	77
364 250 R91	165
364 290 R11	76
364 291 R1	76
364 310 R91	164
364 310 R91	167
364 311 R91	158
364 311 R91	164
364 312 R91	164
364 313 R91	164
364 490 R11	108
364 527 R91	13
364 554 R91	34
364 665 R91	11
364 681 R91	207
364 788 R91	16
364 789 R1	9
364 901 R91	7
365 377 R91	25
366 146 R91	19
366 291 R1	15
366 292 R1	15
366 293 R91	15
366 294 R93	12
366 299 R11	9
366 300 R1	8
366 302 R1	8
366 303 R1	8
366 304 R1	8
366 636 R91	15
366 642 R1	15
367 876 R91	16
367 878 R91	14
368 084 R1	21
368 486 R91	25
368 487 R91	25
368 979 R91	24
370 154 R1	15
370 155 R1	15
370 156 R91	15
370 157 R91	17
370 158 R91	17
370 159 R91	17
370 160 R91	17
370 422 R91	16
372 115 R91	16
372 116 R91	14
373 102 R1	11
373 958 R91	29
373 958 R91	32
373 961 R91	29
373 961 R91	32
373 974 R91	32
373 975 R1	32
373 976 R91	32
373 977 R91	32
373 978 R91	32
373 979 R1	32
373 980 R1	32
373 982 R91	32
374 259 R91	17
374 293 R91	17
374 449 R91	17
374 450 R91	17
374 704 R1	11
374 710 R1	38
441 014 R1	210
441 014 R1	211
517 781 R1	203
517 782 R2	202
517 783 R1	202
517 784 R1	200
517 786 R11	199
517 789 R11	203
517 795 R21	202
517 796 R21	203
517 802 R1	203
517 803 R11	202
517 808 R11	202
517 810 R12	194
517 810 R12	201
517 823 R91	201
517 824 R1	201
517 825 R11	202
517 829 R11	200
517 831 R1	199
517 832 R1	105
517 832 R1	199
517 833 R1	199
517 834 R1	202
517 838 R1	203
517 842 R1	199
517 843 R1	105
517 843 R1	167
517 843 R1	199
517 843 R1	203
517 853 R12	194
517 854 R11	194
517 859 R12	194
517 860 R1	194
517 861 R1	194
517 862 R1	194
517 865 R91	194
517 866 R91	194
517 867 R1	194
517 971 R92	202
518 117 R91	194
518 134 R1	199
518 135 R1	199
518 138 R11	199
518 141 R91	199
518 143 R11	199
518 144 R1	199
518 145 R12	199
518 476 R11	199
518 477 R1	199
518 482 R1	202
518 511 R1	202
518 550 R91	195
518 568 R1	199
518 576 R21	200
551 177 R1	194
575 807 R1	128
576 485 R1	199
622 258 R1	156
656 830 R92	91
656 830 R92	215
657 379 R92	124
657 380 R1	124
657 382 R11	124
657 731 R1	157
657 731 R1	215
658 605 R91	124
658 605 R91	215
658 607 R1	124
658 608 R91	124
658 609 R11	124
658 964 R91	124
658 964 R91	215

S

PART NUMBER	PAGE
ST 201	121
ST 205 A	108
ST 212	182
ST 213	183
ST 225 BT	111
ST 246	108
ST 269 A	112
ST 269 A	124
ST 278	112
ST 295	123
ST 307	48
ST 600	47
ST 601	47
ST 602	47
ST 775 A	122
ST 874 A	122
23 471 S	105
23 471 S	199

T

PART NUMBER	PAGE
1 998 TA	25
7 911 T	102

V

PART NUMBER	PAGE
13 823 V	115
53 795 V	101
53 795 V	102

Y

PART NUMBER	PAGE
1 161 Y	156
1 161 Y	197
1 161 Y	210
1 161 Y	211

PRINTED IN UNITED STATES OF AMERICA

MEMORANDA

PRINTED IN UNITED STATES OF AMERICA

NUMERICAL INDEX

PART NUMBER	PAGE
356 901 R91	33
356 902 R92	31
356 903 R92	19
356 904 R92	19
356 904 R92	137
356 907 R92	19
356 907 R92	137
356 909 R92	20
356 909 R92	137
356 910 R92	7
356 911 R91	7
356 912 R91	7
356 914 R92	19
356 915 R92	20
356 946 R1	183
356 979 R1	13
357 004 R91	23
357 076 R91	20
357 076 R91	137
357 080 R91	20
357 080 R91	137
357 099 R2	126
357 101 R1	128
357 109 R93	104
357 124 R1	120
357 125 R91	31
357 126 R1	114
357 127 R1	165
357 128 R1	165
357 129 R1	165
357 130 R1	165
357 131 R1	165
357 132 R1	165
357 135 R1	165
357 136 R2	165
357 137 R91	164
357 138 R91	165
357 142 R92	34
357 143 R91	34
357 144 R1	35
357 145 R91	34
357 147 R91	35
357 148 R91	35
357 149 R1	35
357 150 R1	35
357 151 R1	35
357 152 R91	36
357 152 R91	137
357 153 R1	34
357 154 R91	35
357 155 R91	35
357 159 R92	112
357 209 R1	157
357 215 R1	182
357 232 R1	120
357 289 R91	8
357 289 R91	9
357 290 R91	9
357 291 R92	8
357 291 R92	9
357 292 R92	9
357 369 R1	105
357 372 R91	141
357 374 R1	8
357 375 R91	192
357 418 R1	100
357 419 R1	100
357 428 R91	133
357 429 R1	122
357 432 R1	38
357 433 R91	38
357 476 R91	11
357 476 R91	136
357 476 R91	137
357 497 R91	125
357 498 R91	126
357 538 R91	108
357 548 R1	13
357 557 R1	156
357 637 R1	142
357 646 R92	137
357 646 R96	142
357 648 R1	27
357 679 R91	20
357 679 R91	137
357 749 R91	94
357 750 R11	16
357 753 R1	215
357 758 R1	215
357 778 R1	94
357 778 R1	215
357 820 R92	132
357 865 R91	181
357 870 R91	91
357 874 R2	157
357 874 R2	197
357 874 R2	210
357 874 R2	212
357 884 R93	69
357 884 R93	71
357 884 R93	79
357 884 R93	80
357 884 R93	83
357 884 R93	84
357 884 R93	216
357 886 R91	34
357 917 R92	216
357 929 R92	51
357 934 R91	79
357 934 R92	50
357 935 R91	51
357 935 R91	52
357 957 R1	94
357 958 R1	94
357 963 R91	167
357 964 R92	167
357 965 R1	167
358 108 R91	53
358 109 R92	79
358 109 R92	83
358 111 R92	80
358 111 R92	85
358 111 R92	197
358 111 R92	216
358 112 R92	80
358 112 R92	85
358 116 R92	80
358 116 R92	85
358 118 R91	80
358 118 R91	84
358 144 R91	98
358 145 R1	98
358 146 R1	98
358 147 R91	98
358 168 R91	25
358 208 R1	182
358 209 R1	186
358 262 R91	183
358 268 R2	132
358 373 R11	15
358 374 R11	15
358 375 R11	15
358 376 R11	15
358 377 R11	15
358 378 R11	15
358 379 R11	15
358 380 R11	15
358 417 R92	185
358 418 R92	186
358 419 R1	186
358 421 R93	90
358 540 R11	58
358 541 R11	58
358 542 R11	58
358 544 R91	58
358 572 R92	77
358 581 R91	177
358 615 R1	27
358 765 R91	108
358 769 R91	115
358 769 R91	188
358 774 R91	123
358 776 R91	119
358 776 R91	182
358 781 R91	183
358 783 R91	13
358 791 R91	124
358 809 R91 358808	119 108
358 811 R91	123
358 816 R91	182
358 820 R91	183
358 826 R91	124
358 890 R92	71
358 891 R92	71
358 892 R91	71
359 042 R91	113
359 257 R91	113
359 258 R2	112
359 259 R1	112
359 260 R1	112
359 274 R91	43
359 275 R91	43
359 276 R91	43
359 277 R91	43
359 318 R92	175
359 321 R1	17
359 340 R1	119
359 450 R1	144
359 483 R91	132
359 526 R1	79
359 526 R1	80
359 526 R1	83
359 526 R1	84
359 526 R1	154
359 552 R1	150
359 552 R1	197
359 554 R1	150
359 554 R1	197
359 555 R91	132
359 558 R92	150
359 560 R94	140
359 561 R94	159
359 567 R92	150
359 567 R92	152
359 572 R92	131
359 572 R92	197
359 577 R1	202
359 580 R11	205
359 584 R1	205
359 585 R21	203
359 587 R1	203
359 682 R91	74
359 683 R91	25
359 704 R1	48
359 766 R91	49
359 773 R91	74
359 775 R95	214
359 776 R91	214
359 777 R11	215

PART NUMBER	PAGE
359 778 R1	215
359 779 R1	215
359 780 R11	214
359 781 R1	214
359 782 R1	214
359 788 R91	115
359 788 R91	188
359 790 R91	121
359 795 R91	205
359 875 R1	27
359 875 R1	143
359 965 R1	48
359 966 R1	45
359 966 R1	47
359 967 R1	48
359 977 R91	109
359 978 R1	109
359 979 R1	108
359 989 R91	107
359 992 R1	108
360 004 R1	35
360 053 R91	79
360 053 R91	84
360 076 R92	120
360 077 R91	14
360 083 R91	132
360 119 R92	117
360 119 R92	137
360 184 R1	200
360 185 R91	195
360 196 R11	18
360 197 R11	15
360 199 R11	15
360 213 R91	13
360 216 R11	15
360 216 R11	215
360 217 R11	15
360 218 R11	15
360 219 R11	15
360 220 R11	15
360 221 R11	15
360 221 R11	215
360 222 R11	15
360 223 R11	15
360 224 R11	15
360 225 R11	15
360 241 R91	167
360 243 R1	167
360 244 R11	167
360 246 R11	167
360 247 R1	167
360 248 R1	167
360 249 R11	167
360 250 R91	167
360 296 R91	16
360 297 R91	16
360 363 R11	111
360 372 R1	159
360 372 R1	161
360 373 R1	159
360 376 R1	135
360 376 R1	144
360 376 R1	200
360 377 R1	135
360 377 R1	144
360 377 R1	200
360 378 R1	135
360 378 R1	144
360 378 R1	200
360 379 R1	156
360 379 R1	197
360 379 R1	210
360 379 R1	211
360 380 R91	159
360 381 R91	155
360 383 R1	158
360 383 R1	196
360 383 R1	210
360 383 R1	212
360 390 R21	196
360 391 R1	196
360 392 R1	196
360 393 R91	195
360 393 R91	196
360 394 R91	196
360 402 R92	196
360 427 R91	167
360 428 R91	167
360 430 R91	40
360 434 R94	195
360 451 R1	196
360 451 R1	202
360 457 R91	112
360 465 R91	123
360 470 R1	100
360 474 R1	143
360 475 R1	143
360 476 R1	143
360 478 R11	69
360 478 R11	86
360 478 R11	197
360 478 R11	216
360 599 R1	161
360 633 R93	142
360 679 R1	94
360 679 R1	215
360 689 R91	146
360 691 R91	148
360 702 R91	25
360 703 R1	25
360 704 R91	25
360 705 R91	25
360 706 R1	25
360 710 R92	132
360 720 R91	179
360 724 R11	144
360 725 R1	144
360 726 R1	144
360 727 R1	144
360 728 R1	144
360 898 R91	59
360 898 R91	64
360 898 R91	80
360 898 R91	85
360 933 R93	195
360 934 R94	195
360 942 R91	43
360 943 R91	43
360 945 R92	147
360 957 R91	148
360 994 R91	161
360 994 R91	163
360 994 R91	202
360 998 R11	162
360 999 R11	162
361 000 R1	162
361 005 R11	161
361 006 R11	161
361 007 R11	161
361 009 R1	161
361 010 R1	161
361 011 R1	162
361 013 R1	162
361 063 R1	98
361 085 R91	159
361 085 R91	161
361 086 R91	156
361 087 R91	159
361 087 R91	161
361 140 R1	131
361 157 R91	113
361 168 R91	100
361 169 R91	102
361 190 R11	197
361 191 R11	196
361 292 R91	104
361 292 R91	207
361 311 R1	119
361 340 R2	143
361 341 R3	143
361 342 R1	141
361 408 R91	175
361 409 R91	175
361 411 R91	175
361 555 R1	13
361 581 R91	102
361 582 R91	101
361 625 R1	147
361 627 R1	147
361 628 R1	147
361 629 R1	147
361 630 R1	147
361 631 R1	147
361 686 R91	43
361 688 R91	43
361 723 R91	99
361 858 R1	104
361 985 R92	74
362 002 R92	77
362 014 R1	133
362 014 R1	202
362 014 R1	203
362 016 R1	202
362 038 R1	21
362 088 R1	162
362 098 R91	216
362 101 R91	21
362 202 R91	207
362 203 R91	207
362 204 R91	207
362 206 R1	208
362 207 R1	208
362 208 R1	208
362 209 R1	210
362 209 R1	212
362 210 R1	210
362 210 R1	212
362 211 R91	169
362 211 R91	209
362 212 R1	210
362 213 R91	212
362 216 R91	212
362 219 R91	209
362 222 R91	209
362 228 R1	210
362 229 R1	210
362 230 R11	213
362 231 R1	213
362 232 R1	213
362 233 R11	213
362 235 R1	213
362 236 R1	213
362 242 R11	207
362 243 R12	208
362 249 R92	208
362 250 R1	208
362 251 R91	208
362 252 R91	207
362 253 R91	207

PART NUMBER	PAGE
362 255 R91	207
362 255 R91	209
362 256 R91	207
362 258 R1	207
362 259 R1	207
362 260 R1	207
362 261 R1	207
362 262 R91	208
362 265 R1	207
362 266 R1	207
362 267 R1	207
362 268 R91	208
362 288 R91	168
362 288 R91	209
362 288 R91	211
362 289 R1	209
362 289 R1	211
362 290 R2	210
362 290 R2	212
362 291 R1	168
362 292 R1	168
362 293 R1	168
362 294 R1	168
362 295 R1	168
362 296 R1	168
362 297 R1	168
362 355 R1	156
362 355 R1	162
362 356 R1	162
362 414 R91	147
362 451 R91	143
362 603 R91	25
362 611 R11	13
362 618 R1	125
362 757 R1	98
362 757 R1	99
362 845 R91	155
362 865 R91	18
362 865 R91	137
362 866 R91	18
362 869 R1	17
362 993 R91	174
362 997 R91	174
362 999 R91	174
363 000 R1	174
363 002 R91	174
363 130 R91	56
363 130 R91	79
363 130 R91	83
363 130 R91	216
363 137 R91	162
363 264 R1	169
363 313 R91	113
363 321 R91	113
363 465 R11	18
363 466 R1	18
363 669 R91	91
363 749 R91	51
363 763 R11	51
363 764 R1	51
363 765 R1	51
363 821 R91	13
363 866 R1	38
363 880 R1	161
363 907 R91	169
363 908 R1	169
363 909 R1	169
363 910 R91	169
363 913 R91	97
363 914 R91	76
363 917 R91	76
363 919 R1	76
363 920 R1	76

PART NUMBER	PAGE
363 923 R91	77
364 002 R1	77
364 003 R1	77
364 004 R1	77
364 148 R1	209
364 148 R1	210
364 148 R1	211
364 171 R1	77
364 250 R91	165
364 290 R11	76
364 291 R1	76
364 310 R91	164
364 310 R91	167
364 311 R91	158
364 311 R91	164
364 312 R91	164
364 313 R91	164
364 490 R11	108
364 527 R1	15
364 554 R91	34
364 681 R91	207
441 014 R1	210
441 014 R1	211
517 781 R1	203
517 782 R2	202
517 783 R1	202
517 784 R1	200
517 786 R11	199
517 789 R11	203
517 795 R21	202
517 796 R21	203
517 802 R1	203
517 803 R11	202
517 808 R11	202
517 810 R12	194
517 810 R12	201
517 823 R91	201
517 824 R1	201
517 825 R11	202
517 829 R11	200
517 831 R1	199
517 832 R1	105
517 832 R1	199
517 833 R1	199
517 834 R1	202
517 838 R1	203
517 842 R1	199
517 843 R1	105
517 843 R1	167
517 843 R1	199
517 843 R1	203
517 853 R12	194
517 854 R11	194
517 859 R12	194
517 860 R1	194
517 861 R1	194
517 862 R1	194
517 865 R91	194
517 866 R91	194
517 867 R1	194
517 971 R92	202
518 117 R91	194
518 134 R1	199
518 135 R1	199
518 138 R11	199
518 141 R91	199
518 143 R11	199
518 144 R1	199
518 145 R12	199
518 476 R11	199
518 477 R1	199
518 482 R1	202
518 511 R1	202

PART NUMBER	PAGE
518 550 R91	195
518 568 R1	199
518 576 R21	200
551 177 R1	194
575 807 R1	128
576 485 R1	199
622 258 R1	156
656 830 R92	91
656 830 R92	215
657 379 R92	124
657 380 R1	124
657 382 R11	124
657 731 R1	157
657 731 R1	215
658 605 R91	124
658 605 R91	215
658 607 R1	124
658 608 R91	124
658 609 R11	124
658 964 R91	124
658 964 R91	215

S

PART NUMBER	PAGE
23 471 S	105
23 471 S	199

ST

PART NUMBER	PAGE
ST 201	121
ST 205 A	108
ST 212	182
ST 213	183
ST 213	183
ST 225 BT	111
ST 246	108
ST 269 A	112
ST 269 A	124
ST 278	112
ST 295	123
ST 307	48
ST 600	47
ST 601	47
ST 602	47
ST 775 A	122
ST 874 A	122

T

PART NUMBER	PAGE
1 998 TA	27
7 911 T	102

V

PART NUMBER	PAGE
13 823 V	115
53 795 V	101
53 795 V	102

NUMERICAL INDEX

PRINTED IN UNITED STATES OF AMERICA